



**The Cleft Collective**

Closing the Gap in Cleft Research

A Scar Free Foundation Initiative

# Data Dictionary

V2.6 – 01/08/2024

Written by The Cleft Collective study team in Bristol

Data queries, contact: [cleft-collective@bristol.ac.uk](mailto:cleft-collective@bristol.ac.uk)

*Due to ongoing recruitment and data collection this data dictionary is a working document. New versions of this document will be available online periodically*

## Contents

Introduction	Page 3
Overview of The Cleft Collective	Page 3
Study aims and objectives	Page 3
Recruitment	Page 4
Timeline of data collection	Page 4
Study population	Page 5
Data access	Page 6
Data Access Policy	Page 6
Publication acknowledgment	Page 6
Structure of the data dictionary and dataset	Page 7
Data dictionary structure	Page 7
Dataset structure	Page 7
Variable naming convention	Page 7
Missing values	Page 8

## Introduction

This data dictionary is intended to support the use of data from The Cleft Collective Cohort Studies. It includes an overview of the study methodology, the structure of the dataset and a description of all data which are available to collaborating researchers. The information contained in this data manual is for descriptive purposes only and should not be reported in research papers. All data included in research papers should be generated directly from datasets provided by The Cleft Collective.

## Overview of The Cleft Collective

The Cleft Collective is a longitudinal cohort study looking to investigate the biological and environmental causes of cleft, the best treatments of cleft and the psychological impact of cleft on those affected and their families. The study comprises two separate cohorts, a Birth Cohort and a 5-year-old Cohort. Recruitment to these two cohorts is ongoing across the UK. The study collects a number of different data from multiple sources and should be considered a resource for collaborators.

## Study aims and objectives

The Cleft Collective aims to create an adequately powered, detailed observational resource for collaborators to research the environmental and genetic determinants of cleft lip and/or palate, and the outcomes for patients and families affected by cleft lip and/or palate. By collecting samples and data from cohorts throughout the UK, a large DNA-backed prospective resource of family trios and quartets for the study of the genetic and environmental determinants of cleft lip and/or palate will be provided. Data relating to the social, emotional, behavioural and cognitive development of the child, and the lifestyle, social, economic, psychological and health status of the mother and her partner will facilitate studies of the development and long-term outcomes for children with cleft lip and/or palate and their families in the future.

## Recruitment

Recruitment to the study commenced in December 2013 and has been rolled out across the UK using a phased approach. Currently all of the centralised cleft services are actively involved with recruitment or data collection. The study is NIHR portfolio adopted resulting in the NHS Trust/CRN receiving support costs.

For the Birth Cohort, all children diagnosed (antenatally or postnatally) with a cleft during the period 01/04/2013 – 30/09/2027 and their families will be eligible to participate.

For the Five-Year-Old Cohort, all children born with a cleft between 01/04/2008 – 30/09/2022 and their parents will be eligible to participate.


In both cohorts, all families will be eligible regardless of cleft type or the presence of additional conditions/syndromes.

## Timeline of data collection

Data collection has been established from a number of different sources. These include;

- self-reported questionnaires for the parents of the study child
- self-reported questionnaires for the study child from the age of 8
- surgical questionnaires to be completed by the surgeon carrying out the child's lip and/or palate repair
- biological samples
- data collected by medical professionals

### *Self-reported questionnaires*



## Biological samples



## Study population

Participants are multigenerational and consist of parents, the affected child (study child) and in some cases their siblings. The intended minimum number of participants to each study family include the study child and the biological mother. In a few cases only the child has been recruited, this shall be reflected any data received.

As of the 1<sup>st</sup> August 2024, 4105 families had been recruited to the study resulting in 11501 participants. These participants are located across the UK with recruitment currently taking place at the following sites:

- Belfast
- Birmingham
- Bristol
- Cambridge
- Chelmsford
- Edinburgh
- Great Ormond Street Hospital
- Glasgow
- Guys and St Thomas'
- Leeds
- Liverpool
- Manchester
- Newcastle
- Nottingham
- Oxford
- Salisbury
- Swansea

## Data access

To access the resource the collaborator should contact The Cleft Collective Project Management Group ([cleft-collective@bristol.ac.uk](mailto:cleft-collective@bristol.ac.uk)) describing the proposed research, and complete the project proposal form. The proposal form can be found at:

<http://www.bristol.ac.uk/cleft-collective/professionals/access/>

## Data Access Policy

We have established criteria to access data and the Data Access Policy can be found at:

<http://www.bristol.ac.uk/cleft-collective/professionals/access/>

## Publication acknowledgement

The following is a standard acknowledgement section that should be included in all publications and presentations:

“This publication involves data derived from independent research funded by The Scar Free Foundation (REC approval 13/SW/0064). We are grateful to the families who participated in the study, the UK NHS cleft teams, and The Cleft Collective team, who helped facilitate the study. The views expressed in this publication are those of the author(s) and not necessarily those of The Scar Free Foundation or The Cleft Collective Cohort Studies team.”

## Further information on the study

Further information on the study can be obtained from “The Cleft Collective: protocol for a longitudinal prospective cohort study”. The full citation for this can be found below:

Davies, A. J. V., Humphries, K., Lewis, S. J., Ho, K., Sandy, J. R., & Wren, Y. (2024). The Cleft Collective: protocol for a longitudinal prospective cohort study. *BMJ Open*, 14(7), e084737–e084737. <https://doi.org/10.1136/bmjopen-2024-084737>

Should you require further information, please do contact the Cleft Collective study team on [cleft-collective@bristol.ac.uk](mailto:cleft-collective@bristol.ac.uk)

## Structure of the data dictionary and dataset

### Data dictionary structure

Data currently available for request are detailed in the data tables section of this dictionary. Data is organised in chronological order by questionnaire and section. Whilst data collection is ongoing, variables will be listed within tables and will only display possible values rather than distributions or frequencies.

### Dataset structure

When a project has been approved the collaborator(s) will receive a basic dataset identifying variables which will detail administrative data, such as the return rates of questionnaires and child's age at the time of completion. Collaborators will be asked to submit a request identifying which variables they would seek to have added to this basic dataset.

Participants within the dataset will be assigned a specific project ID. A family ID will also be supplied in order to be able to identify multiple births and to link family members.

Data is currently available in two formats, SPSS and Stata. It is intended that data will become available in R in due course.

### Variable naming convention

Each variable will take the following structure:

cc"cohort" "person" \_ "data source" \_ "variables name"

Cohort		Person answering question		Data Source	
an	antenatal	m	Mother	ssf	Surgical Short Form
pn	postnatal	f	Father/Mother's partner/guardian	blq	Baseline Questionnaire
5y	5 year	s	Surgeon	18m	18 Month Questionnaire

sl	Speech & Language	c	Study child	3yr	3 Year Questionnaire
		t	Speech & Language Therapist	5yr	5 Year Questionnaire
				8yr	8 Year Questionnaire
				10y	10 Year Questionnaire
				12y	12 Year Questionnaire
				dv	Derived Variable

### *Missing values*

Missing values will be detailed within the dataset as follows:

<b>Missing value - reason</b>	<b>SPSS</b>	<b>Stata</b>
Questionnaire not completed	-9	.a
Questionnaire completed but specific question incomplete	-8	.b
Not applicable	-7	.c
Family withdrawn	-6	.d



<b>Mothers postnatal baseline questionnaire</b>		
<b>Section A - About You</b>		
<b>Data for release</b>		
Variable Name	Variable Label	Variable Values
ccpnm_blq_ethnic	Mother's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
ccpnm_blq_ethnic_mgm	Maternal Grandmother's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
ccpnm_blq_ethnic_mgf	Maternal Grandfather's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
ccpnm_blq_cntry_brth	Mother's country of birth	Free text
ccpnm_blq_uksincebrth	Mother has lived in the UK since birth	0"No", 1"Yes"
ccpnm_blq_yrslivedinuk	Number of years mother has lived in the UK	Discrete
ccpnm_blq_religion	Mother's religion	0"None", 1"Christian", 2"Buddhist", 3"Hindu", 4"Jewish", 5"Sikh", 6"Islam", 7"Other"
ccpnm_blq_ageatconc	Mother's age at conception	Continuous
ccpnm_blq_mthrconcage	Age of maternal Grandmother when Mother was conceived	Continuous
ccpnm_blq_fthrconcage	Age of maternal Grandfather when Mother was conceived	Continuous
ccpnm_blq_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnm_blq_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpnm_blq_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
<b>Section B - Work and Education</b>		
<b>Data for release</b>		
Variable Name	Variable Label	Variable Values

ccpnm_blq_higheduqual	Mother's highest educational qualification	0"No qualifications", 1"One or more Olevels/CSEs/GCEs (any grades)", 2"Five or more Olevels/CSEs (grade 1)/GCSEs (grades A* - C)/School Certificate", 3"One or more A Levels/AS Levels", 4"Two or more A Levels/Four or more AS Levels/Higher School Certificate", 5"NVQ Level 1/Foundation GNVQ", 6"NVQ Level 2/Intermediate GNVQ", 7"NVQ Level 3/Advanced GNVQ", 8"NVQ Levels 4-5/HNC/HND", 9"First degree (e.g. BA/BSc)", 10"Higher degree (e.g. MA, PhD, Postgraduate PGCE)", 11"Other qualifications (e.g. City and Guilds, RSA/OCR, BTEC/Edexcel)", 12"Overseas qualifications", 13"Other", 14"Don't know"
ccpnm_blq_schlexp	Mother's school experience	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnm_blq_academperf	Mother's academic performance	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnm_blq_schlenj	Mother's school enjoyment	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnm_blq_relschlrtch	Mother's relationship with her teachers at school	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnm_blq_relschlfrnd	Mother's relationship with her friends at school	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnm_blq_expbllyng	Mother experienced teasing and bullying	0"No", 1"Yes"
ccpnm_blq_bllngextnt	Extent of bullying experienced by child's Mother	1"Not very bad", 2"Moderate", 3"Very bad"
ccpnm_blq_crntemplmnt	Mother's current employment status	1"Student", 2"Homemaker", 3"Intern/apprentice", 4"Military Service", 5"Unemployed/laid off", 6"Rehabilitation/disabled", 7"Employed in public sector", 8"Employed in private sector", 9"Self-employed", 10"Other"
ccpnm_blq_crntemplmnt_oth	Mother's current employment status - other	Free Text
ccpnm_blq_crntoccptn	Mother's current/most recent occupation	1"Professional/executive", 2"Small business proprietor sales", 3"Clerical/administrative", 4"Skilled worker", 5"Semiskilled worker", 6"Unskilled worker", 7"Student/school pupil", 8"Homemaker", 9"Volunteer worker", 10"Other"
ccpnm_blq_jbtitle	Mother's current/most recent job title	Free text
ccpnm_blq_timejb	Length of time Mother has worked/did work in current/most recent job	Continuous (Months)
ccpnm_blq_absncewrk	Mother has been absent from work (other than maternity leave) for more than 2 weeks in the last year	0"No", 1"Yes"
ccpnm_blq_absncewrk_reas	Reason for Mother's absence from work (other than maternity leave) for more than 2 weeks in the last year	1"Medical leave", 2"Leave of absence", 3"Child was ill", 4"Other"
ccpnm_blq_hrswrkwk	Hours worked by Mother per week	Continuous (hours per week)
ccpnm_blq_crrntwrkhrs	Mother's current working hours	1"Permanent day", 2"Permanent evening", 3"Permanent night", 4"Shift work", 5"No set times / Temporary", 6"Other"

ccpnm_blg_phshvywrk	Mother does physically heavy work in her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_blg_strssflwrk	Mother finds her current work situation very stressful	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_blg_lrnwrk	Mother learns a lot within her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_blg_mntnswrk	Mother's current work is very monotonous	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_blg_dmndswrk	Mother's current work demands a lot of her	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_blg_slfmngwrk	Mother is able to decide how her work is carried out in her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_blg_gdtmsprtwrk	There is good team spirit in the Mother's current place of work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_blg_enjywrk	Mother enjoys her current work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_blg_annlincm	Mother's annual income after tax, including tax credits, benefits and other sources	1"£1,299 or less", 2"£1,300 - £2,099", 3"£2,100 - £3,099", 4"£3,100 - £4,199", 5"£4,200 - £5,199", 6"£5,200 - £6,499", 7"£6,500 - £7,799", 8"£7,800 - £9,299", 9"£9,300 - £10,999", 10"£11,000 - £13,499", 11"£13,500 - £15,999", 12"£16,000 - £19,999", 13"£20,000 - £24,999", 14"£25,000 - £29,999", 15"£30,000 - £39,999", 16"£40,000 - £49,999", 17"£50,000 - £59,999", 18"£60,000 - £69,999", 19"£70,000 - £79,999", 20"£80,000 or more"
ccpnm_blg_crds_bnfts	Mother, as an individual, receives credits, allowances or benefits	0"No", 1"Yes", 2"Don't know"
ccpnm_blg_chldbnt	Mother receives Child Benefit	0"No", 1"Yes"
ccpnm_blg_chldtxcrdt	Mother receives Child Tax Credit	0"No", 1"Yes"
ccpnm_blg_wrkngtxcrdt	Mother receives Working Tax Credit	0"No", 1"Yes"
ccpnm_blg_incmspprt	Mother receives Income Support	0"No", 1"Yes"
ccpnm_blg_dsblyalwnc	Mother receives Disability Living Allowance	0"No", 1"Yes"
ccpnm_blg_jbskrsalwnc	Mother receives income tested Job Seeker's allowance	0"No", 1"Yes"
ccpnm_blg_hbrctb	Mother receives Housing Benefit/Rent Rebate/Council Tax Benefit	0"No", 1"Yes"
ccpnm_blg_incpcybnft	Mother receives Incapacity Benefits	0"No", 1"Yes"
ccpnm_blg_pnsncrdt	Mother receives Pension Credit	0"No", 1"Yes"
ccpnm_blg_careralwnc	Mother receives Carer's Allowance	0"No", 1"Yes"
ccpnm_blg_indincmfrmbnt	Amount of Mother's individual income that comes from benefits	0"None", 1"less than 25%", 2"Between 25% and 50%", 3"50% or more"
<b>Section C - Family Life</b>		

Data for release		
Variable Name	Variable Label	Variable Values
ccpnm_biq_lvdcrintaddr	Time Mother has lived at current address	Continuous (months)
ccpnm_biq_crntaddrstenure	Tenure of mother's current address	1"Buying it with the help of a mortgage or loan", 2"Owns it outright", 3"Rents it", 4"Lives here rent free", 5"Shared ownership", 6"Don't know", 7"Other"
ccpnm_biq_crntaddrstenure_oth	Tenure of mother's current address - other	Free text
ccpnm_biq_landlord	Landlord of property mother lives in if tenure is rented/shared ownership/rent free	1"Private landlord or letting agency", 2"Housing Association, Housing Co-operative, Charitable Trust", 3"Local Authority/Council", 4"Relative or friend", 5"Employer", 6"Don't know", 7"Other", 8"Not applicable"
ccpnm_biq_landlord_oth	Landlord of property mother lives in if landlord is other	Free text
ccpnm_biq_lvswithprtnr	Mother lives with her spouse or domestic partner	0"No", 1"Yes"
ccpnm_biq_lvswithchldr	Mother lives with her children and/or stepchildren	0"No", 1"Yes"
ccpnm_biq_lvswithsblng	Mother lives with her sibling(s)	0"No", 1"Yes"
ccpnm_biq_lvswithprnt	Mother lives with her parent(s)	0"No", 1"Yes"
ccpnm_biq_lvswithothrel	Mother lives with other relatives	0"No", 1"Yes"
ccpnm_biq_lvswithunrelind	Mother lives with unrelated individuals	0"No", 1"Yes"
ccpnm_biq_lvnumchldr	Number of children/stepchildren Mother lives with	Discrete
ccpnm_biq_lvnumsblng	Number of siblings Mother lives with	Discrete
ccpnm_biq_lvnumprnt	Number of parents Mother lives with	Discrete
ccpnm_biq_lvnumothrel	Number of other relatives Mother lives with	Discrete
ccpnm_biq_lvnumunrelind	Number of unrelated individuals Mother lives with	Discrete
ccpnm_biq_crnthshldarrngmnt	Time Mother has lived in this household arrangement	Continuous (months)
ccpnm_biq_maritalsts	Mothers marital status	1"Single", 2"Domestic partner", 3"Married", 4"Separated", 5"Divorced", 6"Widowed", 7"Civil Union"
ccpnm_biq_crrntmaritalarrngmnt	Time Mother has lived in this marital arrangement	Continuous (months)
ccpnm_biq_nummarriage	Number of times Mother has been married or within a civil union	Discrete
ccpnm_biq_numseparated	Number of times Mother has been separated	Discrete
ccpnm_biq_numdivorce	Number of times Mother has been divorced	Discrete
ccpnm_biq_numwidowed	Number of times Mother has been widowed	Discrete
ccpnm_biq_partnerclserel	Mother and Mother's partner have a close relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_biq_partnerprobrel	Mother and Mother's partner have problems in their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_biq_hpyrel	Mother is very happy in her relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"

ccpnm_blq_partnerunderstndng	Mother's partner is usually understanding	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_blq_endrel	Mother often thinks about ending her relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_blq_satrel	Mother is satisfied with her relationship with partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_blq_disagreeimpdecs	Mother often disagrees with partner about important decisions	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_blq_lckyptrnr	Mother feels lucky in her choice of partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_blq_agreechldnrnsd	Mother and Mother's partner agree how children should be raised	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_blq_prtnrsatrel	Mother thinks partner is satisfied with their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_blq_frstbiochld	Study child is Mother's first biological child	0"No", 1"Yes"
ccpnm_blq_numbiochdrn	Number of biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnm_blq_numfemalebiochdrn	Number of female biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnm_blq_nummalebiochdrn	Number of male biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnm_blq_biochldprvrel	At least one biological child is from a previous relationship(s)	0"No", 1"Yes"
ccpnm_blq_stepchldrnr	Mother has at least one step child	0"No", 1"Yes"
ccpnm_blq_numstepchdrn	Number of step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnm_blq_numfemalestpchdrn	Number of female step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnm_blq_nummalestpchdrn	Number of male step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnm_blq_frstlaneng	Mother's first language is English	0"No", 1"Yes"
ccpnm_blq_spkenghm	Where Mother's first language is not English, English is often spoken at home	0"No", 1"Yes"
<b>Section D - Health and Illness</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_blq_mthbrnpre	Mother born prematurely	0"No", 1"Yes", 2"Don't know"
ccpnm_blq_mthbrthwgt	Mother's birth weight	Continuous (kg)
ccpnm_blq_mthrmult	Mother is a twin or multiple	0"No", 1"Yes, monozygotic twin", 2"Yes, dizygotic twin", 3"Yes, multiple", 4"Don't know"
ccpnm_blq_chldslt	Mother saw a speech and language therapist as a child	0"No", 1"Yes", 2"Don't know"
ccpnm_blq_mthrepilepsy	Mother has a medical history of epilepsy and/or seizures	0"No", 1"Yes"

ccpnm_blq_biofamepilepsy	Mother's biological family member has a medical history of epilepsy and/or seizures	0"No",1"Yes"
ccpnm_blq_mthrhbdpres	Mother has a medical history of high blood pressure	0"No",1"Yes"
ccpnm_blq_biofamhbdpres	Mother's biological family member has a medical history of high blood pressure	0"No",1"Yes"
ccpnm_blq_mthrdiabetes	Mother has a medical history of diabetes	0"No",1"Yes"
ccpnm_blq_biofamdiabetes	Mother's biological family member has a medical history of diabetes	0"No",1"Yes"
ccpnm_blq_mthrhrtdis	Mother has a medical history of heart disease	0"No",1"Yes"
ccpnm_blq_biofamhrtdis	Mother's biological family member has a medical history of heart disease	0"No",1"Yes"
ccpnm_blq_mthrarthritis	Mother has a medical history of arthritis	0"No",1"Yes"
ccpnm_blq_biofamarthritis	Mother's biological family member has a medical history of arthritis	0"No",1"Yes"
ccpnm_blq_mthrthyroid	Mother has a medical history of a thyroid condition	0"No",1"Yes"
ccpnm_blq_biofamthyroid	Mother's biological family member has a medical history of a thyroid condition	0"No",1"Yes"
ccpnm_blq_mthrhepatitis	Mother has a medical history of hepatitis	0"No",1"Yes"
ccpnm_blq_biofamhepatitis	Mother's biological family member has a medical history of hepatitis	0"No",1"Yes"
ccpnm_blq_mthrlupus	Mother has a medical history of lupus	0"No",1"Yes"
ccpnm_blq_biofamlupus	Mother's biological family member has a medical history of lupus	0"No",1"Yes"
ccpnm_blq_mthrsevacne	Mother has a medical history of sever acne	0"No",1"Yes"
ccpnm_blq_biofamsevacne	Mother's biological family member has a medical history of sever acne	0"No",1"Yes"
ccpnm_blq_mthrasthma	Mother has a medical history of asthma	0"No",1"Yes"
ccpnm_blq_biofamasthma	Mother's biological family member has a medical history of asthma	0"No",1"Yes"
ccpnm_blq_mthrallegies	Mother has a medical history of allergies	0"No",1"Yes"
ccpnm_blq_biofamallegies	Mother's biological family member has a medical history of allergies	0"No",1"Yes"
ccpnm_blq_mthrsevheadaches	Mother has a medical history of severe headaches	0"No",1"Yes"
ccpnm_blq_biofamsevheadaches	Mother's biological family member has a medical history of severe headaches	0"No",1"Yes"
ccpnm_blq_mthrchronearinfect	Mother has a medical history of chronic ear infections	0"No",1"Yes"
ccpnm_blq_biofamchronearinfect	Mother's biological family member has a medical history of chronic ear infections	0"No",1"Yes"
ccpnm_blq_mthrcancer	Mother has previously been diagnosed with cancer	0"No",1"Yes"

ccpnm_blq_biofamcancer	Mother's biological family member has previously been diagnosed with cancer	0"No",1"Yes"
ccpnm_blq_mthr_brstcancer	Mother has previously been diagnosed with breast cancer	0"No",1"Yes"
ccpnm_blq_biofam_brstcancer	Mother's biological family member has previously been diagnosed with breast cancer	0"No",1"Yes"
ccpnm_blq_mthr_crvclcancer	Mother has previously been diagnosed with cervical cancer	0"No",1"Yes"
ccpnm_blq_biofam_crvclcancer	Mother's biological family member has previously been diagnosed with cervical cancer	0"No",1"Yes"
ccpnm_blq_mthr_clnrctmcancer	Mother has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"
ccpnm_blq_biofam_clnrctmcancer	Mother's biological family member has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"
ccpnm_blq_mthr_leukaemia	Mother has previously been diagnosed with leukaemia	0"No",1"Yes"
ccpnm_blq_biofam_leukaemia	Mother's biological family member has previously been diagnosed with leukaemia	0"No",1"Yes"
ccpnm_blq_mthr_lngcancer	Mother has previously been diagnosed with lung cancer	0"No",1"Yes"
ccpnm_blq_biofam_lngcancer	Mother's biological family member has previously been diagnosed with lung cancer	0"No",1"Yes"
ccpnm_blq_biofam_prstcancer	Mother's biological family member has previously been diagnosed with prostate cancer	0"No",1"Yes"
ccpnm_blq_mthr_skncancer	Mother has previously been diagnosed with skin cancer	0"No",1"Yes"
ccpnm_blq_biofam_skncancer	Mother's biological family member has previously been diagnosed with skin cancer	0"No",1"Yes"
ccpnm_blq_biofam_tstclrcancer	Mother's biological family member has previously been diagnosed with testicular cancer	0"No",1"Yes"
ccpnm_blq_mthr_thyrdcancer	Mother has previously been diagnosed with thyroid cancer	0"No",1"Yes"
ccpnm_blq_biofam_thyrdcancer	Mother's biological family member has previously been diagnosed with thyroid cancer	0"No",1"Yes"
ccpnm_blq_mthr_utrscancer	Mother has previously been diagnosed with uterus cancer	0"No",1"Yes"
ccpnm_blq_biofam_utrscancer	Mother's biological family member has previously been diagnosed with uterus cancer	0"No",1"Yes"
ccpnm_blq_mthr_othercancer	Mother has previously been diagnosed with another cancer	0"No",1"Yes"
ccpnm_blq_biofam_othercancer	Mother's biological family member has previously been diagnosed with another cancer	0"No",1"Yes"
ccpnm_blq_mthr_hrtdfct	Mother has been diagnosed with a heart defect	0"No",1"Yes"
ccpnm_blq_biofam_hrtdfct	Mother's biological family member has been diagnosed with a heart defect	0"No",1"Yes"
ccpnm_blq_mthr_shrtsight	Mother has been diagnosed with short-sightedness	0"No",1"Yes"

ccpnm_blq_biofam_shrtsight	Mother's biological family member has been diagnosed with short-sightedness	0"No",1"Yes"
ccpnm_blq_mthr_lrndiff	Mother has been diagnosed with a learning difficulty	0"No",1"Yes"
ccpnm_blq_biofam_lrndiff	Mother's biological family member has been diagnosed with a learning difficulty	0"No",1"Yes"
ccpnm_blq_mthr_othercongen	Mother has been diagnosed with another congenital defect (other than cleft)	0"No",1"Yes"
ccpnm_blq_biofam_othercongen	Mother's biological family member has been diagnosed with another congenital defect (other than cleft)	0"No",1"Yes"
ccpnm_blq_mthr_gendis	Mother has been diagnosed with a genetic disorder	0"No",1"Yes"
ccpnm_blq_biofam_gendis	Mother's biological family member has been diagnosed with a genetic disorder	0"No",1"Yes"
ccpnm_blq_mthr_hrngls	Mother has been diagnosed with hearing loss or impairment	0"No",1"Yes"
ccpnm_blq_biofam_hrngls	Mother's biological family member has been diagnosed with hearing loss or impairment	0"No",1"Yes"
ccpnm_blq_mthr_behavprob	Mother has been diagnosed with a behavioural problem	0"No",1"Yes"
ccpnm_blq_biofam_behavprob	Mother's biological family member has been diagnosed with a behavioural problem	0"No",1"Yes"
ccpnm_blq_mthr_anxiety	Mother has been diagnosed with anxiety	0"No",1"Yes"
ccpnm_blq_biofam_anxiety	Mother's biological family member has been diagnosed with anxiety	0"No",1"Yes"
ccpnm_blq_mthr_phobia	Mother has been diagnosed with a phobia	0"No",1"Yes"
ccpnm_blq_biofam_phobia	Mother's biological family member has been diagnosed with a phobia	0"No",1"Yes"
ccpnm_blq_mthr_depression	Mother has been diagnosed with depression	0"No",1"Yes"
ccpnm_blq_biofam_depression	Mother's biological family member has been diagnosed with depression	0"No",1"Yes"
ccpnm_blq_mthr_bipoloar	Mother has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
ccpnm_blq_biofam_bipolar	Mother's biological family member has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
ccpnm_blq_mthr_schizophrenia	Mother has been diagnosed with Schizophrenia	0"No",1"Yes"
ccpnm_blq_biofam_schizophrenia	Mother's biological family member has been diagnosed with Schizophrenia	0"No",1"Yes"
ccpnm_blq_mthr_cleft	Mother has been diagnosed with a cleft lip and/or palate	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_blq_mthr_cleft_unibi	Where mother has a cleft, cleft is unilateral or bilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_blq_fam1_cleft	Relative who has been diagnosed with cleft - number 1	Free text



ccpnm_biq_fam1_clefttyp	Cleft type of relative -number 1	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_biq_fam1_cleft_unibi	Relative number 1 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_biq_fam2_cleft	Relative who has been diagnosed with cleft - number 2	Free text
ccpnm_biq_fam2_clefttyp	Cleft type of relative -number 2	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_biq_fam2_cleft_unibi	Relative number 2 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_biq_fam3_cleft	Relative who has been diagnosed with cleft - number 3	Free text
ccpnm_biq_fam3_clefttyp	Cleft type of relative -number 3	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_biq_fam3_cleft_unibi	Relative number 3 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_biq_fam4_cleft	Relative who has been diagnosed with cleft - number 4	Free text
ccpnm_biq_fam4_clefttyp	Cleft type of relative -number 4	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_biq_fam4_cleft_unibi	Relative number 4 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_biq_fam5_cleft	Relative who has been diagnosed with cleft - number 5	Free text
ccpnm_biq_fam5_clefttyp	Cleft type of relative -number 5	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_biq_fam5_cleft_unibi	Relative number 5 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_biq_fam6_cleft	Relative who has been diagnosed with cleft - number 6	Free text
ccpnm_biq_fam6_clefttyp	Cleft type of relative -number 6	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_biq_fam6_cleft_unibi	Relative number 6 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_biq_preginfectdis	During pregnancy with study child, mother had an infectious disease	0"No", 1"Yes"
ccpnm_biq_preginfectdis_detail	During pregnancy with study child, mother had an infectious disease - detail	Free text
ccpnm_biq_fertprob	Mother has been diagnosed with fertility problems	0"No", 1"Yes"
ccpnm_biq_asstdconcp	Study child was conceived using assisted methods	0"No", 1"Yes"
ccpnm_biq_asstdconcp_detail	Study child was conceived using assisted methods - detail	Free text
<b>Section E - Your Lifestyle</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_biq_height	Mother's height (metres)	Continuous (metres)
ccpnm_biq_crntweight	Mother's current weight (kg)	Continuous (kg)

ccpnm_blq_hvstwt16	Mother's heaviest weight since she was 16 years old	Continuous (kg)
ccpnm_blq_lgtstwt16	Mother's lightest weight since she was 16 years old	Continuous (kg)
ccpnm_blq_dietedlmtdfd	Mother has dieted or limited food intake at some point	0"No",1"Yes"
ccpnm_blq_dietedfrstage	Mother's age when she first dieted or restricted food intake	Continuous (yrs)
ccpnm_blq_diet_vmtng	Mother has used vomiting as a method to control weight	0"No",1"Yes"
ccpnm_blq_diet_lxtvs	Mother has used laxatives as a method to control weight	0"No",1"Yes"
ccpnm_blq_diet_fstng	Mother has used fasting as a method to control weight	0"No",1"Yes"
ccpnm_blq_diet_hrdphysexcse	Mother has used hard physical exercise as a method to control weight	0"No",1"Yes"
ccpnm_blq_diet_medctn	Mother has used medication as a method to control weight	0"No",1"Yes"
ccpnm_blq_gendiet	Mother's general diet	1"Varied diet",2"Vegetarian diet",3"Vegan diet",4"Other"
ccpnm_blq_fruitveg	Average frequency of mother eating fruit and vegetables	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnm_blq_dairy	Average frequency of mother eating milk and dairy products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnm_blq_protein	Average frequency of mother eating protein rich products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnm_blq_fatandsgr	Average frequency of mother eating products containing fat and sugar	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnm_blq_starch	Average frequency of mother eating starchy products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnm_blq_whlgrn	Average frequency of mother eating wholegrain food varieties	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnm_blq_sndwchs	Average frequency of mother eating meals and sandwiches bought from canteens/petrol stations/corner shops	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnm_blq_takeaway	Average frequency of mother eating foods or meals from takeaway outlets or fast food restaurants	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnm_blq_rdy meals	Average frequency of mother eating 'ready meals' (such as microwavable or oven-ready meals)	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"

ccpnm_blq_cafteacoffee	Average frequency of mother drinking caffeinated tea or coffee	0"Never or rarely",1"One or two cups a week",2"One or two cups a day",3"Three to five cups a day",4"More than five cups a day"
ccpnm_blq_decafteacoffee	Average frequency of mother drinking decaffeinated tea or coffee	0"Never or rarely",1"One or two cups a week",2"One or two cups a day",3"Three to five cups a day",4"More than five cups a day"
ccpnm_blq_fzzydrnks	Average frequency of mother drinking fizzy drinks	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
ccpnm_blq_engrydrnks	Average frequency of mother drinking energy drinks	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
ccpnm_blq_water	Average frequency of mother drinking water	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
ccpnm_blq_cncvdmultivits	Mother took multivitamin supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregmultivits	Mother took multivitamin supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdvita	Mother took vitamin A supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregvita	Mother took vitamin A supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdvitb	Mother took vitamin B supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregvitb	Mother took vitamin B supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdvitic	Mother took vitamin C supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregvitic	Mother took vitamin C supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdvitd	Mother took vitamin D supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregvitd	Mother took vitamin D supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdvite	Mother took vitamin E supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregvite	Mother took vitamin E supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"

ccpnm_blq_cncvdcalcium	Mother took calcium supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregcalcium	Mother took calcium supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdfolicacd	Mother took folic acid supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregfolicacd	Mother took folic acid supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdiron	Mother took iron supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregiron	Mother took iron supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdzinc	Mother took zinc supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregzinc	Mother took zinc supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnm_blq_cncvdothnutsup	Mother took another nutritional supplement around the time their child was conceived, detail in variable: ccpnm_blq_othnutsup_detail	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregothnutsup	Mother took another nutritional supplement in the first three months of pregnancy, detail in variable: ccpnm_blq_othnutsup_detail	0"No",1"Yes",2"Don't know"
ccpnm_blq_othnutsup_detail	Detail of other supplement taken by mother	Free text
ccpnm_blq_cncvdherbal	Mother took herbal remedies around the time their child was conceived, detail in variable: ccpnm_blq_herbal_detail	0"No",1"Yes",2"Don't know"
ccpnm_blq_3mpregherbal	Mother took herbal remedies in the first three months of pregnancy, detail in variable: ccpnm_blq_herbal_detail	0"No",1"Yes",2"Don't know"
ccpnm_blq_herbal_detail	Detail of herbal remedy taken by mother	Free text
ccpnm_blq_cncvdalcohol	Mother drank alcohol around the time their child was conceived	0"No",1"Yes"
ccpnm_blq_alcoholnow	Mother currently drinks alcohol (post natal)	0"No",1"Yes"
ccpnm_blq_cncvdalcoholunits	Units of alcohol drank by mother per week around the time their child was conceived	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
ccpnm_blq_alcoholnowunits	Units of alcohol per week currently drank by mother	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"

ccpnm_biq_cncvdalcoholfreq	Average frequency of mother's alcohol consumption around the time their child was conceived	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
ccpnm_biq_alcoholnowfreq	Average frequency of mother's alcohol consumption now	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
ccpnm_biq_alcoholbeer	Mother usually drinks beer	0"No",1"Yes"
ccpnm_biq_alcoholwine	Mother usually drinks wine	0"No",1"Yes"
ccpnm_biq_alcoholspirits	Mother usually drinks spirits	0"No",1"Yes"
ccpnm_biq_alcoholfrtdwine	Mother usually drinks fortified wine	0"No",1"Yes"
ccpnm_biq_alcoholmixed	Mother usually drinks mixed drinks	0"No",1"Yes"
ccpnm_biq_alcoholother	Mother usually drinks other type of alcohol	0"No",1"Yes"
ccpnm_biq_alcoholother_detail	Detail of other type of alcohol	Free text
ccpnm_biq_smkreg	Mother has smoked cigarettes regularly	0"No",1"Yes"
ccpnm_biq_smkreg_startage	Derived variable: Age mother started smoking cigarettes regularly	Continuous (Years)
ccpnm_biq_crntsmk	Mother currently smokes cigarettes	0"No",1"Yes"
ccpnm_biq_crntsmk_perday	Average number of cigarettes mother currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnm_biq_smkquitage	Derived variable: Age mother quit smoking cigarettes	Continuous (Years)
ccpnm_biq_prevsmk_perday	Average number of cigarettes mother used to smoke per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnm_biq_cncvdsmk	Mother smoked around the time her child was conceived	0"No",1"Yes"
ccpnm_biq_cncvdsmk_perday	Average number of cigarettes mother smoked per day around the time her child was conceived	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnm_biq_smklocation	Location where mother currently/previously smokes	1"Only outside",2"Only inside",3"Both inside and outside"
ccpnm_biq_conc vd_passsmk	Mother was exposed to passive smoke around the time her child was conceived	0"No",1"Yes"
ccpnm_biq_crnt_passsmk	Mother is currently exposed to passive smoke	0"No",1"Yes"
ccpnm_biq_cncvd_passsmktm	Hours a day mother was exposed to passive smoke when her child was conceived	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"

ccpnm_blq_crnt_passsmktm	Hours a day mother is exposed to passive smoke	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
ccpnm_blq_cncvdnct	Mother used a different type of nicotine (other than smoking) around the time she conceived study child	0"No",1"Yes"
ccpnm_blq_crntnct	Mother currently uses a different type of nicotine (other than smoking)	0"No",1"Yes"
ccpnm_blq_cncvdnctngm	Mother used nicotine gum around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_crntnctngm	Mother currently uses nicotine gum	0"No",1"Yes"
ccpnm_blq_cncvdadhptch	Mother used an adhesive patch around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_crntadhptch	Mother currently uses an adhesive patch	0"No",1"Yes"
ccpnm_blq_cncvdnctnspry	Mother used nicotine spray around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_crntnctnspry	Mother currently uses nicotine spray	0"No",1"Yes"
ccpnm_blq_cncvdnctninh	Mother used nicotine inhalers around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_crntnctninh	Mother currently uses nicotine inhalers	0"No",1"Yes"
ccpnm_blq_cncvdnctntabs	Mother used nicotine tablets or lozenges around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_crntnctntabs	Mother currently uses nicotine tablets or lozenges	0"No",1"Yes"
ccpnm_blq_cncvdsnuff	Mother used 'Sinus' or nasal snuff around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_crntsuff	Mother currently uses 'Sinus' or nasal snuff	0"No",1"Yes"
ccpnm_blq_cncvdchwtob	Mother chewed tobacco around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_crntchwtob	Mother currently chews tobacco	0"No",1"Yes"
ccpnm_blq_cncvdnctnoth	Mother used another type of nicotine around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_crntnctnoth	Mother currently uses another type of nicotine	0"No",1"Yes"
ccpnm_blq_cncvdnctnoth_detail	Detail of other type of nicotine used by mother around the time her child was conceived	Free text
ccpnm_blq_crntnctnoth_detail	Detail of other type of nicotine mother currently uses	Free text
ccpnm_blq_prevdruguse	Derived variable: Mother has previously used drugs	0"No",1"Yes"
ccpnm_blq_prevcannabis	Mother has previously used cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"

ccpnm_blq_prevcocaine	Mother has previously used cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_prevecstasy	Mother has previously used ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_prevamphets	Mother has previously used amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_prevheroin	Mother has previously used heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_prevotherdrug	Mother has previously used another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_prevotherdrug_detail	Detail of other drug previously used by mother	Free text
ccpnm_blq_cncvddruguse	Derived variable: Mother used drugs around the time her child was conceived	0"No",1"Yes"
ccpnm_blq_cncvdcannabis	Mother used cannabis around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_cncvdcocaine	Mother used cocaine around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_cncvdecstasy	Mother used ecstasy around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_cncvdamphets	Mother used amphetamines around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_cncvdheroin	Mother used heroin around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_cncvdotherdrug	Mother used another drug around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_blq_cncvdotherdrug_detail	Detail of other drug used around the time of conception by mother	Free text
ccpnm_blq_crntdruguse	Derived variable: Mother currently uses drugs	0"No",1"Yes"

ccpnm_biq_crntcannabis	Mother currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_biq_crntcocaine	Mother currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_biq_crntecstasy	Mother currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_biq_crntamphets	Mother currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_biq_crntheroin	Mother currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_biq_crntotherdrug	Mother currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_biq_crntotherdrug_detail	Detail of other drug currently used by mother	Free text
ccpnm_biq_minsvigex	Minutes mother spends on vigorous exercise a week	Continuous (minutes)
ccpnm_biq_minsmoex	Minutes mother spends on moderate exercise a week	Continuous (minutes)
ccpnm_biq_muscstrex	Minutes mother spends on muscle strengthening activities a week	Discrete (times per week)
ccpnm_biq_cncvdotsttm	Time mother spent outside when child was conceived	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"Five or more hours per day"
ccpnm_biq_crntotsttm	Time mother currently spends outside	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"Five or more hours per day"
<b>Section F - Your Wellbeing</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_biq_clsfrnds	Number of close friends that Mother has (excluding partner)	0/1/2/3/4+
ccpnm_biq_rtclsfrndshp	Rate of Mother's relationships with her close friends	0"Poor", 1"Fair", 2"Good", 3"Excellent"



ccpnm_blq_srrsca	Mother's total score for The Social Readjustment Rating Scale (Holmes TH and Rahe RH, 1967)	Continuous (Higher score indicates a higher degree of stressful life events)
ccpnm_blq_lotr_expctbst	In uncertain times, mother usually expects the best	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnm_blq_lotr_esyrlx	Mother usually finds it easy to relax	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnm_blq_lotr_gowrng	Mother usually feels that if something can go wrong for her, it will	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
ccpnm_blq_lotr_optimfut	Mother is always optimistic about her future	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnm_blq_lotr_enjyfrnds	Mother enjoys her friends a lot	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnm_blq_lotr_kpbsy	Mother feels it is important that she keeps busy	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnm_blq_lotr_expway	Mother hardly ever expects things to go her way	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
ccpnm_blq_lotr_dntupset	Mother does not get upset easily	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnm_blq_lotr_cntgdthngs	Mother rarely counts on good things happening to her	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
ccpnm_blq_lotr_moregd	Overall, mother expects more good things to happen to her than bad	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnm_blq_lotr	Mother's total optimism score for the Revised Life Orientation Test (LOT-R) (Scheier MF, Carver CS and Bridges MW, 1994)	Continuous (Higher score indicates a higher degree of optimism)
ccpnm_blq_pedsqfim_pf_a	In the past month, as a result of their child's health, mother feels tired during the day	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_pf_b	In the past month, as a result of their child's health, mother feels tired when she wakes up in the morning	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_pf_c	In the past month, as a result of their child's health, mother feels too tired to do the things she would like to do	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_pf_d	In the past month, as a result of their child's health, mother gets headaches	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_pf_e	In the past month, as a result of their child's health, mother feels physically weak	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_pf_f	In the past month, as a result of their child's health, mother feels sick to her stomach	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_pf	Physical Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 a-f
ccpnm_blq_pedsqfim_ef_g	In the past month, as a result of their child's health, mother feels anxious	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

ccpnm_blq_pedsqfim_ef_h	In the past month, as a result of their child's health, mother feels sad	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_ef_i	In the past month, as a result of their child's health, mother feels angry	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_ef_j	In the past month, as a result of their child's health, mother feels frustrated	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_ef_k	In the past month, as a result of their child's health, mother feels helpless or hopless	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_ef	Emotional Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 g-k
ccpnm_blq_pedsqfim_sf_l	In the past month, as a result of their child's health, mother feels isolated from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_sf_m	In the past month, as a result of their child's health, mother has trouble getting support from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_sf_n	In the past month, as a result of their child's health, mother feels it is hard to find time for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_sf_o	In the past month, as a result of their child's health, mother does not have enough energy for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_sf	Social Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 l-o
ccpnm_blq_pedsqfim_cf_p	In the past month, as a result of their child's health, mother feels it is hard to keep her attention on things	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_cf_q	In the past month, as a result of their child's health, mother feels it is hard to remember what people tell her	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_cf_r	In the past month, as a result of their child's health, mother feels that it is hard for her to remember what she has just heard	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_cf_s	In the past month, as a result of their child's health, mother feels it is hard for her to think quickly	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_cf_t	In the past month, as a result of their child's health, mother has trouble remembering what she was just thinking	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_cf	Cognitive Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 p-t
ccpnm_blq_pedsqfim_com_u	In the past month, as a result of their child's health, mother feels that others do not understand her family's situation	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_com_v	In the past month, as a result of their child's health, mother finds it hard to talk about her child's health with others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_com_w	In the past month, as a result of their child's health, mother finds it hard to tell doctors and nurses how she feels	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_com	Communication - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 u-w

ccpnm_blq_pedsqfim_wor_x	In the past month, as a result of their child's health, mother worries about whether or not her child's medical treatments are working	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_wor_y	In the past month, as a result of their child's health, mother worries about the side effects of her child's medication/medical treatments	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_wor_z	In the past month, as a result of their child's health, mother worries about how others will react to her child's condition	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_wor_aa	In the past month, as a result of their child's health, mother worries about how her child's illness is affecting other family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_wor_bb	In the past month, as a result of their child's health, mother worries about her child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_wor	Worry - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 x-bb
ccpnm_blq_pedsqfim_da_a	In the past month, as a result of their child's health, family activities have taken more time and effort	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_da_b	In the past month, as a result of their child's health, family have had difficulty finding time to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_da_c	In the past month, as a result of their child's health, family have felt too tired to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_da	Problems with daily Activities - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F6 a-c
ccpnm_blq_pedsqfim_fr_d	In the past month, as a result of their child's health, there has been a lack of communication between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_fr_e	In the past month, as a result of their child's health, there have been conflicts between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_fr_f	In the past month, as a result of their child's health, there has been difficulty making decisions together as a family	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_fr_g	In the past month, as a result of their child's health, there has been difficulty solving family problems together	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_fr_h	In the past month, as a result of their child's health, there has been stress or tension between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_blq_pedsqfim_fr	Problems with family relationships - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F6 d-h
ccpnm_blq_pedsqlhsgm_info_a	Mother's happiness about how much information was provided to the family, from the hospital, about their child's diagnosis	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnm_blq_pedsqhlhsgm_info_b	Mother's happiness about how much information was provided to the family, from the hospital, about their child's treatment and course of child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_info_c	Mother's happiness about how much information was provided to the family, from the hospital, about the side effects of their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_info_d	Mother's happiness about how much information was provided to the family, from the hospital, about their child's test results	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_info_e	Mother's happiness about how often they are updated, from the hospital, about their child's health	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_info	Mother's happiness on information - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 a-e
ccpnm_blq_pedsqhlhsgm_iof_f	Mother's happiness of the hospitals sensitivity shown to the family suring their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_iof_g	Mother's happiness of the hospitals willingness to answer questions that the family have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_iof_h	Mother's happiness of the hospitals effort to include the family in discussion of their child's care and other information about their child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_iof_i	Mother's happiness at how much time the staff gave them to ask any questions they may have had about their child's health and treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_iof	Mother's happiness on inclusion of family - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 f-i
ccpnm_blq_pedsqhlhsgm_com_j	Mother's happiness of how well the staff explained their child's health condition and treatment to their child in a way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_com_k	Mother's happiness of the time taken to explain their child's health condition and treatment to them (mother) in the way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_com_l	Mother's happiness of how well the staff listens to them and their concerns	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnm_blq_pedsqhlhsgm_com_m	Mother's happiness of the preparation provided for them about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_com_n	Mother's happiness of the preparation provided for their child about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_com	Mother's happiness on communication - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 j-n
ccpnm_blq_pedsqhlhsgm_ts_o	Mother's happiness of how well the staff responds to their child's needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_ts_p	Mother's happiness of the efforts to keep their child comfortable and as pain free as possible	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_ts_q	Mother's happiness of how much time the staff took to help you with your child coming back home	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_ts	Mother's happiness on technical skills - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 o-q
ccpnm_blq_pedsqhlhsgm_en_r	Mother's happiness of the amount of time given to their child to play, talk about their feelings, and any questions they may have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_en_s	Mother's happiness of the amount of time spent helping their child with going back to school	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_en_t	Mother's happiness of the amount of time spent attending their child's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_en_u	Mother's happiness of the amount of time hospital spent attending mother's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_en	Mother's happiness on emotional needs - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 r-u
ccpnm_blq_pedsqhlhsgm_os_v	Mother's happiness of the overall care their child is receiving	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlhsgm_os_w	Mother's happiness of how friendly and helpful the staff are	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnm_blq_pedsqhlsgm_os_x	Mother's happiness of the way their child is treated at the hospital	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_blq_pedsqhlsgm_os	Mother's happiness on overall satisfaction - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 v-x
ccpnm_blq_pss_a	In the last month, frequency mother has been upset because of something that happened unexpectedly - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_b	In the last month, frequency mother has felt that she was unable to control the important things in her life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_c	In the last month, frequency of how often mother has felt nervous and stressed - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_d	In the last month, frequency of how often mother has felt confident about her ability to handle her personal problems - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_e	In the last month, frequency of how often mother has felt things were going her way - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_f	In the last month, frequency of how often mother has found that she could not cope with all the things she had to do - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_g	In the last month, frequency of how often mother has felt she is able to control irritations in her life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_h	In the last month, frequency of how often mother has felt she was on top of things - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_i	In the last month, frequency of how often mother has been angered because of things there were outside of her control - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss_j	In the last month, frequency of how often mother has felt difficulties were piling up so high that she could not overcome them - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_blq_pss	Perceived Stress Scale - Cohen et al. (1988)	Sum of F8 a-j, continuous
ccpnm_blq_hads_a	Mother feels tense or 'wound up'	0"Not at all", 1"From time to time, occasionally", 2"A lot of the time", 3"Most of the time"
ccpnm_blq_hads_b	Mother still enjoys the things she used to enjoy	0"Definitely as much", 1"Not quite so much", 2"Only a little", 3"Hardly at all"
ccpnm_blq_hads_c	Mother gets a sort of frightened feeling as if something awful is about to happen	0"Not at all", 1"A little, but it doesn't worry me", 2"Yes, but not too badly", 3"Very definitely and quite badly"

ccpnm_blq_hads_d	Mother can laugh and see the funny side of things	0"As much as she always could", 1"Not quite so much now", 2"Definitely not so much now", 3"Not at all"
ccpnm_blq_hads_e	Mother has worrying thoughts that go through her mind	0"Only occasionally", 1"From time to time, but not too often", 2"A lot of the time", 3"A great deal of the time"
ccpnm_blq_hads_f	Mother feels cheerful	0"Most of the time", 1"Sometimes", 2"Not often", 3"Not at all"
ccpnm_blq_hads_g	Mother can sit at ease and feel relaxed	0"Definitely", 1"Usually", 2"Not often", 3"Not at all"
ccpnm_blq_hads_h	Mother feels as if she is slowed down	0"Not at all", 1"Sometimes", 2"Very often", 3"Nearly all the time"
ccpnm_blq_hads_i	Mother gets a sort of frightened feeling like 'butterflies' in the stomach	0"Not at all", 1"Occasionally", 2"Quite often", 3"Very often"
ccpnm_blq_hads_j	Mother has lost interest in her appearance	0"I take just as much care as ever", 1"I may not take quite as much care", 2"I don't take as much care as I should", 3"Definitely"
ccpnm_blq_hads_k	Mother feels restless as she has to be on the move	0"Not at all", 1"Not very much", 2"Quite a lot", 3"Very much indeed"
ccpnm_blq_hads_l	Mother looks forward with enjoyment for things	0"As much as I ever did", 1"Rather less than I used to", 2"Definitely less than I used to", 3"Hardly at all"
ccpnm_blq_hads_m	Mother gets sudden feelings of panic	0"Not at all", 1"Not very often", 2"Quite often", 3"Very often indeed"
ccpnm_blq_hads_n	Mother can enjoy a good book or radio or TV program	0"Often", 1"Sometimes", 2"Not often", 3"Very seldom"
ccpnm_blq_hads_anx	Mother's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety	Continuous (Norms available for comparison)
ccpnm_blq_hads_dep	Mother's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety	Continuous (Norms available for comparison)
<b>Section G - Further Information</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_blq_frstperiod	Age of mother when she had her first menstrual period	Continuous - years
ccpnm_blq_perioddep	Mother regularly feels depressed or irritable on her period	0"No",1"Yes"
ccpnm_blq_periodirregular	Mother regularly has irregular periods	0"No",1"Yes"
ccpnm_blq_periodlong	Mother regularly has periods that last longer than a week	0"No",1"Yes"
ccpnm_blq_periodpain	Mother regularly experiences menstrual pains with her periods	0"No",1"Yes"

ccpnm_blq_periodhvy	Mother regularly experiences heavy bleeding with her periods	0"No",1"Yes"
ccpnm_blq_periodanaemia	Mother regularly experiences anaemia with her periods	0"No",1"Yes"
ccpnm_blq_condom	Mother has previously used condoms as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_diaphragm	Mother has previously used a diaphragm as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_iud	Mother has previously used an Intrauterine Device (IUD) or coil as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_hrmniud	Mother has previously used a Hormone Intrauterine Device (IUD) or coil as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_injection	Mother has previously used a hormone injection as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_pill	Mother has previously used the pill as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_minipill	Mother has previously used the mini pill as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_spermicide	Mother has previously used spermicide as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_withdrawal	Mother has previously used the withdrawal method as a form of contraceptive	0"No",1"Yes"
ccpnm_blq_contratime	Total length of time where mother has used hormonal contraceptives (ie: Hormone Intrauterine Device, hormone injection, pill or mini pill)	0"Not applicable",1"Less than one year",2"1-3 years",3"4-6 years",4"7-9 years",5"10 years or more"
ccpnm_blq_frstcontraage	Age of mother when she first used a hormonal contraceptive	Continuous - years
ccpnm_blq_timespregnant	Number of times mother has been pregnant in her life	Discrete
ccpnm_blq_livebirthnum	Number of pregnancies that resulted in a live birth, full term	Discrete
ccpnm_blq_stillbirthnum	Number of pregnancies that resulted in a still birth	Discrete
ccpnm_blq_prembirthnum	Number of pregnancies that resulted in a premature birth	Discrete
ccpnm_blq_miscarriagenum	Number of pregnancies that resulted in a miscarriage	Discrete
ccpnm_blq_ectopicnum	Number of pregnancies that resulted in an ectopic pregnancy	Discrete
ccpnm_blq_terminationnum	Number of pregnancies that resulted in a termination	Discrete
ccpnm_blq_pregpland	Pregnancy of study child was planned	0"No", 1"Yes"
ccpnm_blq_tmtopreg	Length of time it took to conceive study child - months	continuous - months
ccpnm_blq_pregillness	Mother had an illness during pregnancy	0"No", 1"Yes"
ccpnm_blq_hospadmisreg	Mother was admitted to hospital during pregnancy	0"No", 1"Yes"



ccpnm_biq_prtnrhigeduqual	Highest educational qualification of mother's partner	0"No qualifications", 1"One or more Olevels/CSEs/GCEs (any grades)", 2"Five or more Olevels/CSEs (grade 1)/GCSEs (grades A* - C)/School Certificate", 3"One or more A Levels/AS Levels", 4"Two or more A Levels/Four or more AS Levels/Higher School Certificate", 5"NVQ Level 1/Foundation GNVQ", 6"NVQ Level 2/Intermediate GNVQ", 7"NVQ Level 3/Advanced GNVQ", 8"NVQ Levels 4-5/HNC/HND", 9"First degree (e.g. BA/BSc)", 10"Higher degree (e.g. MA, PhD, Postgraduate PGCE)", 11"Other qualifications (e.g. City and Guilds, RSA/OCR, BTEC/Edexcel)", 12"Overseas qualifications", 13"Other", 14"Don't know"
ccpnm_biq_prtnrcntemplmnt	Current employment status of mother's partner	1"Student", 2"Homemaker", 3"Intern/apprentice", 4"Military Service", 5"Unemployed/laid off", 6"Rehabilitation/disabled", 7"Employed in public sector", 8"Employed in private sector", 9"Self-employed", 10"Other"
ccpnm_biq_prtnrannlincm	Annual income after tax, including tax credits, benefits and other sources	1"£1,299 or less", 2"£1,300 - £2,099", 3"£2,100 - £3,099", 4"£3,100 - £4,199", 5"£4,200 - £5,199", 6"£5,200 - £6,499", 7"£6,500 - £7,799", 8"£7,800 - £9,299", 9"£9,300 - £10,999", 10"£11,000 - £13,499", 11"£13,500 - £15,999", 12"£16,000 - £19,999", 13"£20,000 - £24,999", 14"£25,000 - £29,999", 15"£30,000 - £39,999", 16"£40,000 - £49,999", 17"£50,000 - £59,999", 18"£60,000 - £69,999", 19"£70,000 - £79,999", 20"£80,000 or more"
<b>Section Z</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_biq_compy	Person who completed postnatal Mother's baseline questionnaire	1"Baby's biological mother", 2"Baby's step mother", 3"Baby's adoptive/foster mother", 4"Other"
ccpnm_biq_sameaddr	Mother lives in the same house as the study child	0"No", 1"Yes"
ccpnm_biq_datecomp	Date postnatal Mother's baseline questionnaire was completed	Date DD/MM/YYYY
ccpnm_biq_addcomments	Additional comments made by person completing postnatal Mother's baseline questionnaire	Free text

<b>Fathers postnatal baseline questionnaire</b>		
<b>Section A - About You</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnf_blq_ethnic	Father's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
ccpnf_blq_ethnic_mgm	Paternal Grandmother's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
ccpnf_blq_ethnic_mgf	Paternal Grandfather's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
ccpnf_blq_cntry_brth	Father's country of birth	Free text
ccpnf_blq_uksincebrth	Father has lived in the UK since birth	0"No", 1"Yes"
ccpnf_blq_yrslivedinuk	Number of years father has lived in the UK	Discrete
ccpnf_blq_religion	Father's religion	0"None", 1"Christian", 2"Buddhist", 3"Hindu", 4"Jewish", 5"Sikh", 6"Islam", 7"Other"
ccpnf_blq_ageatconc	Father's age at conception	Continuous
ccpnf_blq_mthrconcage	Age of paternal Grandmother when Mother was conceived	Continuous
ccpnf_blq_fthrconcage	Age of paternal Grandfather when Mother was conceived	Continuous
ccpnf_blq_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnf_blq_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpnf_blq_cleftside	Side of unilateral cleft when looking at child	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
<b>Section B - Work and Education</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>

ccpnf_blq_higheduqual	Father's highest educational qualification	0"No qualifications", 1"One or more Olevels/CSEs/GCEs (any grades)", 2"Five or more Olevels/CSEs (grade 1)/GCSEs (grades A* - C)/School Certificate", 3"One or more A Levels/AS Levels", 4"Two or more A Levels/Four or more AS Levels/Higher School Certificate", 5"NVQ Level 1/Foundation GNVQ", 6"NVQ Level 2/Intermediate GNVQ", 7"NVQ Level 3/Advanced GNVQ", 8"NVQ Levels 4-5/HNC/HND", 9"First degree (e.g. BA/BSc)", 10"Higher degree (e.g. MA, PhD, Postgraduate PGCE)", 11"Other qualifications (e.g. City and Guilds, RSA/OCR, BTEC/Edexcel)", 12"Overseas qualifications", 13"Other", 14"Don't know"
ccpnf_blq_schlexp	Father's school experience	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnf_blq_academperf	Father's academic performance	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnf_blq_schlenj	Father's school enjoyment	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnf_blq_relschlteach	Father's relationship with his teachers at school	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnf_blq_relschlfrnd	Father's relationship with his friends at school	1"Poor", 2"Fair", 3"Good", 4"Excellent"
ccpnf_blq_expbllyng	Father experienced teasing and bullying	0"No", 1"Yes"
ccpnf_blq_bllngextnt	Extent of bullying experienced by child's Father	1"Not very bad", 2"Moderate", 3"Very bad"
ccpnf_blq_crntemplymnt	Father's current employment status	1"Student", 2"Homemaker", 3"Intern/apprentice", 4"Military Service", 5"Unemployed/laid off", 6"Rehabilitation/disabled", 7"Employed in public sector", 8"Employed in private sector", 9"Self-employed", 10"Other"
ccpnf_blq_crntemplymnt_oth	Father's current employment status - other	Free Text
ccpnf_blq_crntoccptn	Father's current/most recent occupation	1"Professional/executive", 2"Small business proprietor sales", 3"Clerical/administrative", 4"Skilled worker", 5"Semiskilled worker", 6"Unskilled worker", 7"Student/school pupil", 8"Homemaker", 9"Volunteer worker", 10"Other"
ccpnf_blq_jbtitle	Father's current/most recent job title	Free text
ccpnf_blq_timejb	Length of time Father has worked/did work in current/most recent job	Continuous (Months)
ccpnf_blq_absncewrk	Father has been absent from work (other than paternity leave) for more than 2 weeks in the last year	0"No", 1"Yes"
ccpnf_blq_absncewrk_reas	Reason for Father's absence from work (other than paternity leave) for more than 2 weeks in the last year	1"Medical leave", 2"Leave of absence", 3"Child was ill", 4"Other"
ccpnf_blq_hrswrkwk	Hours worked by Father per week	Continuous (hours per week)
ccpnf_blq_crrntwrkhrs	Father's current working hours	1"Permanent day", 2"Permanent evening", 3"Permanent night", 4"Shift work", 5"No set times / Temporary", 6"Other"

ccpnf_biq_phshvywrk	Father does physically heavy work in his current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnf_biq_strssflwrk	Father finds his current work situation very stressful	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnf_biq_lrnwrk	Father learns a lot within his current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnf_biq_mntnswrk	Father's current work is very monotonous	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnf_biq_dmndswrk	Father's current work demands a lot of his	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnf_biq_slfmngwrk	Father is able to decide how his work is carried out in his current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnf_biq_gdtmsprtwrk	There is good team spirit in the Father's current place of work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnf_biq_enjywrk	Father enjoys his current work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnf_biq_annlincm	Father's annual income after tax, including tax credits, benefits and other sources	1"£1,299 or less", 2"£1,300 - £2,099", 3"£2,100 - £3,099", 4"£3,100 - £4,199", 5"£4,200 - £5,199", 6"£5,200 - £6,499", 7"£6,500 - £7,799", 8"£7,800 - £9,299", 9"£9,300 - £10,999", 10"£11,000 - £13,499", 11"£13,500 - £15,999", 12"£16,000 - £19,999", 13"£20,000 - £24,999", 14"£25,000 - £29,999", 15"£30,000 - £39,999", 16"£40,000 - £49,999", 17"£50,000 - £59,999", 18"£60,000 - £69,999", 19"£70,000 - £79,999", 20"£80,000 or more"
ccpnf_biq_crds_bnfsts	Father, as an individual, receives credits, allowances or benefits	0"No", 1"Yes", 2"Don't know"
ccpnf_biq_chldbnt	Father receives Child Benefit	0"No", 1"Yes"
ccpnf_biq_chldtxcrdt	Father receives Child Tax Credit	0"No", 1"Yes"
ccpnf_biq_wrkngtxcrdt	Father receives Working Tax Credit	0"No", 1"Yes"
ccpnf_biq_incmspprt	Father receives Income Support	0"No", 1"Yes"
ccpnf_biq_dsblyalwnc	Father receives Disability Living Allowance	0"No", 1"Yes"
ccpnf_biq_jbskrsalwnc	Father receives income tested Job Seeker's allowance	0"No", 1"Yes"
ccpnf_biq_hbrctb	Father receives Housing Benefit/Rent Rebate/Council Tax Benefit/Council Tax Reduction	0"No", 1"Yes"
ccpnf_biq_incpctybnt	Father receives Incapacity Benefits	0"No", 1"Yes"
ccpnf_biq_pnsncrdt	Father receives Pension Credit	0"No", 1"Yes"
ccpnf_biq_careralwnc	Father receives Carer's Allowance	0"No", 1"Yes"
ccpnf_biq_indincmfrmbnt	Amount of Father's individual income that comes from benefits	0"None", 1"less than 25%", 2"Between 25% and 50%", 3"50% or more"
<b>Section C - Family Life</b>		

Variable Name	Variable Label	Variable Values
ccpnf_blk_lvdcrrntaddr	Time Father has lived at current address	Continuous (months)
ccpnf_blk_crntaddrstenu	Tenure of father's current address	1"Buying it with the help of a mortgage or loan", 2"Owns it outright", 3"Rents it", 4"Lives here rent free", 5"Shared ownership", 6"Don't know", 7"Other"
ccpnf_blk_crntaddrstenu_oth	Tenure of father's current address - other	Free text
ccpnf_blk_landlord	Landlord of property father lives in if tenure is rented/shared ownership/rent free	1"Private landlord or letting agency", 2"Housing Association, Housing Co-operative, Charitable Trust", 3"Local Authority/Council", 4"Relative or friend", 5"Employer", 6"Don't know", 7"Other", 8"Not applicable"
ccpnf_blk_landlord_oth	Landlord of property father lives in if landlord is other	Free text
ccpnf_blk_lvswithprtnt	Father lives with his spouse or domestic partner	0"No", 1"Yes"
ccpnf_blk_lvswithchldr	Father lives with his children and/or stepchildren	0"No", 1"Yes"
ccpnf_blk_lvswithsblng	Father lives with his sibling(s)	0"No", 1"Yes"
ccpnf_blk_lvswithprnt	Father lives with his parent(s)	0"No", 1"Yes"
ccpnf_blk_lvswithothrel	Father lives with other relatives	0"No", 1"Yes"
ccpnf_blk_lvswithunrelind	Father lives with unrelated individuals	0"No", 1"Yes"
ccpnf_blk_lvsnmchldr	Number of children/stepchildren Father lives with	Discrete
ccpnf_blk_lvsnmsblng	Number of siblings Father lives with	Discrete
ccpnf_blk_lvsnmprnt	Number of parents Father lives with	Discrete
ccpnf_blk_lvsnmothrel	Number of other relatives Father lives with	Discrete
ccpnf_blk_lvsnmunrelind	Number of unrelated individuals Father lives with	Discrete
ccpnf_blk_crnthshldarrngmnt	Time Father has lived in this household arrangement	Continuous (months)
ccpnf_blk_maritalsts	Father's marital status	1"Single", 2"Domestic partner", 3"Married", 4"Separated", 5"Divorced", 6"Widowed", 7"Civil Union"
ccpnf_blk_crrntmaritalarrngmnt	Time Father has lived in this marital arrangement	Continuous (months)
ccpnf_blk_nummarriage	Number of times Father has been married or within a civil union	Discrete
ccpnf_blk_numseparated	Number of times Father has been separated	Discrete
ccpnf_blk_numdivorce	Number of times Father has been divorced	Discrete
ccpnf_blk_numwidowed	Number of times Father has been widowed	Discrete
ccpnf_blk_partnercloserel	Father and Father's partner have a close relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blk_partnerprobel	Father and Father's partner have problems in their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blk_hpyrel	Father is very happy in his relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blk_partnerunderstdng	Father's partner is usually understanding	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"

ccpnf_blq_endrel	Father often thinks about ending his relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blq_satrel	Father is satisfied with his relationship with partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blq_disagreeimpdecs	Father often disagrees with partner about important decisions	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blq_lckyptrnr	Father feels lucky in his choice of partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blq_agreechldnrnsd	Father and Father's partner agree how children should be raised	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blq_prtnrnsatrel	Father thinks partner is satisfied with their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_blq_frstbiochld	Study child is Father's first biological child	0"No", 1"Yes"
ccpnf_blq_numbiochdrn	Number of biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnf_blq_numfemalebiochdrn	Number of female biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnf_blq_nummalebiochdrn	Number of male biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnf_blq_biochldprvrel	At least one biological child is from a previous relationship(s)	0"No", 1"Yes"
ccpnf_blq_stepchdrn	Father has at least one step child	0"No", 1"Yes"
ccpnf_blq_numstepchdrn	Number of step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnf_blq_numfemalestpchdrn	Number of female step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnf_blq_nummalestpchdrn	Number of male step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
ccpnf_blq_frstlaneng	Father's first language is English	0"No", 1"Yes"
ccpnf_blq_spkenghm	Where Father's first language is not English, English is often spoken at home	0"No", 1"Yes"
<b>Section D - Health and Illness</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
ccpnf_blq_fthbrnprem	Father born prematurely	0"No", 1"Yes", 2"Don't know"
ccpnf_blq_fthbrthwgt	Father's birth weight	Continuous (kg)
ccpnf_blq_fthrmult	Father is a twin or multiple	0"No", 1"Yes, monozygotic twin", 2"Yes, dizygotic twin", 3"Yes, multiple", 4"Don't know"
ccpnf_blq_chldslt	Father saw a speech and language therapist as a child	0"No", 1"Yes", 2"Don't know"
ccpnf_blq_fthrepilepsy	Father has a medical history of epilepsy and/or seizures	0"No", 1"Yes"
ccpnf_blq_biofamepilepsy	Father's biological family member has a medical history of epilepsy and/or seizures	0"No", 1"Yes"

ccpnf_blq_fthrhbdpres	Father has a medical history of high blood pressure	0"No",1"Yes"
ccpnf_blq_biofamhbdpres	Father's biological family member has a medical history of high blood pressure	0"No",1"Yes"
ccpnf_blq_fthrdiabetes	Father has a medical history of diabetes	0"No",1"Yes"
ccpnf_blq_biofamdiabetes	Father's biological family member has a medical history of diabetes	0"No",1"Yes"
ccpnf_blq_fthrhrtdis	Father has a medical history of heart disease	0"No",1"Yes"
ccpnf_blq_biofamhrtdis	Father's biological family member has a medical history of heart disease	0"No",1"Yes"
ccpnf_blq_fthrarthritis	Father has a medical history of arthritis	0"No",1"Yes"
ccpnf_blq_biofamarthritis	Father's biological family member has a medical history of arthritis	0"No",1"Yes"
ccpnf_blq_fthrthyroid	Father has a medical history of a thyroid condition	0"No",1"Yes"
ccpnf_blq_biofamthyroid	Father's biological family member has a medical history of a thyroid condition	0"No",1"Yes"
ccpnf_blq_fthrhepatitis	Father has a medical history of hepatitis	0"No",1"Yes"
ccpnf_blq_biofamhepatitis	Father's biological family member has a medical history of hepatitis	0"No",1"Yes"
ccpnf_blq_fthrlupus	Father has a medical history of lupus	0"No",1"Yes"
ccpnf_blq_biofamlupus	Father's biological family member has a medical history of lupus	0"No",1"Yes"
ccpnf_blq_fthrsevacne	Father has a medical history of severe acne	0"No",1"Yes"
ccpnf_blq_biofamsevacne	Father's biological family member has a medical history of severe acne	0"No",1"Yes"
ccpnf_blq_fthrasthma	Father has a medical history of asthma	0"No",1"Yes"
ccpnf_blq_biofamasthma	Father's biological family member has a medical history of asthma	0"No",1"Yes"
ccpnf_blq_fthrallergies	Father has a medical history of allergies	0"No",1"Yes"
ccpnf_blq_biofamallergies	Father's biological family member has a medical history of allergies	0"No",1"Yes"
ccpnf_blq_fthrsevheadaches	Father has a medical history of severe headaches	0"No",1"Yes"
ccpnf_blq_biofamsevheadaches	Father's biological family member has a medical history of severe headaches	0"No",1"Yes"
ccpnf_blq_fthrchronearinfect	Father has a medical history of chronic ear infections	0"No",1"Yes"
ccpnf_blq_biofamchronearinfect	Father's biological family member has a medical history of chronic ear infections	0"No",1"Yes"
ccpnf_blq_fthrcancer	Father has previously been diagnosed with cancer	0"No",1"Yes"
ccpnf_blq_biofamcancer	Father's biological family member has previously been diagnosed with cancer	0"No",1"Yes"

ccpnf_blq_fthr_brstcancer	Father has previously been diagnosed with breast cancer	0"No",1"Yes"
ccpnf_blq_biofam_brstcancer	Father's biological family member has previously been diagnosed with breast cancer	0"No",1"Yes"
ccpnf_blq_fthr_crvclcancer	Father has previously been diagnosed with cervical cancer	0"No",1"Yes"
ccpnf_blq_biofam_crvclcancer	Father's biological family member has previously been diagnosed with cervical cancer	0"No",1"Yes"
ccpnf_blq_fthr_clnrctmcancer	Father has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"
ccpnf_blq_biofam_clnrctmcancer	Father's biological family member has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"
ccpnf_blq_fthr_leukaemia	Father has previously been diagnosed with leukaemia	0"No",1"Yes"
ccpnf_blq_biofam_leukaemia	Father's biological family member has previously been diagnosed with leukaemia	0"No",1"Yes"
ccpnf_blq_fthr_lngcancer	Father has previously been diagnosed with lung cancer	0"No",1"Yes"
ccpnf_blq_biofam_lngcancer	Father's biological family member has previously been diagnosed with lung cancer	0"No",1"Yes"
ccpnf_blq_fthr_prstcancer	Father has previously been diagnosed with prostate cancer	0"No",1"Yes"
ccpnf_blq_biofam_prstcancer	Father's biological family member has previously been diagnosed with prostate cancer	0"No",1"Yes"
ccpnf_blq_fthr_skncancer	Father has previously been diagnosed with skin cancer	0"No",1"Yes"
ccpnf_blq_biofam_skncancer	Father's biological family member has previously been diagnosed with skin cancer	0"No",1"Yes"
ccpnf_blq_fthr_tstclrcancer	Father has previously been diagnosed with testicular cancer	0"No",1"Yes"
ccpnf_blq_biofam_tstclrcancer	Father's biological family member has previously been diagnosed with testicular cancer	0"No",1"Yes"
ccpnf_blq_fthr_thyrdcancer	Father has previously been diagnosed with thyroid cancer	0"No",1"Yes"
ccpnf_blq_biofam_thyrdcancer	Father's biological family member has previously been diagnosed with thyroid cancer	0"No",1"Yes"
ccpnf_blq_fthr_utrscancer	Father has previously been diagnosed with uterus cancer	0"No",1"Yes"
ccpnf_blq_biofam_utrscancer	Father's biological family member has previously been diagnosed with uterus cancer	0"No",1"Yes"
ccpnf_blq_fthr_othercancer	Father has previously been diagnosed with other cancer	0"No",1"Yes"
ccpnf_blq_biofam_othercancer	Father's biological family member has previously been diagnosed with other cancer	0"No",1"Yes"
ccpnf_blq_fthr_hrtdfct	Father has been diagnosed with a heart defect	0"No",1"Yes"
ccpnf_blq_biofam_hrtdfct	Father's biological family member has been diagnosed with a heart defect	0"No",1"Yes"
ccpnf_blq_fthr_shrtsight	Father has been diagnosed with short-sightedness	0"No",1"Yes"



ccpnf_blq_biofam_shrtsight	Father's biological family member has been diagnosed with short-sightedness	0"No",1"Yes"
ccpnf_blq_fthr_lrndiff	Father has been diagnosed with a learning disability	0"No",1"Yes"
ccpnf_blq_biofam_lrndiff	Father's biological family member has been diagnosed with a learning disability	0"No",1"Yes"
ccpnf_blq_fthr_othercongen	Father has been diagnosed with other congenital defect (other than cleft)	0"No",1"Yes"
ccpnf_blq_biofam_othercongen	Father's biological family member has been diagnosed with other congenital defect (other than cleft)	0"No",1"Yes"
ccpnf_blq_fthr_gendis	Father has been diagnosed with a genetic disorder	0"No",1"Yes"
ccpnf_blq_biofam_gendis	Father's biological family member has been diagnosed with a genetic disorder	0"No",1"Yes"
ccpnf_blq_fthr_hrngls	Father has been diagnosed with hearing loss or impairment	0"No",1"Yes"
ccpnf_blq_biofam_hrngls	Father's biological family member has been diagnosed with hearing loss or impairment	0"No",1"Yes"
ccpnf_blq_fthr_behavprob	Father has been diagnosed with a behavioural problem	0"No",1"Yes"
ccpnf_blq_biofam_behavprob	Father's biological family member has been diagnosed with a behavioural problem	0"No",1"Yes"
ccpnf_blq_fthr_anxiety	Father has been diagnosed with anxiety	0"No",1"Yes"
ccpnf_blq_biofam_anxiety	Father's biological family member has been diagnosed with anxiety	0"No",1"Yes"
ccpnf_blq_fthr_phobia	Father has been diagnosed with a phobia	0"No",1"Yes"
ccpnf_blq_biofam_phobia	Father's biological family member has been diagnosed with a phobia	0"No",1"Yes"
ccpnf_blq_fthr_depression	Father has been diagnosed with depression	0"No",1"Yes"
ccpnf_blq_biofam_depression	Father's biological family member has been diagnosed with depression	0"No",1"Yes"
ccpnf_blq_fthr_bipolar	Father has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
ccpnf_blq_biofam_bipolar	Father's biological family member has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
ccpnf_blq_fthr_schizophrenia	Father has been diagnosed with Schizophrenia	0"No",1"Yes"
ccpnf_blq_biofam_schizophrenia	Father's biological family member has been diagnosed with Schizophrenia	0"No",1"Yes"
ccpnf_blq_fthr_othrmntlhlthcond	Father has been diagnosed with other mental health condition	0"No",1"Yes"
ccpnf_blq_biofam_othrmntlhlthcond	Father's biological family member has been diagnosed with other mental health condition	0"No",1"Yes"

ccpnf_blq_fthr_cleft	Father has been diagnosed with a cleft lip and/or palate	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnf_blq_fthr_cleft_unibi	Where Father has a cleft, cleft is unilateral or bilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_blq_fam1_cleft	Relative who has been diagnosed with cleft - number 1	Free text
ccpnf_blq_fam1_clefttyp	Cleft type of relative -number 1	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnf_blq_fam1_cleft_unibi	Relative number 1 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_blq_fam2_cleft	Relative who has been diagnosed with cleft - number 2	Free text
ccpnf_blq_fam2_clefttyp	Cleft type of relative -number 2	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnf_blq_fam2_cleft_unibi	Relative number 2 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_blq_fam3_cleft	Relative who has been diagnosed with cleft - number 3	Free text
ccpnf_blq_fam3_clefttyp	Cleft type of relative -number 3	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnf_blq_fam3_cleft_unibi	Relative number 3 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_blq_fam4_cleft	Relative who has been diagnosed with cleft - number 4	Free text
ccpnf_blq_fam4_clefttyp	Cleft type of relative -number 4	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnf_blq_fam4_cleft_unibi	Relative number 4 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_blq_fam5_cleft	Relative who has been diagnosed with cleft - number 5	Free text
ccpnf_blq_fam5_clefttyp	Cleft type of relative -number 5	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnf_blq_fam5_cleft_unibi	Relative number 5 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_blq_fam6_cleft	Relative who has been diagnosed with cleft - number 6	Free text
ccpnf_blq_fam6_clefttyp	Cleft type of relative -number 6	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnf_blq_fam6_cleft_unibi	Relative number 6 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_blq_preginfectdis	During pregnancy with study child, Father had an infectious disease	0"No", 1"Yes"
ccpnf_blq_preginfectdis_detail	During pregnancy with study child, Father had an infectious disease - detail	Free text
ccpnf_blq_fertprob	Father has been diagnosed with fertility problems	0"No", 1"Yes"
ccpnf_blq_asstdconcp	Study child was conceived using assisted methods	0"No", 1"Yes"
ccpnf_blq_asstdconcp_detail	Study child was conceived using assisted methods - detail	Free text
<b>Section E - Your Lifestyle</b>		

Data for release		
Variable Name	Variable Label	Variable Values
ccpnf_biq_height	Father's height (metres)	Continuous (metres)
ccpnf_biq_crntweight	Father's current weight (kg)	Continuous (kg)
ccpnf_biq_hvstwt16	Father's heaviest weight since he was 16 years old	Continuous (kg)
ccpnf_biq_lgtstwt16	Father's lightest weight since he was 16 years old	Continuous (kg)
ccpnf_biq_dietedlmtdfd	Father has dieted or limited food intake at some point	0"No",1"Yes"
ccpnf_biq_dietedfrstage	Father's age when he first dieted or restricted food intake	Continuous (yrs)
ccpnf_biq_diet_vmtng	Father has used vomiting as a method to control weight	0"No",1"Yes"
ccpnf_biq_diet_lxtvs	Father has used laxatives as a method to control weight	0"No",1"Yes"
ccpnf_biq_diet_fstng	Father has used fasting as a method to control weight	0"No",1"Yes"
ccpnf_biq_diet_hrdphysecscse	Father has used hard physical exercise as a method to control weight	0"No",1"Yes"
ccpnf_biq_diet_medctn	Father has used medication as a method to control weight	0"No",1"Yes"
ccpnf_biq_gendiet	Father's general diet	1"Varied diet",2"Vegetarian diet",3"Vegan diet",4"Other"
ccpnf_biq_fruitveg	Average frequency of Father eating fruit and vegetables	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnf_biq_dairy	Average frequency of Father eating milk and dairy products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnf_biq_protein	Average frequency of Father eating protein rich products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnf_biq_fatandsgr	Average frequency of Father eating products containing fat and sugar	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnf_biq_starch	Average frequency of Father eating starchy products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnf_biq_whlgrn	Average frequency of Father eating wholegrain food varieties	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnf_biq_sndwchs	Average frequency of Father eating meals and sandwiches bought from canteens/petrol stations/corner shops	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"

ccpnf_blq_takeaway	Average frequency of Father eating foods or meals from takeaway outlets or fast food restaurants	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnf_blq_rdy meals	Average frequency of Father eating 'ready meals' (such as microwavable or oven-ready meals)	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
ccpnf_blq_cafteacoffee	Average frequency of Father drinking caffeinated tea or coffee	0"Never or rarely",1"One or two cups a week",2"One or two cups a day",3"Three to five cups a day",4"More than five cups a day"
ccpnf_blq_decafteacoffee	Average frequency of Father drinking decaffeinated tea or coffee	0"Never or rarely",1"One or two cups a week",2"One or two cups a day",3"Three to five cups a day",4"More than five cups a day"
ccpnf_blq_fzydrnks	Average frequency of Father drinking fizzy drinks	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
ccpnf_blq_ergydrnks	Average frequency of Father drinking energy drinks	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
ccpnf_blq_water	Average frequency of Father drinking water	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
ccpnf_blq_cncvdmultivits	Father took multivitamin supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregmultivits	Father took multivitamin supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdvita	Father took vitamin A supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregvita	Father took vitamin A supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdvitb	Father took vitamin B supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregvitb	Father took vitamin B supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdvitc	Father took vitamin C supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregvitc	Father took vitamin C supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdvitd	Father took vitamin D supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"

ccpnf_blq_3mpregvitd	Father took vitamin D supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdvite	Father took vitamin E supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregvite	Father took vitamin E supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdcalcium	Father took calcium supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregcalcium	Father took calcium supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdfolicacd	Father took folic acid supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregfolicacd	Father took folic acid supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdiron	Father took iron supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregiron	Father took iron supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdzinc	Father took zinc supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregzinc	Father took zinc supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
ccpnf_blq_cncvdothnutsup	Father took another nutritional supplement around the time their child was conceived, detail in variable: ccpnm_blq_othnutsup_detail	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregothnutsup	Father took another nutritional supplement in the first three months of pregnancy, detail in variable: ccpnm_blq_othnutsup_detail	0"No",1"Yes",2"Don't know"
ccpnf_blq_othnutsup_detail	Detail of other supplement taken by Father	Free text
ccpnf_blq_cncvdherbal	Father took herbal remedies around the time their child was conceived, detail in variable: ccpnm_blq_herbal_detail	0"No",1"Yes",2"Don't know"
ccpnf_blq_3mpregherbal	Father took herbal remedies in the first three months of pregnancy, detail in variable: ccpnm_blq_herbal_detail	0"No",1"Yes",2"Don't know"
ccpnf_blq_herbal_detail	Detail of herbal remedy taken by Father	Free text
ccpnf_blq_cncvdalcohol	Father drank alcohol around the time their child was conceived	0"No",1"Yes"
ccpnf_blq_alcoholnow	Father currently drinks alcohol (post natal)	0"No",1"Yes"

ccpnf_blq_cncvdalcoholunits	Units of alcohol drank by Father per week around the time their child was conceived	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
ccpnf_blq_alcoholnowunits	Units of alcohol per week currently drank by Father	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
ccpnf_blq_cncvdalcoholfreq	Average frequency of Father's alcohol consumption around the time their child was conceived	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
ccpnf_blq_alcoholnowfreq	Average frequency of Father's alcohol consumption now	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
ccpnf_blq_alcoholbeer	Father usually drinks beer	0"No",1"Yes"
ccpnf_blq_alcoholwine	Father usually drinks wine	0"No",1"Yes"
ccpnf_blq_alcoholspirits	Father usually drinks spirits	0"No",1"Yes"
ccpnf_blq_alcoholfrtdwine	Father usually drinks fortified wine	0"No",1"Yes"
ccpnf_blq_alcoholmixed	Father usually drinks mixed drinks	0"No",1"Yes"
ccpnf_blq_alcoholother	Father usually drinks other type of alcohol	0"No",1"Yes"
ccpnf_blq_alcoholother_detail	Detail of other type of alcohol	Free text
ccpnf_blq_smkreg	Father has smoked cigarettes regularly	0"No",1"Yes"
ccpnf_blq_smkreg_startage	Derived variable: Age Father started smoking cigarettes regularly	Continuous (Years)
ccpnf_blq_crntsmk	Father currently smokes cigarettes	0"No",1"Yes"
ccpnf_blq_crntsmk_perday	Average number of cigarettes Father currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnf_blq_smkquitage	Derived variable: Age Father quit smoking cigarettes	Continuous (Years)
ccpnf_blq_prevsmk_perday	Average number of cigarettes Father used to smoke per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnf_blq_cncvdsmk	Father smoked around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_cncvdsmk_perday	Average number of cigarettes Father smoked per day around the time his child was conceived	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnf_blq_smklocation	Location where Father currently/previously smokes	1"Only outside",2"Only inside",3"Both inside and outside"

ccpnf_blq_concvd_passsmk	Father was exposed to passive smoke around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crnt_passsmk	Father is currently exposed to passive smoke	0"No",1"Yes"
ccpnf_blq_cncvd_passsmktm	Hours a day Father was exposed to passive smoke when his child was conceived	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
ccpnf_blq_crnt_passsmktm	Hours a day Father is exposed to passive smoke	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
ccpnf_blq_cncvdnctngm	Father used nicotine gum around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crntnctngm	Father currently uses nicotine gum	0"No",1"Yes"
ccpnf_blq_cncvdadhptch	Father used an adhesive patch around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crntadhptch	Father currently uses an adhesive patch	0"No",1"Yes"
ccpnf_blq_cncvdnctnspry	Father used nicotine spray around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crntnctnspry	Father currently uses nicotine spray	0"No",1"Yes"
ccpnf_blq_cncvdnctninh	Father used nicotine inhalers around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crntnctninh	Father currently uses nicotine inhalers	0"No",1"Yes"
ccpnf_blq_cncvdnctntabs	Father used nicotine tablets or lozenges around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crntnctntabs	Father currently uses nicotine tablets or lozenges	0"No",1"Yes"
ccpnf_blq_cncvdsnuff	Father used 'Sinus' or nasal snuff around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crntsnuff	Father currently uses 'Sinus' or nasal snuff	0"No",1"Yes"
ccpnf_blq_cncvdchwtob	Father chewed tobacco around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crntchwtob	Father currently chews tobacco	0"No",1"Yes"
ccpnf_blq_cncvdnctnoth	Father used another type of nicotine around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_crntnctnoth	Father currently uses another type of nicotine	0"No",1"Yes"
ccpnf_blq_cncvdnctnoth_detail	Detail of other type of nicotine used by Father around the time his child was conceived	Free text
ccpnf_blq_crntnctnoth_detail	Detail of other type of nicotine Father currently uses	Free text
ccpnf_blq_prevdruguse	Derived variable: Father has previously used drugs	0"No",1"Yes"

ccpnf_blq_prevcannabis	Father has previously used cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_prevcocaine	Father has previously used cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_prevecstasy	Father has previously used ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_prevamphets	Father has previously used amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_prevheroin	Father has previously used hisoin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_prevotherdrug	Father has previously used anothis drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_prevotherdrug_detail	Detail of othis drug previously used by Father	Free text
ccpnf_blq_cncvddruguse	Derived variable: Father used drugs around the time his child was conceived	0"No",1"Yes"
ccpnf_blq_cncvdcannabis	Father used cannabis around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_cncvdcocaine	Father used cocaine around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_cncvdecstasy	Father used ecstasy around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_cncvdamphets	Father used amphetamines around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_cncvdheroin	Father used heroin around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_cncvdootherdrug	Father used another drug around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"



ccpnf_blq_cncvdothdrug_detail	Detail of other drug used around the time of conception by Father	Free text
ccpnf_blq_crntdruguse	Derived variable: Father currently uses drugs	0"No",1"Yes"
ccpnf_blq_crntcannabis	Father currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_crntcocaine	Father currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_crntecstasy	Father currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_crntamphets	Father currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_crntheroin	Father currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_crntotherdrug	Father currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_blq_crntotherdrug_detail	Detail of other drug currently used by Father	Free text
ccpnf_blq_minsvigex	Minutes Father spends on vigorous exercise a week	Continuous (minutes)
ccpnf_blq_minmodex	Minutes Father spends on moderate exercise a week	Continuous (minutes)
ccpnf_blq_muscstrex	Minutes Father spends on muscle strengthening activities a week	Continuous (minutes)
ccpnf_blq_cncvdotsdtm	Time Father spent outside when child was conceived	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"Five or more hours per day"
ccpnf_blq_crntotsdtm	Time Father currently spends outside	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"Five or more hours per day"
<b>Section F - Your Wellbeing</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
---------------	----------------	-----------------

ccpnf_biq_clsfrnds	Number of close friends that Father has (excluding partner)	0/1/2/3/4+
ccpnf_biq_rtlsfrndshp	Rate of Father's relationships with his close friends	0"Poor", 1"Fair", 2"Good", 3"Excellent"
ccpnf_biq_srrsca	Father's total score for The Social Readjustment Rating Scale (Holmes TH and Rahe RH, 1967)	Continuous (Higher score indicates a higher degree of stressful life events)
ccpnf_biq_lotr_expctbst	In uncertain times, Father usually expects the best	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnf_biq_lotr_esyrlx	Father usually finds it easy to relax	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnf_biq_lotr_gowrng	Father usually feels that if something can go wrong for him, it will	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
ccpnf_biq_lotr_optimfut	Father is always optimistic about his future	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnf_biq_lotr_enjyfrnds	Father enjoys his friends a lot	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnf_biq_lotr_kpbsy	Father feels it is important that he keeps busy	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnf_biq_lotr_expway	Father hardly ever expects things to go his way	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
ccpnf_biq_lotr_dntupset	Father does not get upset easily	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnf_biq_lotr_cntgdthngs	Father rarely counts on good things happening to him	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
ccpnf_biq_lotr_moregd	Overall, Father expects more good things to happen to him than bad	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
ccpnf_biq_lotr	Father's total optimism score for the Revised Life Orientation Test (LOT-R) (Scheier MF, Carver CS and Bridges MW, 1994)	Continuous (Higher score indicates a higher degree of optimism)
ccpnf_biq_pedsqfim_pf_a	In the past month, as a result of their child's health, Father feels tired during the day	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_biq_pedsqfim_pf_b	In the past month, as a result of their child's health, Father feels tired when he wakes up in the morning	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_biq_pedsqfim_pf_c	In the past month, as a result of their child's health, Father feels too tired to do the things he would like to do	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_biq_pedsqfim_pf_d	In the past month, as a result of their child's health, Father gets headaches	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_biq_pedsqfim_pf_e	In the past month, as a result of their child's health, Father feels physically weak	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_biq_pedsqfim_pf_f	In the past month, as a result of their child's health, Father feels sick to his stomach	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_biq_pedsqfim_pf	Physical Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 a-f

ccpnf_blq_pedsqfim_ef_g	In the past month, as a result of their child's health, Father feels anxious	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_ef_h	In the past month, as a result of their child's health, Father feels sad	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_ef_i	In the past month, as a result of their child's health, Father feels angry	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_ef_j	In the past month, as a result of their child's health, Father feels frustrated	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_ef_k	In the past month, as a result of their child's health, Father feels helpless or hopeless	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_ef	Emotional Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 g-k
ccpnf_blq_pedsqfim_sf_l	In the past month, as a result of their child's health, Father feels isolated from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_sf_m	In the past month, as a result of their child's health, Father has trouble getting support from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_sf_n	In the past month, as a result of their child's health, Father feels it is hard to find time for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_sf_o	In the past month, as a result of their child's health, Father does not have enough energy for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_sf	Social Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 l-o
ccpnf_blq_pedsqfim_cf_p	In the past month, as a result of their child's health, Father feels it is hard to keep his attention on things	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_cf_q	In the past month, as a result of their child's health, Father feels it is hard to remember what people tell him	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_cf_r	In the past month, as a result of their child's health, Father feels that it is hard for him to remember what he has just heard	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_cf_s	In the past month, as a result of their child's health, Father feels it is hard for him to think quickly	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_cf_t	In the past month, as a result of their child's health, Father has trouble remembering what he was just thinking	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_cf	Cognitive Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 p-t
ccpnf_blq_pedsqfim_com_u	In the past month, as a result of their child's health, Father feels that others do not understand his family's situation	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_com_v	In the past month, as a result of their child's health, Father finds it hard to talk about his child's health with others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_com_w	In the past month, as a result of their child's health, Father finds it hard to tell doctors and nurses how he feels	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfim_com	Communication - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 u-w

ccpnf_blq_pedsqfим_wor_x	In the past month, as a result of their child's health, Father worries about whether or not his child's medical treatments are working	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_wor_y	In the past month, as a result of their child's health, Father worries about the side effects of his child's medication/medical treatments	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_wor_z	In the past month, as a result of their child's health, Father worries about how others will react to his child's condition	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_wor_aa	In the past month, as a result of their child's health, Father worries about how his child's illness is affecting other family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_wor_bb	In the past month, as a result of their child's health, Father worries about his child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_wor	Worry - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 x-bb
ccpnf_blq_pedsqfим_da_a	In the past month, as a result of their child's health, family activities have taken more time and effort	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_da_b	In the past month, as a result of their child's health, family have had difficulty finding time to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_da_c	In the past month, as a result of their child's health, family have felt too tired to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_da	Problems with daily Activities - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F6 a-c
ccpnf_blq_pedsqfим_fr_d	In the past month, as a result of their child's health, there has been a lack of communication between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_fr_e	In the past month, as a result of their child's health, there have been conflicts between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_fr_f	In the past month, as a result of their child's health, there has been difficulty making decisions together as a family	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_fr_g	In the past month, as a result of their child's health, there has been difficulty solving family problems together	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_fr_h	In the past month, as a result of their child's health, there has been stress or tension between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_blq_pedsqfим_fr	Problems with family relationships - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F6 d-h
ccpnf_blq_pedsqfим_info_a	Father's happiness about how much information was provided to the family, from the hospital, about their child's diagnosis	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnf_blq_pedsqhsqm_info_b	Father's happiness about how much information was provided to the family, from the hospital, about their child's treatment and course of child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_info_c	Father's happiness about how much information was provided to the family, from the hospital, about the side effects of their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_info_d	Father's happiness about how much information was provided to the family, from the hospital, about their child's test results	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_info_e	Father's happiness about how often they are updated, from the hospital, about their child's health	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_info	Father's happiness on information - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 a-e
ccpnf_blq_pedsqhsqm_iof_f	Father's happiness of the hospitals sensitivity shown to the family during their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_iof_g	Father's happiness of the hospitals willingness to answer questions that the family have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_iof_h	Father's happiness of the hospitals effort to include the family in discussion of their child's care and other information about their child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_iof_i	Father's happiness at how much time the staff gave them to ask any questions they may have had about their child's health and treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_iof	Father's happiness on inclusion of family - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 f-i
ccpnf_blq_pedsqhsqm_com_j	Father's happiness of how well the staff explained their child's health condition and treatment to their child in a way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_com_k	Father's happiness of the time taken to explain their child's health condition and treatment to them (Father) in the way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhsqm_com_l	Father's happiness of how well the staff listens to them and their concerns	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnf_blq_pedsqhlhsgm_com_m	Father's happiness of the preparation provided for them about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_com_n	Father's happiness of the preparation provided for their child about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_com	Father's happiness on communication - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 j-n
ccpnf_blq_pedsqhlhsgm_ts_o	Father's happiness of how well the staff responds to their child's needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_ts_p	Father's happiness of the efforts to keep their child comfortable and as pain free as possible	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_ts_q	Father's happiness of how much time the staff took to help you with your child coming back home	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_ts	Father's happiness on technical skills - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 o-q
ccpnf_blq_pedsqhlhsgm_en_r	Father's happiness of the amount of time given to their child to play, talk about their feelings, and any questions they may have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_en_s	Father's happiness of the amount of time spent helping their child with going back to school	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_en_t	Father's happiness of the amount of time spent attending their child's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_en_u	Father's happiness of the amount of time hospital spent attending Father's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_en	Father's happiness on emotional needs - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 r-u
ccpnf_blq_pedsqhlhsgm_os_v	Father's happiness of the overall care their child is receiving	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_os_w	Father's happiness of how friendly and helpful the staff are	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnf_blq_pedsqhlhsgm_os_x	Father's happiness of the way their child is treated at the hospital	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_blq_pedsqhlhsgm_os	Father's happiness on overall satisfaction - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 v-x
ccpnf_blq_pss_a	In the last month, frequency Father has been upset because of something that happened unexpectedly - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_b	In the last month, frequency Father has felt that she was unable to control the important things in her life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_c	In the last month, frequency of how often Father has felt nervous and stressed - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_d	In the last month, frequency of how often Father has felt confident about his ability to handle his personal problems - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_e	In the last month, frequency of how often Father has felt things were going his way - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_f	In the last month, frequency of how often Father has found that he could not cope with all the things he had to do - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_g	In the last month, frequency of how often Father has felt he is able to control irritations in his life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_h	In the last month, frequency of how often Father has felt he was on top of things - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_i	In the last month, frequency of how often Father has been angered because of things there were outside of his control - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss_j	In the last month, frequency of how often Father has felt difficulties were piling up so high that he could not overcome them - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_blq_pss	Perceived Stress Scale - Cohen et al. (1988)	Sum of F8 a-j, continuous
ccpnf_blq_hads_a	Father feels tense or 'wound up'	0"Not at all", 1"From time to time, occasionally", 2"A lot of the time", 3"Most of the time"
ccpnf_blq_hads_b	Father still enjoys the things he used to enjoy	0"Definitely as much", 1"Not quite so much", 2"Only a little", 3"Hardly at all"
ccpnf_blq_hads_c	Father gets a sort of frightened feeling as if something awful is about to happen	0"Not at all", 1"A little, but it doesn't worry me", 2"Yes, but not too badly", 3"Very definitely and quite badly"

ccpnf_blq_hads_d	Father can laugh and see the funny side of things	0"As much as she always could", 1"Not quite so much now", 2"Definitely not so much now", 3"Not at all"
ccpnf_blq_hads_e	Father has worrying thoughts that go through his mind	0"Only occasionally", 1"From time to time, but not too often", 2"A lot of the time", 3"A great deal of the time"
ccpnf_blq_hads_f	Father feels cheerful	0"Most of the time", 1"Sometimes", 2"Not often", 3"Not at all"
ccpnf_blq_hads_g	Father can sit at ease and feel relaxed	0"Definitely", 1"Usually", 2"Not often", 3"Not at all"
ccpnf_blq_hads_h	Father feels as if he is slowed down	0"Not at all", 1"Sometimes", 2"Very often", 3"Nearly all the time"
ccpnf_blq_hads_i	Father gets a sort of frightened feeling like 'butterflies' in the stomach	0"Not at all", 1"Occasionally", 2"Quite often", 3"Very often"
ccpnf_blq_hads_j	Father has lost interest in his appearance	0"I take just as much care as ever", 1"I may not take quite as much care", 2"I don't take as much care as I should", 3"Definitely"
ccpnf_blq_hads_k	Father feels restless as he has to be on the move	0"Not at all", 1"Not very much", 2"Quite a lot", 3"Very much indeed"
ccpnf_blq_hads_l	Father looks forward with enjoyment for things	0"As much as I ever did", 1"Rather less than I used to", 2"Definitely less than I used to", 3"Hardly at all"
ccpnf_blq_hads_m	Father gets sudden feelings of panic	0"Not at all", 1"Not very often", 2"Quite often", 3"Very often indeed"
ccpnf_blq_hads_n	Father can enjoy a good book or radio or TV programme	0"Often", 1"Sometimes", 2"Not often", 3"Very seldom"
ccpnf_blq_hads	Father's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety	Continuous (Norms available for comparison)
<b>Section Z</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
ccpnf_blq_compy	Person who completed postnatal Father's baseline questionnaire	1"Baby's biological father", 2"Baby's step father", 3"Baby's adoptive/foster father", 4"Other"
ccpnf_blq_sameaddr	Father lives in the same house as the study child	0"No", 1"Yes"
ccpnf_blq_datecomp	Date postnatal Father's baseline questionnaire was completed	Date DD/MM/YYYY
ccpnf_blq_addcomments	Additional comments made by person completing postnatal Father's baseline questionnaire	Free text



<b>Mother's 18 months questionnaire - birth cohort</b>		
<b>Section A - Your child's health</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_18m_gestage	Gestational age of child at birth - weeks	continuous
ccpnm_18m_chldgndr	Child's gender	1"Male", 2"Female"
ccpnm_18m_chldbrthwt_kg	Child's birth weight in Kilograms	Continuous
ccpnm_18m_chldwt_kg	Child's current weight in Kilograms	Continuous
ccpnm_18m_chldbrthlngth_cm	Child's length at birth in centimetres	Continuous
ccpnm_18m_chldht_cm	Child's current height in centimetres	Continuous
ccpnm_18m_hdcircumbrth_cm	Child's head circumference at birth in centimetres	Continuous
ccpnm_18m_hdcircum_cm	Child's current head circumference in centimetres	Continuous
ccpnm_18m_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_18m_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpnm_18m_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
ccpnm_18m_lipdiag	Time in which child's cleft lip was diagnosed	1"At the 20 week scan", 2"During 3D scan", 3"At birth", 4"Not applicable"
ccpnm_18m_3dlipdiag_wks	Gestational age of child at 3D scan where cleft lip was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnm_18m_lipdiag_wks	Gestational age of child when cleft lip was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnm_18m_paldiag	Time in which child's cleft palate was diagnosed	1"At the 20 week scan", 2"During 3D scan", 3"At birth", 4"After birth-late diagnosis", 5"Not applicable"
ccpnm_18m_3dpaldiag_wks	Gestational age of child at 3D scan where cleft palate was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnm_18m_paldiag_wks	Gestational age or age of child when cleft palate was diagnosed - weeks	Continuous, 999"Not applicable"
ccpnm_18m_liprepair	Child has had their lip repaired	0"No", 1"Yes", 2"Not applicable"
ccpnm_18m_liprepair_age	Age of child when their lip was repaired - months	Continuous - months
ccpnm_18m_palrepair	Child has had their palate repaired	0"No", 1"Yes", 2"Not applicable"
ccpnm_18m_palrepair_age	Age of child when their palate was repaired - months	Continuous - months
ccpnm_18m_othsurg	Child has had other surgery relating to their cleft lip and/or palate	0"No", 1"Yes"

ccpnm_18m_othsurg_spec	Type of other surgery child has had relating to their cleft lip and/or palate	Free text
ccpnm_18m_infections	Child has had an infection	0"No", 1"Yes"
ccpnm_18m_germanmeasles	Child has had German Measles	0"No", 1"Yes"
ccpnm_18m_measles	Child has had Measles	0"No", 1"Yes"
ccpnm_18m_chickenpox	Child has had Chickenpox	0"No", 1"Yes"
ccpnm_18m_mumps	Child has had Mumps	0"No", 1"Yes"
ccpnm_18m_meningitis	Child has had Meningitis	0"No", 1"Yes"
ccpnm_18m_uti	Child has had a Urinary Tract Infection (UTI) eg-Cystitis	0"No", 1"Yes"
ccpnm_18m_chestinfec_pneumonia	Child has had chest infections or Pneumonia	0"No", 1"Yes"
ccpnm_18m_recurrearinfec	Child has had recurring ear infections	0"No", 1"Yes"
ccpnm_18m_othinfec	Child has had other infections	0"No", 1"Yes"
ccpnm_18m_othinfec_sepc	Other infections child has had	Free text
ccpnm_18m_condneuro	Child had or currently has a neurological or sensory condition	0"No", 1"Yes"
ccpnm_18m_condhrtlng	Child had or currently has a heart, lung or immune system condition	0"No", 1"Yes"
ccpnm_18m_condsknmus	Child had or currently has a skin or musculoskeletal condition	0"No", 1"Yes"
ccpnm_18m_condmetabolic	Child had or currently has a metabolic condition	0"No", 1"Yes"
ccpnm_18m_condabdominal	Child had or currently has a abdominal condition	0"No", 1"Yes"
ccpnm_18m_condkidblad	Child had or currently has a kidney or bladder condition	0"No", 1"Yes"
ccpnm_18m_devprob	Child has problems with the development of their eyes, ears, cheekbones, jaw, tongue, hands, feet, spine or other body part	0"No", 1"Yes"
ccpnm_18m_devprob_eyes	Child has problems with the development of their eyes	0"No", 1"Yes"
ccpnm_18m_devprob_ears	Child has problems with the development of their ears	0"No", 1"Yes"
ccpnm_18m_devprob_chkbns	Child has problems with the development of their cheekbones	0"No", 1"Yes"
ccpnm_18m_devprob_jaw	Child has problems with the development of their jaw	0"No", 1"Yes"
ccpnm_18m_devprob_tongue	Child has problems with the development of their tongue	0"No", 1"Yes"
ccpnm_18m_devprob_hands	Child has problems with the development of their hands	0"No", 1"Yes"
ccpnm_18m_devprob_feet	Child has problems with the development of their feet	0"No", 1"Yes"
ccpnm_18m_devprob_spine	Child has problems with the development of their spine	0"No", 1"Yes"
ccpnm_18m_devprob_other	Child has problems with the development of another body part	0"No", 1"Yes"
ccpnm_18m_devprob_other_detail	Child has problems with the development of another body part - detail	Free text
ccpnm_18m_syndrome	Child has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnm_18m_syndrome_test	Child is currently undergoing genetic testing	0"No", 1"Yes"

ccpnm_18m_syndrome_prs	Child has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnm_18m_syndrome_vw	Child has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_18m_syndrome_tc	Child has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_18m_syndrome_hm	Child has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_18m_syndrome_ss	Child has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnm_18m_syndrome_22q	Child has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
ccpnm_18m_syndrome_cranio	Child has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_18m_syndrome_cl	Child has been diagnosed with Cornelia de lange syndrome	0"No", 1"Yes"
ccpnm_18m_syndrome_other	Child has been diagnosed with another syndrome or genetic condition	Free Text
ccpnm_18m_mthrsynd	Mother has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes", 2"Currently undergoing tests"
ccpnm_18m_mthrsynd_test	Mother is currently undergoing genetic testing	0"No", 1"Yes"
ccpnm_18m_mthrsynd_prs	Mother has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnm_18m_mthrsynd_vw	Mother has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_18m_mthrsynd_tc	Mother has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_18m_mthrsynd_hm	Mother has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_18m_mthrsynd_ss	Mother has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnm_18m_mthrsynd_22q	Mother has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
ccpnm_18m_mthrsynd_cranio	Mother has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_18m_mthrsynd_cl	Mother has been diagnosed with Cornelia de lange syndrome	0"No", 1"Yes"
ccpnm_18m_mthrsynd_other	Mother has been diagnosed with another syndrome or genetic condition	Free Text

ccpnm_18m_fthrsynd	Father has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnm_18m_fthrsynd_test	Father is currently undergoing genetic testing	0"No", 1"Yes"
ccpnm_18m_fthrsynd_prs	Father has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnm_18m_fthrsynd_vw	Father has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_18m_fthrsynd_tc	Father has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_18m_fthrsynd_hm	Father has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_18m_fthrsynd_ss	Father has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnm_18m_fthrsynd_22q	Father has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
ccpnm_18m_fthrsynd_cranio	Father has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_18m_fthrsynd_cl	Father has been diagnosed with Cornelia de lange syndrome	0"No", 1"Yes"
ccpnm_18m_fthrsynd_other	Father has been diagnosed with another syndrome or genetic condition	Free Text
ccpnm_18m_othchldsynd	Other child of biological mother or father has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnm_18m_othchldsynd_test	Other child of biological mother or father is currently undergoing genetic testing	0"No", 1"Yes"
ccpnm_18m_othchldsynd_prs	Other child of biological mother or father has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnm_18m_othchldsynd_vw	Other child of biological mother or father has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_18m_othchldsynd_tc	Other child of biological mother or father has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_18m_othchldsynd_hm	Other child of biological mother or father has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_18m_othchldsynd_ss	Other child of biological mother or father has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnm_18m_othchldsynd_22q	Other child of biological mother or father has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"

ccpnm_18m_othchldsynd_cranio	Other child of biological mother or father has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_18m_othchldsynd_cl	Other child of biological mother or father has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
ccpnm_18m_othchldsynd_other	Other child of biological mother or father has been diagnosed with another syndrome or genetic condition	Free Text
<b>Section B - Feeding your child</b>		

### Data for release

Variable Name	Variable Label	Variable Values
ccpnm_18m_directbreast	Mother was able to feed child directly from their breast	1"Yes", 2"Tried but was unable to", 3"Didn't try"
ccpnm_18m_bfedtime	Number of weeks child was breast fed for	Continuous
ccpnm_18m_bfedcrrnt	Child still being breast fed	0"No", 1"Yes"
ccpnm_18m_initbotfeedmthd	Type of bottle system used to initially feed child	1"MAM soft bottle", 2"Haberman feeder bottle system", 3"Normal feeding bottle or teat", 4"Other"
ccpnm_18m_initbotfeedmthd_oth	Type of bottle system used to initially feed child - other	Free text
ccpnm_18m_typofmlk	Type of milk child was fed with	1"Breast milk only", 2"Formula milk only", 3"A combination of breast milk and formula milk"
ccpnm_18m_diffeeding	Mother experienced difficulties feeding child in the first few months	0"No difficulties", 1"Yes, some difficulty", 2"Yes, great difficulty"
ccpnm_18m_diffeedingupset	Mother found the difficulties she had feeding her child within the first few months upsetting	0"No", 1"A little upsetting", 2"Very upsetting"
ccpnm_18m_chldreqngt	Chld initially required feeding assistance with a feeding tube (Nasogastric Intubation, NGT)	0"No", 1"Yes"
ccpnm_18m_chldreqnpa	Chld initially required respiratory assistance due to a blocked airway (Nasopharyngeal Airway, NPA)	0"No", 1"Yes"
ccpnm_18m_nasregur	Child experienced nasal regurgitation	0"No", 1"Sometimes", 2"Often"
ccpnm_18m_difswall	Child has had difficulty swallowing	0"No", 1"Sometimes", 2"Often"
ccpnm_18m_drinkothmilk	Age of child in months when they first had something other than milk to drink	Continuous (months)
ccpnm_18m_savouryfoods	Age of child in months when they were first given savoury solids to eat	Continuous (months)
ccpnm_18m_sweetfoods	Age of child in months when they were first given sweet solids to eat	Continuous (months)

ccpnm_18m_chldntetninsuffamnt	Since child was 6 months old, at some point, they have not eaten a sufficient amount of food	1"Almost Never", 2"Sometimes", 3"Yes, worried mother a bit", 4"Yes, worried mother greatly"
ccpnm_18m_chldrfsdrftd	Since child was 6 months old, at some point, they have refused to eat the right food	1"Almost Never", 2"Sometimes", 3"Yes, worried mother a bit", 4"Yes, worried mother greatly"
ccpnm_18m_chldchoosy	Since child was 6 months old, at some point,they have been choosy with food	1"Almost Never", 2"Sometimes", 3"Yes, worried mother a bit", 4"Yes, worried mother greatly"
ccpnm_18m_chldovereaten	Since child was 6 months old, at some point, they have overeaten	1"Almost Never", 2"Sometimes", 3"Yes, worried mother a bit", 4"Yes, worried mother greatly"
ccpnm_18m_chlddiffroutine	Since child was 6 months old, at some point, they have been difficult to get into an eating routine	1"Almost Never", 2"Sometimes", 3"Yes, worried mother a bit", 4"Yes, worried mother greatly"
<b>Section C - Your child's teeth</b>		

### Data for release

Variable Name	Variable Label	Variable Values
ccpnm_18m_chldfrsttth	Age of child when they developed their first tooth	Continuous (months)
ccpnm_18m_numtth	Number of teeth child currently has	Discrete
ccpnm_18m_mtrbrshchldtth	Mother brushes her child's teeth	0"No", 1"Yes"
ccpnm_18m_mtrbrshchldtth_tm	Time of day mother brushes her child's teeth	1"Morning",2"Morning and evening", 3"Evening", 4"Other"
ccpnm_18m_mtrbrshchldtth_tm_detail	Time of day mother brushes her child's teeth -other	Free text
ccpnm_18m_tthpst	Toothpaste child is currently using	0"None",1"Children's paste (0-3 years)", 2"Children's paste (over 3 years)", 3"Adult toothpaste"
ccpnm_18m_chlddrnk_bfbdb	Child drinks in the last hour before bed	0"No", 1"Yes"
ccpnm_18m_chlddrnk_wterbfbdb	Child drinks water in the last hour before bed	0"No", 1"Yes"
ccpnm_18m_chlddrnk_mlkfbdb	Child drinks milk in the last hour before bed	0"No", 1"Yes"
ccpnm_18m_chlddrnk_juicfbdb	Child drinks juice in the last hour before bed	0"No", 1"Yes"
ccpnm_18m_chlddrnk_othbfbdb	Child drinks something other than water, milk or juice in the last hour before bed	0"No", 1"Yes"
ccpnm_18m_chlddrnk_othrdetailbfbdb	Child drinks something other than water, milk or juice in the last hour before bed - specified	Free text
ccpnm_18m_mtrbrshchldtth_bfbdb	Mother brushes her child's teeth after child has drunk in the last hour before bed	0"No", 1"Yes"
ccpnm_18m_chlddrnk_nt	Child drinks in the night	0"No", 1"Yes"
ccpnm_18m_chlddrnk_wternght	Child drinks water in the night	0"No", 1"Yes"
ccpnm_18m_chlddrnk_mlknght	Child drinks milk in the night	0"No", 1"Yes"
ccpnm_18m_chlddrnk_juicnght	Child drinks juice in the night	0"No", 1"Yes"

ccpnm_18m_chldrnk_othrnght	Child drinks something other than water, milk or juice in the night	0"No", 1"Yes"
ccpnm_18m_chldrnk_othrdetailnght	Child drinks something other than water, milk or juice in the night - specified	Free text
ccpnm_18m_mtrfmyldntst	Mother has a family dentist	0"No", 1"Yes"
ccpnm_18m_chldmtrdntst	Child has been with their mother to visit the family dentist	0"No", 1"Yes", 2"Not applicable"
ccpnm_18m_dntstchldmth	Family dentist looked in child's mouth	0"No", 1"Yes", 2"Not applicable"
ccpnm_18m_dntstchldtth	The dentist has spoken to mother about caring for her child's teeth	0"No", 1"Yes", 2"Not applicable"
ccpnm_18m_dntstflrdvrnsh	The dentist has placed flouride varnish on child's teeth	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_18m_bsdfmylyntst	Child has seen another dental specialist besides family dentist	0"No", 1"Yes"
ccpnm_18m_bsdfmylyntst_lctn	Location where child sees other dental specialist besides family dentist	1"In the cleft team", 2"At the hospital", 3"Somewhere else"
ccpnm_18m_bsdfadntst_lctndetail	Location where child sees other dental specialist besides family dentist - specified	Free text
ccpnm_18m_chlddecay	Mother has been informed child has dental caries / decay	0"No", 1"Yes", 2"Don't know"
ccpnm_18m_mtrcncrnchldtth	Mother has concerns about her child's teeth	0"No", 1"Yes"
ccpnm_18m_mtrcncrnchldtthnum	Mother is concerned about the number of teeth child has	0"No", 1"Yes"
ccpnm_18m_mtrcncrnchldtthshp	Mother is concerned about the shape of her child's teeth	0"No", 1"Yes"
ccpnm_18m_mtrcncrnchldtthpstn	Mother is concerned about the position of her child's teeth	0"No", 1"Yes"
ccpnm_18m_mtrcncrnchldtthclr	Mother is concerned about the colour of her child's teeth	0"No", 1"Yes"
ccpnm_18m_mtrcncrnchldtthothr	Mother has other concerns about her child's teeth	0"No", 1"Yes"
ccpnm_18m_mtrcncrnchldtthothrdetail	Mother has other concerns about her child's teeth - specified	Free text

## Section D - Additional questions about your child

--	--	--

### Data for release

Variable Name	Variable Label	Variable Values
<b>Sleep position</b>		
ccpnm_18m_slppos_nt	Sleep position of baby when put down to sleep at night - in the first few months after child was born	1"Lying on their back", 2"Lying on their side", 3"Lying on their front"
ccpnm_18m_slppos_wkup	Position of baby when they woke up - in the first few months after child was born	1"Lying on their back", 2"Lying on their side", 3"Lying on their front"
<b>Childcare</b>		

ccpnm_18m_grndprntchldcr_age	Age of child when grandparent regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnm_18m_grndprntchldcr_freq	Frequency in which grandparent looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_18m_othrelativechldcr_age	Age of child when other relative regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnm_18m_othrelativechldcr_freq	Frequency in which other relative looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_18m_frndnbrchldcr_age	Age of child when friend or neighbour regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnm_18m_frndnbrchldcr_freq	Frequency in which friend or neighbour looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_18m_chldminderchldcr_age	Age of child when a paid person outside the home (eg: childminder) regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnm_18m_chldminderchldcr_freq	Frequency in which a paid person outside the home (eg: childminder) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_18m_nannychldcr_age	Age of child when a paid person inside the home (eg: nanny) regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnm_18m_nannychldcr_freq	Frequency in which a paid person inside the home (eg: nanny) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_18m_prvnurschldcr_age	Age of child when a private day nursery or creche regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnm_18m_prvnurschldcr_freq	Frequency in which a private day nursery or creche looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_18m_locauthnurschldcr_age	Age of child when a local authority day nursery regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnm_18m_locauthnurschldcr_freq	Frequency in which a local authority day nursery looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_18m_otherchldcr	Other childcare which regularly looked after child	Free text
ccpnm_18m_otherchldcr_age	Age of child when other childcare regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnm_18m_otherchldcr_freq	Frequency in which a other childcare looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
<b>Hearing</b>		
ccpnm_18m_chldlstnrby	Generally child listens to people or things nearby	1"Usually not", 2"Sometimes", 3"Usually", 4"Often", 5"Don't know"



ccpnm_18m_chldrntosnd	Child turns their head towards sounds	0"Never", 1"Only to very loud sounds", 2"Sometimes", 3"Usually", 4"Don't know"
ccpnm_18m_chldhrwrscl	Child's hearing is worse than usual during or after a cold	1"Much worse", 2"A little worse", 3>About the same", 4"Don't know"
ccpnm_18m_chldpllears	Child pulls, scratches or pokes at their ears	1"Hardly ever", 2"Only when ill, restless or in pain", 3"Sometimes", 4"Quite often", 5"Don't know"
ccpnm_18m_chldeatpus	Pus or sticky mucus (not ear wax) has leaked out of child's ears	0"Never", 1"Once", 2"More than once", 3"Don't know"
ccpnm_18m_chldmouthbrths	Child breathes through their mouth rather than their nose	1"Hardly ever", 2"Sometimes", 3"Much of the time", 4"All the time", 5"Don't know"
<b>Non-verbal communication</b>		
ccpnm_18m_chldextdarm_shw	Child extends arm to show something they are holding	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldrchsgvobjt	Child reaches out and gives an object they are holding	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldpnts	Child points (with arm and index finger extended) at some interesting object or event	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldwvs	Child waves goodbye on their own when someone leaves	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldextdarm_pkup	Child extends their arms upwards to signal a wish to be picked up	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldshkshd	Child shakes head "no"	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldndshd	Child nods head "yes"	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldhush	Child gestures "hush" by placing finger to lips	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldopnclshnds	Child asks for something by opening and closing hand	0"Not yet", 1"Sometimes", 2"Often"
ccpnm_18m_chldkisses	Child blows kisses from a distance	0"Not yet", 1"Sometimes", 2"Often"
<b>Other research studies</b>		
ccpnm_18m_othersrchstds	Child has been or is still involved in other research studies	0"No", 1"Yes", 2"Don't know"
ccpnm_18m_tops	Child has been or is still involved with TOPS (Timing of Palatal Surgery)	0"No", 1"Yes"
ccpnm_18m_topsagepalrpr	Age of child when palate was repaired	1"6 months", 2"9 months", 3"12 months"
ccpnm_18m_spoocl	Child has been or is still involved Supporting Parents Of Children with a Cleft Lip (SPOCCL) study	0"No", 1"Yes"
ccpnm_18m_spoocl_grp	Group child was assigned to within Supporting Parents Of Children with a Cleft Lip (SPOCCL) study	1"'Watch and Discover' group (children were videoed at regular intervals and met with researchers for feedback)", 2"The 'Supported Information and Advice' group"
ccpnm_18m_othersrchstds_detail	Child has been or is still involved in other research studies - specify	Free text

<b>Section E - Your family</b>		
Data for release		
Variable Name	Variable Label	Variable Values
ccpnm_18m_chldrnr18mth	Mother has had more children in the last 18 months	0"No", 1"Yes"
ccpnm_18m_numchldrnr18mth	Number of children mother has had in the last 18 months	Discrete
ccpnm_18m_agechldrstafrsc	Age of first child born after study child - months	Continuous (months)
ccpnm_18m_genchldrstafrsc	Gender of first child born after study child	1"Male", 2"Female"
ccpnm_18m_agechldrscndafrsc	Age of second child born after study child - months	Continuous (months)
ccpnm_18m_genchldrscndafrsc	Gender of second child born after study child	1"Male", 2"Female"
ccpnm_18m_othchldrncft	Other than the study child, mother has other children that have been born with a cleft	0"No", 1"Yes", 2"Mother has no other children"
ccpnm_18m_agechldr1cft	Age of first child with a cleft	Continuous (months)
ccpnm_18m_genchldr1cft	Gender of first child with a cleft	1"Male", 2"Female"
ccpnm_18m_clftypchldr1cft	Cleft type of first child with a cleft	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_18m_unibichldr1cft	Laterality of cleft for first child with a cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_18m_agechldr2cft	Age of second child with a cleft	Continuous (months)
ccpnm_18m_genchldr2cft	Gender of second child with a cleft	1"Male", 2"Female"
ccpnm_18m_clftypchldr2cft	Cleft type of second child with a cleft	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_18m_unibichldr2cft	Laterality of cleft for second child with a cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_18m_othrchldrnrld	Other child is enrolled in the Cleft Collective	0"No", 1"Yes", 2"Not applicable"
ccpnm_18m_lvswithprtnr	Mother lives with her spouse or domestic partner	0"No", 1"Yes"
ccpnm_18m_lvswithchldrnr	Mother lives with her children and/or stepchildren	0"No", 1"Yes"
ccpnm_18m_lvswithsblng	Mother lives with her sibling(s)	0"No", 1"Yes"
ccpnm_18m_lvswithprnt	Mother lives with her parent(s)	0"No", 1"Yes"
ccpnm_18m_lvswithothrel	Mother lives with other relatives	0"No", 1"Yes"
ccpnm_18m_lvswithunrelnd	Mother lives with unrelated individuals	0"No", 1"Yes"
ccpnm_18m_lvsnmchldrnr	Number of children/stepchildren Mother lives with	Discrete
ccpnm_18m_lvsnmsblng	Number of siblings Mother lives with	Discrete
ccpnm_18m_lvsnmprnt	Number of parents Mother lives with	Discrete
ccpnm_18m_lvsnmothrel	Number of other relatives Mother lives with	Discrete
ccpnm_18m_lvsnmunrelnd	Number of unrelated individuals Mother lives with	Discrete
ccpnm_18m_crnthshldarrngmnt	Time Mother has lived in this household arrangement	Continuous (months)

ccpnm_18m_maritalsts	Mothers marital status	1"Single", 2"Domestic partner", 3"Married", 4"Separated", 5"Divorced", 6"Widowed", 7"Civil Union"
ccpnm_18m_crrntmaritalarrngmnt	Time Mother has lived in this marital arrangement	Continuous (months)
ccpnm_18m_partnercloserel	Mother and Mother's partner have a close relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_partnerprobel	Mother and Mother's partner have problems in their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_hpyrel	Mother is very happy in her relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_partnerunderstndng	Mother's partner is usually understanding	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_endrel	Mother often thinks about ending her relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_satrel	Mother is satisfied with her relationship with partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_disagreeimpdcs	Mother often disagrees with partner about important decisions	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_lckyptrnr	Mother feels lucky in her choice of partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_agreechldnrnsd	Mother and Mother's partner agree how children should be raised	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnm_18m_prtnrsatrel	Mother thinks partner is satisfied with their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
<b>Section F - Your lifestyle</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_18m_alcoholnow	Mother currently drinks alcohol	0"No",1"Yes"
ccpnm_18m_alcoholnowunits	Units of alcohol per week currently drank by mother	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty unts",6"More than thirty unts"
ccpnm_18m_alcoholnowfreq	Average frequency of mother's alcohol consumption now	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"

ccpnm_18m_alcoholbeer	Mother usually drinks beer	0"No",1"Yes"
ccpnm_18m_alcoholwine	Mother usually drinks wine	0"No",1"Yes"
ccpnm_18m_alcoholspirits	Mother usually drinks spirits	0"No",1"Yes"
ccpnm_18m_alcoholfrtdwine	Mother usually drinks fortified wine	0"No",1"Yes"
ccpnm_18m_alcoholmixed	Mother usually drinks mixed drinks	0"No",1"Yes"
ccpnm_18m_alcoholother	Mother usually drinks other type of alcohol	0"No",1"Yes"
ccpnm_18m_alcoholother_detail	Detail of other type of alcohol	Free text
ccpnm_18m_crntsmk	Mother currently smokes	0"No",1"Yes"
ccpnm_18m_crntsmk_perday	Average number of cigarettes mother currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnm_18m_smklocation	Location where mother currently/previously smokes	1"Only outside",2"Only inside",3"Both inside and outside"
ccpnm_18m_crnt_passsmk	Mother is currently exposed to passive smoke	0"No",1"Yes"
ccpnm_18m_crnt_passsmktm	Hours a day mother is exposed to passive smoke	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
ccpnm_18m_chldpssvsmk	Child is exposed to passive smoke	0"No",1"Yes"
ccpnm_18m_chldpssvsmkhrs	Hours per day in which child is exposed to passive smoke	1"Less than one hour per day", 2"One to two hours per day", 3"Three to four hours per day", 4"More than four hours per day"
ccpnm_18m_crntnct	Mother currently uses a different type of nicotine (other than smoking)	0"No",1"Yes"
ccpnm_18m_crntnctngm	Mother currently uses nicotine gum	0"No",1"Yes"
ccpnm_18m_crntadhptch	Mother currently uses an adhesive patch	0"No",1"Yes"
ccpnm_18m_crntnctnspry	Mother currently uses nicotine spray	0"No",1"Yes"
ccpnm_18m_crntnctninh	Mother currently uses nicotine inhalers	0"No",1"Yes"
ccpnm_18m_crntnctntabs	Mother currently uses nicotine tablets or lozenges	0"No",1"Yes"
ccpnm_18m_crntsnuff	Mother currently uses 'Snus' or nasal snuff	0"No",1"Yes"
ccpnm_18m_crntchwtob	Mother currently chews tobacco	0"No",1"Yes"
ccpnm_18m_crnteleccig	Mother currently uses an electronic cigarette	0"No",1"Yes"
ccpnm_18m_crntnctnoth	Mother currently uses another type of nicotine	0"No",1"Yes"
ccpnm_18m_crntnctnoth_detail	Detail of other type of nicotine mother currently uses	Free text
ccpnm_18m_crntdruguse	Mother currently uses drugs	0"No",1"Yes"
ccpnm_18m_crntcannabis	Mother currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"

ccpnm_18m_crntcocaine	Mother currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_18m_crntecstasy	Mother currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_18m_crntamphets	Mother currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_18m_crntheroin	Mother currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_18m_crntotherdrug	Mother currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_18m_crntotherdrug_detail	Detail of other drug currently used by mother	Free text
ccpnm_18m_minsvigex	Minutes mother spends on vigorous exercise a week	Continuous (minutes)
ccpnm_18m_minsmodex	Minutes mother spends on moderate exercise a week	Continuous (minutes)
ccpnm_18m_muscstrex	Minutes mother spends on muscle strengthening activities a week	Discrete (times per week)
<b>Section G - Your Wellbeing</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
<b>Ages and Stages - third edition (ASQ-3)</b>		
ccpnm_18m_outcomesurg	Happiness of mother regarding the outcome of her child's surgery so far	1"Very unhappy", 2"Quite unhappy", 3"Neutral", 4"Quite happy", 5"Very happy"
ccpnm_18m_noticeable	Noticeability of child's cleft	0"Not at all noticeable", 1"A little noticeable", 2"Quite noticeable", 3"Very noticeable"
ccpnm_18m_noticeable_nodiff	Noticeability of child's cleft makes no difference	0"Makes no difference - not ticked", 1"Makes no difference - ticked only", 2"Makes no difference - ticked in addition to level of noticeability"
ccpnm_18m_cenq_c	Mother feels that the cleft is dominating her experience of bringing up her child	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

ccpnm_18m_cenq_d	Mother feels that it is her fault that her child was born with cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_18m_cenq_e	Mother struggles to come to terms with her child's cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_18m_cenq_f	Mother worries that she unable to care for her child because of the cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_18m_cenq_g	Mother worries about other health problems her child may have	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_18m_cenq_h	Mother worries that the cleft is affecting her relationship with her child	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_18m_cenq_i	Mother worries about her child's future cleft treatment	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_18m_cenq_j	Mother feels optimistic about her child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_18m_cenq_k	Mother feels that there are positives to having a child with cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_18m_cenq_k_specify	Mother feels that there are positives to having a child with cleft - specified	Free Text
ccpnm_18m_communication_a	ASQ-3 at 18 months communication - child points to objects he/she wants	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_communication_b	ASQ-3 at 18 months communication - if asked, child will go into another room to find familiar object	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_communication_c	ASQ-3 at 18 months communication - child says 8 or more words in addition to "Mama" and "Dada"	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_communication_d	ASQ-3 at 18 months communication - child imitates a two-word sentence	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_communication_e	ASQ-3 at 18 months communication - when asked "show me the cat" or "where is the dog" child points to correct picture	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_communication_f	ASQ-3 at 18 months communication - child can say two or three words together that represent different ideas, such as "see dog", or "mummy come home"	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_communication_score	ASQ-3 at 18 months communication score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnm_18m_grossmotor_a	ASQ-3 at 18 months gross motor skills - child bends over or squats to pick up object and can re-stand without any support	10"Yes", 5"Sometimes", 0"Not yet"

ccpnm_18m_grossmotor_b	ASQ-3 at 18 months gross motor skills - child moves around by walking rather than crawling on hands and knees	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_grossmotor_c	ASQ-3 at 18 months gross motor skills - child walks well and rarely falls	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_grossmotor_d	ASQ-3 at 18 months gross motor skills - child climbs on objects, such as a chair, to reach something he/she wants	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_grossmotor_e	ASQ-3 at 18 months gross motor skills - child walks down stairs holding onto someone's hand, the railing or the wall	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_grossmotor_f	ASQ-3 at 18 months gross motor skills - when shown, child try's to kick ball by moving leg forward or by walking into it	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_grossmotor_score	ASQ-3 at 18 months gross motor skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnm_18m_finemotor_a	ASQ-3 at 18 months fine motor skills - child can throw a small ball with a forward arm motion	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_finemotor_b	ASQ-3 at 18 months fine motor skills - child can stack a small block or toy on top of another one	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_finemotor_c	ASQ-3 at 18 months fine motor skills- child can make a small mark on paper with the tip of a crayon, pencil or pen when trying to draw	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_finemotor_d	ASQ-3 at 18 months fine motor skills - child can stack three small blocks or toys on top of each other by themselves	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_finemotor_e	ASQ-3 at 18 months fine motor skills - child can turn the pages of a book by themselves, may be more than one page at a time	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_finemotor_f	ASQ-3 at 18 months fine motor skills - child can get a spoon into their mouth the right side up so that food does not spill	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_finemotor_score	ASQ-3 at 18 months fine motor skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnm_18m_problemsolving_a	ASQ-3 at 18 months problem solving - child can drop several small toys, one after another, into a container	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_problemsolving_b	ASQ-3 at 18 months problem solving - when shown, child will try to get a small toy that is slightly out of reach by using a spoon, stick, or similar tool	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_problemsolving_c	ASQ-3 at 18 months problem solving - when shown child can turn a bottle over to try and remove a crumb which had been dropped inside	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_problemsolving_d	ASQ-3 at 18 months problem solving - child can scribble back and forth when given a crayon	10"Yes", 5"Sometimes", 0"Not yet"

ccpnm_18m_problemsolving_e	ASQ-3 at 18 months problem solving - when shown how to draw a line from the top of a piece of paper to the bottom, child will copy by drawing a straight line in any direction	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_problemsolving_f	ASQ-3 at 18 months problem solving - when child has not been shown they can turn a bottle over to try and remove a crumb which had been dropped inside on their own accord	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_problemsolving_score	ASQ-3 at 18 months problem solving skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnm_18m_personalsocial_a	ASQ-3 at 18 months personal-social skills - while looking at themselves in the mirror, your child offers a toy to their own image	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_personalsocial_b	ASQ-3 at 18 months personal-social skills - child will play with a doll or stuffed toy by hugging it	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_personalsocial_c	ASQ-3 at 18 months personal-social skills - child pulls on mums hand or clothing to get their attention or show them something	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_personalsocial_d	ASQ-3 at 18 months personal-social skills - child comes to mum when they need help, such as winding up a toy or unscrewing a lid from a jar	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_personalsocial_e	ASQ-3 at 18 months personal-social skills - child can drink from a cup or glass and place it back down again with little spillage	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_personalsocial_f	ASQ-3 at 18 months personal-social skills - child copies activities, such as wipe up a spillage, sweep, shave or comb hair	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_18m_personalsocial_score	ASQ-3 at 18 months personal-social skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnm_18m_childhears	Child hears well	0"No", 1"Yes"
ccpnm_18m_talkktd	Child talks like other toddlers their age	0"No", 1"Yes"
ccpnm_18m_understandchld	Mum can understand most of what child says	0"No", 1"Yes"
ccpnm_18m_chldaglytod	Child walks, runs and climbs like other toddlers their age	0"No", 1"Yes"
ccpnm_18m_famhistdeaf	One parent has a family history of childhood deafness or hearing impairment	0"No", 1"Yes"
ccpnm_18m_concernchldvis	Mum has concern about child's vision	0"No", 1"Yes"
ccpnm_18m_concernchldvis_detail	Detailed concern about child's vision	Free text
ccpnm_18m_concernchldbhvr	Mum has concern about child's behaviour	0"No", 1"Yes"
ccpnm_18m_concernchldbhvr_detail	Detailed concern about child's behaviour	Free text
ccpnm_18m_socialemotional_a	ASQ:SE at 18 months - child looks at mum when she talks to them	0"Most of the time", 5"Sometimes", 10"Rarely or never"



ccpnm_18m_socialemotional_a_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_a	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_b	ASQ:SE at 18 months - when mum leaves child, child remains upset and cries for more than an hour	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_b_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_b	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_c	ASQ:SE at 18 months - child laughs or smiles when mum plays with them	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_c_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_c	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_d	ASQ:SE at 18 months - child looks for mum when stranger approaches	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_d_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_d	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_e	ASQ:SE at 18 months - child's body is relaxed	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_e_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_e	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_f	ASQ:SE at 18 months - child likes to be hugged or cuddled	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_f_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_f	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_g	ASQ:SE at 18 months - when child is upset mum can calm them down within 15 minutes	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_g_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_g	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_h	ASQ:SE at 18 months - child stiffens and arches back when picked up	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_h_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_h	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_i	ASQ:SE at 18 months - child cries, screams or has tantrums for long periods of time	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_i_concern	Mum is concerned about the bahaviour described in ccpnm_18m_socialemotional_i	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_j	ASQ:SE at 18 months - child is interested in things around them, such as people, toys and foods	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_j_concern	Mum is concerned about the bahaviour described in ccpnm_18m_socialemotional_j	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_k	ASQ:SE at 18 months - child does things over and over and can't seem to stop. Examples include rocking and hand flapping	10"Most of the time", 5"Sometimes", 0"Rarely or never"

ccpnm_18m_socialemotional_k_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_k	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_l	ASQ:SE at 18 months - child has eating problems, such as stuffing foods, vomiting or eating nonfood items	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_l_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_l	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_m	ASQ:SE at 18 months - child has trouble falling asleep at naptime or at night	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_m_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_m	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_n	ASQ:SE at 18 months - child and mum enjoy mealtimes together	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_n_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_n	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_o	ASQ:SE at 18 months - child sleeps at least 10 hours within a 24 hour period	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_o_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_o	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_p	ASQ:SE at 18 months - when mum points at something, child looks in that direction	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_p_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_p	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_q	ASQ:SE at 18 months - child gets constipated or has diarrhoea	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_q_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_q	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_r	ASQ:SE at 18 months - child lets mum know how they are feeling by using hand gestures	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_r_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_r	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_s	ASQ:SE at 18 months - child follows simple directions/instructions	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_s_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_s	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_t	ASQ:SE at 18 months - child likes to play near or be with family members and friends	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_t_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_t	0"Not ticked", 1"Yes"

ccpnm_18m_socialemotional_u	ASQ:SE at 18 months - child checks to make sure mum is present when exploring new places, such as a park or a friend's home	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_u_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_u	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_v	ASQ:SE at 18 months - child likes to hear stories or sing songs	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_v_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_v	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_w	ASQ:SE at 18 months - child hurts themselves on purpose	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_w_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_w	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_x	ASQ:SE at 18 months - child likes to be around other children	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_18m_socialemotional_x_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_x	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_y	ASQ:SE at 18 months - child tries to hurt other children, adults or animals	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_y_concern	Mum is concerned about the behaviour described in ccpnm_18m_socialemotional_y	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_z	ASQ:SE at 18 months - someone has expressed concerns about child's behaviour	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_18m_socialemotional_z_concern	Mum is concerned that someone else has expressed concerns about her child's behaviour	0"Not ticked", 1"Yes"
ccpnm_18m_socialemotional_z_detail	ASQ:SE at 18 months - detail of concern raised by someone else about child's behaviour	Free text
ccpnm_18m_socialemotional_score	ASQ:SE score - sum of ASQ:SE variables plus 5 extra points per concern raised	Continuous
ccpnm_18m_eatsleepconcern	Mum has concerns about child's eating or sleeping behaviours	0"No", 1"Yes"
ccpnm_18m_eatsleepconcern_detail	Detail as to why mum has concerns about child's eating or sleeping behaviours	Free text
ccpnm_18m_worries	Mum is worried about child	0"No", 1"Yes"
ccpnm_18m_worries_detail	Detail about why mum is worried about child	Free text
ccpnm_18m_enjywthchild	Things mum enjoys most about child	Free text
<b>Section Z</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
---------------	----------------	-----------------

ccpnm_18m_compby	Person who completed postnatal Mother's 18 months questionnaire	1"Child's biological mother", 2"Someone else"
ccpnm_18m_compby_se	Person who completed postnatal Mother's baseline questionnaire - if different from biological mother	Free text
ccpnm_18m_datecomp	Date postnatal Mother's baseline questionnaire was completed	Date DD/MM/YYYY
ccpnm_18m_chldagenow	Age of child at completion of Mother's 18 months questionnaire - (months)	Continuous
<b>Fathers 18 month Questionnaire - birth cohort</b>		
<b>Section A - Your child's health</b>		
<b>Data for release</b>		
Variable Name	Variable Label	Variable Values
ccpnf_18m_gestage	Gestational age of child at birth - weeks	continuous
ccpnf_18m_chldgndr	Child's gender	1"Male", 2"Female"
ccpnf_18m_chldbrthwt_kg	Child's birth weight in Kilograms	Continuous
ccpnf_18m_chldwt_kg	Child's current weight in Kilograms	Continuous
ccpnf_18m_chldbrthlngth_cm	Child's length at birth in centimetres	Continuous
ccpnf_18m_chldht_cm	Child's current height in centimetres	Continuous
ccpnf_18m_hdcircumbrth_cm	Child's head circumference at birth in centimetres	Continuous
ccpnf_18m_hdcircum_cm	Child's current head circumference in centimetres	Continuous
ccpnf_18m_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_18m_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpnf_18m_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
ccpnf_18m_lipdiag	Time in which child's cleft lip was diagnosed	1"At the 20 week scan", 2"During 3D scan", 3"At birth", 4"Not applicable"
ccpnf_18m_3dlipdiag_wks	Gestational age of child at 3D scan where cleft lip was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnf_18m_lipdiag_wks	Gestational age of child when cleft lip was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnf_18m_paldiag	Time in which child's cleft palate was diagnosed	1"At the 20 week scan", 2"During 3D scan", 3"At birth", 4"After birth-late diagnosis", 5"Not applicable"

ccpnf_18m_3dpaldiag_wks	Gestational age of child at 3D scan where cleft palate was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnf_18m_paldiag_wks	Gestational age or age of child when cleft palate was diagnosed - weeks	Continuous, 999"Not applicable"
ccpnf_18m_liprepair	Child has had their lip repaired	0"No", 1"Yes", 2"Not applicable"
ccpnf_18m_liprepair_age	Age of child when their lip was repaired - months	Continuous - months
ccpnf_18m_palrepair	Child has had their palate repaired	0"No", 1"Yes", 2"Not applicable"
ccpnf_18m_palrepair_age	Age of child when their palate was repaired - months	Continuous - months
ccpnf_18m_othsurg	Child has had other surgery relating to their cleft lip and/or palate	0"No", 1"Yes"
ccpnf_18m_othsurg_spec	Type of other surgery child has had relating to their cleft lip and/or palate	Free text
ccpnf_18m_infections	Child has had an infection	0"No", 1"Yes"
ccpnf_18m_germanmeasles	Child has had German Measles	0"No", 1"Yes"
ccpnf_18m_measles	Child has had Measles	0"No", 1"Yes"
ccpnf_18m_chickenpox	Child has had Chickenpox	0"No", 1"Yes"
ccpnf_18m_mumps	Child has had Mumps	0"No", 1"Yes"
ccpnf_18m_meningitis	Child has had Meningitis	0"No", 1"Yes"
ccpnf_18m_uti	Child has had a Urinary Tract Infection (UTI) eg-Cystitis	0"No", 1"Yes"
ccpnf_18m_chestinfec_pneumonia	Child has had chest infections or Pneumonia	0"No", 1"Yes"
ccpnf_18m_recurrerearinfec	Child has had recurring ear infections	0"No", 1"Yes"
ccpnf_18m_othinfec	Child has had other infections	0"No", 1"Yes"
ccpnf_18m_othinfec_sepc	Other infections child has had	Free text
ccpnf_18m_condneuro	Child had or currently has a neurological or sensory condition	0"No", 1"Yes"
ccpnf_18m_condhrtlng	Child had or currently has a heart, lung or immune system condition	0"No", 1"Yes"
ccpnf_18m_condsknmus	Child had or currently has a skin or musculoskeletal condition	0"No", 1"Yes"
ccpnf_18m_condmetabolic	Child had or currently has a metabolic condition	0"No", 1"Yes"
ccpnf_18m_condabdominal	Child had or currently has a abdominal condition	0"No", 1"Yes"
ccpnf_18m_condkidblad	Child had or currently has a kidney or bladder condition	0"No", 1"Yes"
ccpnf_18m_devprob	Child has problems with the development of their eyes, ears, cheekbones, jaw, tongue, hands, feet, spine or other body part	0"No", 1"Yes"
ccpnf_18m_devprob_eyes	Child has problems with the development of their eyes	0"No", 1"Yes"
ccpnf_18m_devprob_ears	Child has problems with the development of their ears	0"No", 1"Yes"
ccpnf_18m_devprob_chkbns	Child has problems with the development of their cheekbones	0"No", 1"Yes"
ccpnf_18m_devprob_jaw	Child has problems with the development of their jaw	0"No", 1"Yes"
ccpnf_18m_devprob_tongue	Child has problems with the development of their tongue	0"No", 1"Yes"

ccpnf_18m_devprob_hands	Child has problems with the development of their hands	0"No", 1"Yes"
ccpnf_18m_devprob_feet	Child has problems with the development of their feet	0"No", 1"Yes"
ccpnf_18m_devprob_spine	Child has problems with the development of their spine	0"No", 1"Yes"
ccpnf_18m_devprob_other	Child has problems with the development of another body part	0"No", 1"Yes"
ccpnf_18m_devprob_other_detail	Child has problems with the development of another body part - detail	Free text
ccpnf_18m_syndrome	Child has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnf_18m_syndrome_test	Child is currently undergoing genetic testing	0"No", 1"Yes"
ccpnf_18m_syndrome_prs	Child has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnf_18m_syndrome_vw	Child has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnf_18m_syndrome_tc	Child has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnf_18m_syndrome_hm	Child has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnf_18m_syndrome_ss	Child has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnf_18m_syndrome_22q	Child has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
ccpnf_18m_syndrome_cranio	Child has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnf_18m_syndrome_cl	Child has been diagnosed with Cornelia de lange syndrome	0"No", 1"Yes"
ccpnf_18m_syndrome_other	Child has been diagnosed with another syndrome or genetic condition	Free Text
ccpnf_18m_mthrsynd	Father has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnf_18m_mthrsynd_test	Father is currently undergoing genetic testing	0"No", 1"Yes"
ccpnf_18m_mthrsynd_prs	Father has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnf_18m_mthrsynd_vw	Father has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnf_18m_mthrsynd_tc	Father has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnf_18m_mthrsynd_hm	Father has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"

ccpnf_18m_mthrsynd_ss	Father has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnf_18m_mthrsynd_22q	Father has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
ccpnf_18m_mthrsynd_cranio	Father has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnf_18m_mthrsynd_cl	Father has been diagnosed with Cornelia de lange syndrome	0"No", 1"Yes"
ccpnf_18m_mthrsynd_other	Father has been diagnosed with another syndrome or genetic condition	Free Text
ccpnf_18m_fthrsynd	Mother has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnf_18m_fthrsynd_test	Mother is currently undergoing genetic testing	0"No", 1"Yes"
ccpnf_18m_fthrsynd_prs	Mother has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnf_18m_fthrsynd_vw	Mother has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnf_18m_fthrsynd_tc	Mother has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnf_18m_fthrsynd_hm	Mother has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnf_18m_fthrsynd_ss	Mother has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnf_18m_fthrsynd_22q	Mother has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
ccpnf_18m_fthrsynd_cranio	Mother has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnf_18m_fthrsynd_cl	Mother has been diagnosed with Cornelia de lange syndrome	0"No", 1"Yes"
ccpnf_18m_fthrsynd_other	Mother has been diagnosed with another syndrome or genetic condition	Free Text
ccpnf_18m_othchldsynd	Other child of biological father or mother has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnf_18m_othchldsynd_test	Other child of biological father or mother is currently undergoing genetic testing	0"No", 1"Yes"
ccpnf_18m_othchldsynd_prs	Other child of biological father or mother has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"

ccpnf_18m_othchldsynd_vw	Other child of biological father or mother has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnf_18m_othchldsynd_tc	Other child of biological father or mother has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnf_18m_othchldsynd_hm	Other child of biological father or mother has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnf_18m_othchldsynd_ss	Other child of biological father or mother has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnf_18m_othchldsynd_22q	Other child of biological father or mother has been diagnosed with 22q11.2 deletion syndrome	0"No", 1"Yes"
ccpnf_18m_othchldsynd_cranio	Other child of biological father or mother has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnf_18m_othchldsynd_cl	Other child of biological father or mother has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
ccpnf_18m_othchldsynd_other	Other child of biological father or mother has been diagnosed with another syndrome or genetic condition	Free Text

## Section B - Feeding your child

Data for release		
Variable Name	Variable Label	Variable Values
ccpnf_18m_directbreast	Mother was able to feed child directly from their breast	1"Yes", 2"Tried but was unable to", 3"Didn't try"
ccpnf_18m_bfedtime	Number of weeks child was breast fed for	Continuous
ccpnf_18m_bfedcrrnt	Child still being breast fed	0"No", 1"Yes"
ccpnf_18m_initbotfeedmthd	Type of bottle system used to initially feed child	1"MAM soft bottle", 2"Haberman feeder bottle system", 3"Normal feeding bottle or teat", 4"Other"
ccpnf_18m_initbotfeedmthd_oth	Type of bottle system used to initially feed child - other	Free text
ccpnf_18m_typofmlk	Type of milk child was fed with	1"Breast milk only", 2"Formula milk only", 3"A combination of breast milk and formula milk"
ccpnf_18m_diffeeding	Father experienced difficulties feeding child in the first few months	0"No difficulties", 1"Yes, some difficulty", 2"Yes, great difficulty"
ccpnf_18m_chldreqngt	Child initially required feeding assistance with a feeding tube (Nasogastric Intubation, NGT)	0"No", 1"Yes"
ccpnf_18m_chldreqnpa	Child initially required respiratory assistance due to a blocked airway (Nasopharyngeal Airway, NPA)	0"No", 1"Yes"
ccpnf_18m_nasregur	Child experienced nasal regurgitation	0"No", 1"Sometimes", 2"Often"



ccpnf_18m_difswall	Child has had difficulty swallowing	0"No", 1"Sometimes", 2"Often"
ccpnf_18m_drinkothmilk	Age of child in months when they first had something other than milk to drink	Continuous (months)
ccpnf_18m_savouryfoods	Age of child in months when they were first given savoury solids to eat	Continuous (months)
ccpnf_18m_sweetfoods	Age of child in months when they were first given sweet solids to eat	Continuous (months)
ccpnf_18m_chldntetninsuffamnt	Since child was 6 months old, at some point, they have not eaten a sufficient amount of food	1"Almost Never", 2"Sometimes", 3"Yes, worried father a bit", 4"Yes, worried father greatly"
ccpnf_18m_chldrfsdrtfd	Since child was 6 months old, at some point, they have refused to eat the right food	1"Almost Never", 2"Sometimes", 3"Yes, worried father a bit", 4"Yes, worried father greatly"
ccpnf_18m_chldchoosy	Since child was 6 months old, at some point, they have been choosy with food	1"Almost Never", 2"Sometimes", 3"Yes, worried father a bit", 4"Yes, worried father greatly"
ccpnf_18m_chldovereaten	Since child was 6 months old, at some point, they have overeaten	1"Almost Never", 2"Sometimes", 3"Yes, worried father a bit", 4"Yes, worried father greatly"
ccpnf_18m_chlddiffroutine	Since child was 6 months old, at some point, they have been difficult to get into an eating routine	1"Almost Never", 2"Sometimes", 3"Yes, worried father a bit", 4"Yes, worried father greatly"
ccpnf_18m_chlddifftaste	Child has difficulties with particular tastes or textures	0"No", 1"Yes"
ccpnf_18m_chlddifftaste_detail	Child has difficulties with particular tastes or textures - specified	Free text
ccpnf_18m_chldfedthmslv	Child feeds themselves	0"No", 1"Yes"
ccpnf_18m_chldfedthmslv_how	How child feeds themselves	1"spoon or fork", 2"fingers", 3"both"
ccpnf_18m_chlddrnkwttr	Child normally drinks water	0"No", 1"Yes"
ccpnf_18m_chlddrnkmlk	Child normally drinks milk	0"No", 1"Yes"
ccpnf_18m_chlddrnkfrtjuc	Child normally drinks fruit juice	0"No", 1"Yes"
ccpnf_18m_chlddrnksquash	Child normally drinks squash	0"No", 1"Yes"
ccpnf_18m_chlddrnkothr	Child normally drinks other	0"No", 1"Yes"
ccpnf_18m_chlddrnkothr_detail	Child normally drinks other - specified	Free text
ccpnf_18m_chlddrnk_from	Location where child usually drinks from	1"a bottle", 2"a cup or beaker", 3"both"
ccpnf_18m_chlddrnk_age	Age of child when they first began drinking from a cup or a beaker	Continuous (months), 99"Not applicable"
ccpnf_18m_chldeattbl	Child normally eats their meals at the table	0"No", 1"Yes"
ccpnf_18m_chldeathghchr	Child normally eats their meals in a highchair	0"No", 1"Yes"
ccpnf_18m_chldeatwtkarnd	Child normally eats their meals walking around	0"No", 1"Yes"
ccpnf_18m_chldeatothrpstn	Child normally eats their meals in other position	0"No", 1"Yes"
ccpnf_18m_chldeatothrpstn_detail	Child normally eats their meals in other position - specified	Free text
ccpnf_18m_chldeattv	Child normally eats their meals in front of the television	0"No", 1"Yes"
ccpnf_18m_chldeataln	Child normally eats alone	0"No", 1"Yes"
ccpnf_18m_chldeatsblng	Child normally eats with siblings	0"No", 1"Yes"

ccpnf_18m_chldeatfmly	Child normally eats with the whole of the family	0"No", 1"Yes"
ccpnf_18m_chldeatotrppl	Child normally eats with other people	0"No", 1"Yes"
ccpnf_18m_chldeatotrppl_detail	Child normally eats with other people - specified	0"No", 1"Yes"
ccpnf_18m_chldeatsame	Frequency of child eating the same foods as the rest of the family	0"No", 1"Sometimes", 2"Usually"
ccpnf_18m_chldeatsnck	Frequency of child having snacks in the day between meals	0"No",1"Once", 2"Twice", 3"More than twice"
ccpnf_18m_ftrchlddeathbt	Father concerns about child eating habits	0"No", 1"Yes"
ccpnf_18m_ftrchlddeathbt_detail	Father concerns about child eating habits - specified	Free text
<b>Section C - Your child's teeth</b>		

### Data for release

Variable Name	Variable Label	Variable Values
ccpnf_18m_chldfrsttth	Age of child when they developed their first tooth	Continuous (months)
ccpnf_18m_numtth	Number of teeth child currently has	Discrete
ccpnf_18m_ftrbrshchldtth	Father brushes his child's teeth	0"No", 1"Yes"
ccpnf_18m_ftrbrshchldtth_tm	Time of day father brushes his child's teeth	1"Morning",2"Morning and evening", 3"Evening", 4"Other"
ccpnf_18m_ftrbrshchldtth_tm_detail	Time of day father brushes his child's teeth -other	Free text
ccpnf_18m_tthpst	Toothpaste child is currently using	0"None",1"Children's paste (0-3 years)", 2"Children's paste (over 3 years)", 3"Adult toothpaste"
ccpnf_18m_chlddrnk_bfbd	Child drinks in the last hour before bed	0"No", 1"Yes"
ccpnf_18m_chlddrnk_wterbfbd	Child drinks water in the last hour before bed	0"No", 1"Yes"
ccpnf_18m_chlddrnk_mlkbfbd	Child drinks milk in the last hour before bed	0"No", 1"Yes"
ccpnf_18m_chlddrnk_juicbfbd	Child drinks juice in the last hour before bed	0"No", 1"Yes"
ccpnf_18m_chlddrnk_othbfbd	Child drinks something other than water, milk or juice in the last hour before bed	0"No", 1"Yes"
ccpnf_18m_chlddrnk_othrdetailbfbd	Child drinks something other than water, milk or juice in the last hour before bed - specified	Free text
ccpnf_18m_mtrbrshchldtth__bfbd	father brushes her child's teeth after child has drunk in the last hour before bed	0"No", 1"Yes"
ccpnf_18m_chlddrnk_nt	Child drinks in the night	0"No", 1"Yes"
ccpnf_18m_chlddrnk_wternight	Child drinks water in the night	0"No", 1"Yes"
ccpnf_18m_chlddrnk_mlknight	Child drinks milk in the night	0"No", 1"Yes"
ccpnf_18m_chlddrnk_juicnight	Child drinks juice in the night	0"No", 1"Yes"
ccpnf_18m_chlddrnk_othrnight	Child drinks something other than water, milk or juice in the night	0"No", 1"Yes"

ccpnf_18m_chldrnk_othrdetailnght	Child drinks something other than water, milk or juice in the night - specified	Free text
ccpnf_18m_ftrfmydntst	Father has a family dentist	0"No", 1"Yes"
ccpnf_18m_chldmtrdntst	Child has been with their father to visit the family dentist	0"No", 1"Yes", 2"Not applicable"
ccpnf_18m_dntstchldmth	Family dentist looked in child's mouth	0"No", 1"Yes", 2"Not applicable"
ccpnf_18m_dntstchldtth	The dentist has spoken to father about caring for his child's teeth	0"No", 1"Yes", 2"Not applicable"
ccpnf_18m_dntstflrdvrnsh	The dentist has placed flouride varnish on child's teeth	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnf_18m_bsdmlyntst	Child has seen another dental specialist besides family dentist	0"No", 1"Yes"
ccpnf_18m_bsdmlydntst_lctn	Location where child sees other dental specialist besides family dentist	1"In the cleft team", 2"At the hospital", 3"Somewhere else"
ccpnf_18m_bsdfadntst_lctndetail	Location where child sees other dental specialist besides family dentist - specified	Free text
ccpnf_18m_chlddecay	Father has been informed child has dental caries / decay	0"No", 1"Yes", 2"Don't know"
ccpnf_18m_ftrcncrnchldtth	Father has concerns about his child's teeth	0"No", 1"Yes"
ccpnf_18m_ftrcncrnchldtthnum	Father is concerned about the number of teeth child has	0"No", 1"Yes"
ccpnf_18m_ftrcncrnchldtthshp	Father is concerned about the shape of his child's teeth	0"No", 1"Yes"
ccpnf_18m_ftrcncrnchldtthpstn	Father is concerned about the position of her child's teeth	0"No", 1"Yes"
ccpnf_18m_ftrcncrnchldtthclr	Father is concerned about the colour of her child's teeth	0"No", 1"Yes"
ccpnf_18m_ftrcncrnchldtthothr	Father has other concerns about her child's teeth	0"No", 1"Yes"
ccpnf_18m_ftrcncrnchldtthothrdetail	Father has other concerns about her child's teeth - specified	Free text

## Section D - Additional questions about your child

Data for release		
Variable Name	Variable Label	Variable Values
<b>Sleep position</b>		
ccpnf_18m_slppos_nt	Sleep position of baby when put down to sleep at night - in the first few months after child was born	1"Lying on their back", 2"Lying on their side", 3"Lying on their front"
ccpnf_18m_slppos_wkup	Position of baby when they woke up - in the first few months after child was born	1"Lying on their back", 2"Lying on their side", 3"Lying on their front"
<b>Childcare</b>		
ccpnf_18m_grndprntchldcr_age	Age of child when grandparent regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"

ccpnf_18m_grndprntchldcr_freq	Frequency in which grandparent looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_18m_othrelativechldcr_age	Age of child when other relative regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnf_18m_othrelativechldcr_freq	Frequency in which other relative looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_18m_frndnbrchldcr_age	Age of child when friend or neighbour regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnf_18m_frndnbrchldcr_freq	Frequency in which friend or neighbour looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_18m_chldminderchldcr_age	Age of child when a paid person outside the home (eg: childminder) regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnf_18m_chldminderchldcr_freq	Frequency in which a paid person outside the home (eg: childminder) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_18m_nannychldcr_age	Age of child when a paid person inside the home (eg: nanny) regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnf_18m_nannychldcr_freq	Frequency in which a paid person inside the home (eg: nanny) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_18m_prvnurschldcr_age	Age of child when a private day nursery or creche regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnf_18m_prvnurschldcr_freq	Frequency in which a private day nursery or creche looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_18m_locauthnurschldcr_age	Age of child when a local authority day nursery regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnf_18m_locauthnurschldcr_freq	Frequency in which a local authority day nursery looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_18m_otherchldcr	Other childcare which regularly looked after child	Free text
ccpnf_18m_otherchldcr_age	Age of child when other childcare regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months"
ccpnf_18m_otherchldcr_freq	Frequency in which a other childcare looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
<b>Hearing</b>		
ccpnf_18m_chldlstnrby	Generally child listens to people or things nearby	1"Usually not", 2"Sometimes", 3"Usually", 4"Often", 5"Don't know"
ccpnf_18m_chldtrntosnd	Child turns their head towards sounds	0"Never", 1"Only to very loud sounds", 2"Sometimes", 3"Usually", 4"Don't know"

ccpnf_18m_chldhrwrscl	Child's hearing is worse than usual during or after a cold	1"Much worse", 2"A little worse",3"About the same",4"Don't know"
ccpnf_18m_chldpllears	Child pulls, scratches or pokes at their ears	1"Hardly ever", 2"Only when ill, restless or in pain", 3"Sometimes", 4"Quite often", 5"Don't know"
ccpnf_18m_chldeatpus	Pus or sticky mucus (not ear wax) has leaked out of child's ears	0"Never", 1"Once", 2"More than once", 3"Don't know"
ccpnf_18m_chldmouthbrths	Child breathes through their mouth rather than their nose	1"Hardly ever", 2"Sometimes", 3"Much of the time", 4"All the time", 5"Don't know"
<b>Non-verbal communication</b>		
ccpnf_18m_chldextdarm_shw	Child extends arm to show something they are holding	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldrchsgvobjt	Child reaches out and gives an object they are holding	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldpints	Child points (with arm and index finger extended) at some interesting object or event	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldwvs	Child waves goodbye on their own when someone leaves	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldextdarm_pkup	Child extends their arms upwards to signal a wish to be picked up	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldshkshd	Child shakes head "no"	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldndshd	Child nods head "yes"	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldhush	Child gestures "hush" by placing finger to lips	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldopnclshnds	Child asks for something by opening and closing hand	0"Not yet", 1"Sometimes", 2"Often"
ccpnf_18m_chldkisses	Child blows kisses from a distance	0"Not yet", 1"Sometimes", 2"Often"
<b>Other research studies</b>		
ccpnf_18m_othsrchstds	Child has been or is still involved in other research studies	0"No", 1"Yes", 2"Don't know"
ccpnf_18m_tops	Child has been or is still involved with TOPS (Timing of Palatal Surgery)	0"No", 1"Yes"
ccpnf_18m_topsagepalpr	Age of child when palate was repaired	1"6 months", 2"9 months", 3"12 months"
ccpnf_18m_spoccl	Child has been or is still involved Supporting Parents Of Children with a Cleft Lip (SPOCCL) study	0"No", 1"Yes"
ccpnf_18m_spoccl_grp	Group child was assigned to within Supporting Parents Of Children with a Cleft Lip (SPOCCL) study	1"'Watch and Discover' group (children were videoed at regular intervals and met with researchers for feedback)", 2"The 'Supported Information and Advice' group"
ccpnf_18m_othsrchstds_detail	Child has been or is still involved in other research studies - specify	Free text

Section E - Your family		
Data for release		
Variable Name	Variable Label	Variable Values
ccpnf_18m_chldrn18mnth	Father has had more children in the last 18 months	0"No", 1"Yes"
ccpnf_18m_numchldrn18mnth	Number of children father has had in the last 18 months	Discrete
ccpnf_18m_agechldfrstaftrsc	Age of first child born after study child - months	Continuous (months)
ccpnf_18m_genchldfrstaftrsc	Gender of first child born after study child	1"Male", 2"Female"
ccpnf_18m_agechldscndaftrsc	Age of second child born after study child - months	Continuous (months)
ccpnf_18m_genchldscndaftrsc	Gender of second child born after study child	1"Male", 2"Female"
ccpnf_18m_othchldrnclft	Other than the study child, father has other children that have been born with a cleft	0"No", 1"Yes", 2"father has no other children"
ccpnf_18m_agechld1clft	Age of first child with a cleft	Continuous (months)
ccpnf_18m_genchld1clft	Gender of first child with a cleft	1"Male", 2"Female"
ccpnf_18m_clfttypchld1clft	Cleft type of first child with a cleft	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_18m_unibichld1clft	Laterality of cleft for first child with a cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_18m_agechld2clft	Age of second child with a cleft	Continuous (months)
ccpnf_18m_genchld2clft	Gender of second child with a cleft	1"Male", 2"Female"
ccpnf_18m_clfttypchld2clft	Cleft type of second child with a cleft	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_18m_unibichld2clft	Laterality of cleft for second child with a cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_18m_othrchldrenltd	Other child is enrolled in the Cleft Collective	0"No", 1"Yes", 2"Not applicable"
ccpnf_18m_lvswithprtnr	Father lives with his spouse or domestic partner	0"No", 1"Yes"
ccpnf_18m_lvswithchldrn	Father lives with his children and/or stepchildren	0"No", 1"Yes"
ccpnf_18m_lvswithsblng	Father lives with his sibling(s)	0"No", 1"Yes"
ccpnf_18m_lvswithprnt	Father lives with his parent(s)	0"No", 1"Yes"
ccpnf_18m_lvswithothrel	Father lives with other relatives	0"No", 1"Yes"
ccpnf_18m_lvswithunrelind	Father lives with unrelated individuals	0"No", 1"Yes"
ccpnf_18m_lvswithnumchldrn	Number of children/stepchildren father lives with	Discrete
ccpnf_18m_lvswithnumsbng	Number of siblings father lives with	Discrete
ccpnf_18m_lvswithnumprnt	Number of parents father lives with	Discrete
ccpnf_18m_lvswithnumothrel	Number of other relatives father lives with	Discrete
ccpnf_18m_lvswithnumunrelind	Number of unrelated individuals father lives with	Discrete
ccpnf_18m_crnthshldarrngmnt	Time father has lived in this household arrangement	Continuous (months)
ccpnf_18m_maritalsts	Fathers marital status	1"Single", 2"Domestic partner", 3"Married", 4"Separated", 5"Divorced", 6"Widowed", 7"Civil Union"

ccpnf_18m_crrntmaritalarrngmnt	Time father has lived in this marital arrangement	Continuous (months)
ccpnf_18m_partnercloserel	Father and father's partner have a close relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_partnerprobrel	Father and father's partner have problems in their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_hpyrel	Father is very happy in his relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_partnerunderstndng	Father's partner is usually understanding	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_endrel	Father often thinks about ending his relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_satrel	Father is satisfied with her relationship with partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_disagreeimpdecs	Father often disagrees with partner about important decisions	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_lckyptrnr	Father feels lucky in his choice of partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_agreechldrnsd	Father and father's partner agree how children should be raised	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_18m_prtnrstrel	Father thinks partner is satisfied with their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
<b>Section F - Your lifestyle</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnf_18m_alcoholnow	Father currently drinks alcohol	0"No",1"Yes"
ccpnf_18m_alcoholnowunits	Units of alcohol per week currently drank by father	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty unts",6"More than thirty unts"
ccpnf_18m_alcoholnowfreq	Average frequency of father's alcohol consumption now	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
ccpnf_18m_alcoholbeer	Father usually drinks beer	0"No",1"Yes"
ccpnf_18m_alcoholwine	Father usually drinks wine	0"No",1"Yes"

ccpnf_18m_alcoholspirits	Father usually drinks spirits	0"No",1"Yes"
ccpnf_18m_alcoholfrtdwine	Father usually drinks fortified wine	0"No",1"Yes"
ccpnf_18m_alcoholmixed	Father usually drinks mixed drinks	0"No",1"Yes"
ccpnf_18m_alcoholother	Father usually drinks other type of alcohol	0"No",1"Yes"
ccpnf_18m_alcoholother_detail	Detail of other type of alcohol	Free text
ccpnf_18m_crntsmk	Father currently smokes	0"No",1"Yes"
ccpnf_18m_crntsmk_perday	Average number of cigarettes Father currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnf_18m_smklocation	Location where Father currently/previously smokes	1"Only outside",2"Only inside",3"Both inside and outside"
ccpnf_18m_crnt_passsmk	father is currently exposed to passive smoke	0"No",1"Yes"
ccpnf_18m_crnt_passsmktm	Hours a day father is exposed to passive smoke	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
ccpnf_18m_chldpssvsmk	Child is exposed to passive smoke	0"No",1"Yes"
ccpnf_18m_chldpssvsmkhrs	Hours per day in which child is exposed to passive smoke	1"Less than one hour per day", 2"One to two hours per day", 3"Three to four hours per day", 4"More than four hours per day"
ccpnf_18m_crntnct	Father currently uses a different type of nicotine (other than smoking)	0"No",1"Yes"
ccpnf_18m_crntnctngm	Father currently uses nicotine gum	0"No",1"Yes"
ccpnf_18m_crntadhptch	Father currently uses an adhesive patch	0"No",1"Yes"
ccpnf_18m_crntnctnspry	Father currently uses nicotine spray	0"No",1"Yes"
ccpnf_18m_crntnctninh	Father currently uses nicotine inhalers	0"No",1"Yes"
ccpnf_18m_crntnctntabs	Father currently uses nicotine tablets or lozenges	0"No",1"Yes"
ccpnf_18m_crntsnuff	Father currently uses 'Snus' or nasal snuff	0"No",1"Yes"
ccpnf_18m_crntchtob	Father currently chews tobacco	0"No",1"Yes"
ccpnf_18m_crntelectcig	Father currently uses an electronic cigarette	0"No",1"Yes"
ccpnf_18m_crntnctnoth	Father currently uses another type of nicotine	0"No",1"Yes"
ccpnf_18m_crntnctnoth_detail	Detail of other type of nicotine Father currently uses	Free text
ccpnf_18m_crntdruguse	Father currently uses drugs	0"No",1"Yes"
ccpnf_18m_crntcannabis	Father currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_18m_crntcocaine	Father currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"



ccpnf_18m_crntecstasy	Father currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_18m_crntamphets	Father currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_18m_crntheroin	Father currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_18m_crntotherdrug	Father currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_18m_crntotherdrug_detail	Detail of other drug currently used by father	Free text
ccpnf_18m_minsvigex	Minutes father spends on vigorous exercise a week	Continuous (minutes)
ccpnf_18m_minsmodex	Minutes father spends on moderate exercise a week	Continuous (minutes)
ccpnf_18m_muscstrex	Minutes father spends on muscle strengthening activities a week	Discrete (times per week)
<b>Section G - Your Wellbeing</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
<b>Ages and Stages - third edition (ASQ-3)</b>		
ccpnf_18m_outcomesurg	Happiness of father regarding the outcome of her child's surgery so far	1"Very unhappy", 2"Quite unhappy", 3"Neutral", 4"Quite happy", 5"Very happy"
ccpnf_18m_noticeable	Noticeability of child's cleft	0"Not at all noticeable", 1"A little noticeable", 2"Quite noticeable", 3"Very noticeable"
ccpnf_18m_noticeable_nodiff	Noticeability of child's cleft makes no difference	0"Makes no difference - not ticked", 1"Makes no difference - ticked only", 2"Makes no difference - ticked in addition to level of noticeability"
ccpnf_18m_cenq_c	Father feels that the cleft is dominating her experience of bringing up her child	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_18m_cenq_d	Father feels that it is her fault that her child was born with cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_18m_cenq_e	Father struggles to come to terms with her child's cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

ccpnf_18m_cenq_f	Father worries that she unable to care for her child because of the cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_18m_cenq_g	Father worries about other health problems her child may have	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_18m_cenq_h	Father worries that the cleft is affecting her relationship with her child	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_18m_cenq_i	Father worries about her child's future cleft treatment	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_18m_cenq_j	Father feels optimistic about her child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_18m_cenq_k	Father feels that there are positives to having a child with cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_18m_cenq_k_specify	Father feels that there are positives to having a child with cleft - specified	Free Text
ccpnf_18m_communication_a	ASQ-3 at 18 months communication - child points to objects he/she wants	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_communication_b	ASQ-3 at 18 months communication - if asked, child will go into another room to find familiar object	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_communication_c	ASQ-3 at 18 months communication - child says 8 or more words in addition to "Mama" and "Dada"	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_communication_d	ASQ-3 at 18 months communication - child imitates a two-word sentence	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_communication_e	ASQ-3 at 18 months communication - when asked "show me the cat" or "where is the dog" child points to correct picture	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_communication_f	ASQ-3 at 18 months communication - child can say two or three words together that represent different ideas, such as "see dog", or "mummy come home"	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_communication_score	ASQ-3 at 18 months communication score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_18m_grossmotor_a	ASQ-3 at 18 months gross motor skills - child bends over or squats to pick up object and can re-stand without any support	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_grossmotor_b	ASQ-3 at 18 months gross motor skills - child moves around by walking rather than crawling on hands and knees	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_grossmotor_c	ASQ-3 at 18 months gross motor skills - child walks well and rarely falls	10"Yes", 5"Sometimes", 0"Not yet"

ccpnf_18m_grossmotor_d	ASQ-3 at 18 months gross motor skills - child climbs on objects, such as a chair, to reach something he/she wants	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_grossmotor_e	ASQ-3 at 18 months gross motor skills - child walks down stairs holding onto someone's hand, the railing or the wall	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_grossmotor_f	ASQ-3 at 18 months gross motor skills - when shown, child try's to kick ball by moving leg forward or by walking into it	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_grossmotor_score	ASQ-3 at 18 months gross motor skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_18m_finemotor_a	ASQ-3 at 18 months fine motor skills - child can throw a small ball with a forward arm motion	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_finemotor_b	ASQ-3 at 18 months fine motor skills - child can stack a small block or toy on top of another one	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_finemotor_c	ASQ-3 at 18 months fine motor skills- child can make a small mark on paper with the tip of a crayon, pencil or pen when trying to draw	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_finemotor_d	ASQ-3 at 18 months fine motor skills - child can stack three small blocks or toys on top of each other by themselves	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_finemotor_e	ASQ-3 at 18 months fine motor skills - child can turn the pages of a book by themselves, may be more than one page at a time	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_finemotor_f	ASQ-3 at 18 months fine motor skills - child can get a spoon into their mouth the right side up so that food does not spill	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_finemotor_score	ASQ-3 at 18 months fine motor skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_18m_problemsolving_a	ASQ-3 at 18 months problem solving - child can drop several small toys, one after another, into a container	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_problemsolving_b	ASQ-3 at 18 months problem solving - when shown, child will try to get a small toy that is slightly out of reach by using a spoon, stick, or similar tool	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_problemsolving_c	ASQ-3 at 18 months problem solving - when shown child can turn a bottle over to try and remove a crumb which had been dropped inside	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_problemsolving_d	ASQ-3 at 18 months problem solving - child can scribble back and forth when given a crayon	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_problemsolving_e	ASQ-3 at 18 months problem solving - when shown how to draw a line from the top of a piece of paper to the bottom, child will copy by drawing a straight line in any direction	10"Yes", 5"Sometimes", 0"Not yet"

ccpnf_18m_problemsolving_f	ASQ-3 at 18 months problem solving - when child has not been shown they can turn a bottle over to try and remove a crumb which had been dropped inside on their own accord	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_problemsolving_score	ASQ-3 at 18 months problem solving skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_18m_personalsocial_a	ASQ-3 at 18 months personal-social skills - while looking at themselves in the mirror, your child offers a toy to their own image	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_personalsocial_b	ASQ-3 at 18 months personal-social skills - child will play with a doll or stuffed toy by hugging it	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_personalsocial_c	ASQ-3 at 18 months personal-social skills - child pulls on dads hand or clothing to get their attention or show them something	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_personalsocial_d	ASQ-3 at 18 months personal-social skills - child comes to dad when they need help, such as winding up a toy or unscrewing a lid from a jar	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_personalsocial_e	ASQ-3 at 18 months personal-social skills - child can drink from a cup or glass and place it back down again with little spillage	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_personalsocial_f	ASQ-3 at 18 months personal-social skills - child copies activities, such as wipe up a spillage, sweep, shave or comb hair	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_18m_personalsocial_score	ASQ-3 at 18 months personal-social skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_18m_childhears	Child hears well	0"No", 1"Yes"
ccpnf_18m_talklktod	Child talks like other toddlers their age	0"No", 1"Yes"
ccpnf_18m_understandchld	Dad can understand most of what child says	0"No", 1"Yes"
ccpnf_18m_chldaghtytod	Child walks, runs and climbs like other toddlers their age	0"No", 1"Yes"
ccpnf_18m_famhistdeaf	One parent has a family history of childhood deafness or hearing impairment	0"No", 1"Yes"
ccpnf_18m_concernchldvis	Dad has concern about child's vision	0"No", 1"Yes"
ccpnf_18m_concernchldvis_detail	Detailed concern about child's vision	Free text
ccpnf_18m_concernchldbhvr	Dad has concern about child's behaviour	0"No", 1"Yes"
ccpnf_18m_concernchldbhvr_detail	Detailed concern about child's behaviour	Free text
ccpnf_18m_socialemotional_a	ASQ:SE at 18 months - child looks at dad when she talks to them	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_a_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_a	0"Not ticked", 1"Yes"

ccpnf_18m_socialemotional_b	ASQ:SE at 18 months - when dad leaves child, child remains upset and cries for more than an hour	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_b_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_b	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_c	ASQ:SE at 18 months - child laughs or smiles when dad plays with them	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_c_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_c	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_d	ASQ:SE at 18 months - child looks for dad when stranger approaches	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_d_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_d	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_e	ASQ:SE at 18 months - child's body is relaxed	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_e_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_e	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_f	ASQ:SE at 18 months - child likes to be hugged or cuddled	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_f_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_f	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_g	ASQ:SE at 18 months - when child is upset dad can calm them down within 15 minutes	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_g_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_g	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_h	ASQ:SE at 18 months - child stiffens and arches back when picked up	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_h_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_h	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_i	ASQ:SE at 18 months - child cries, screams or has tantrums for long periods of time	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_i_concern	Dad is concerned about the bahaviour described in ccpnf_18m_socialemotional_i	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_j	ASQ:SE at 18 months - child is interested in things around them, such as people, toys and foods	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_j_concern	Dad is concerned about the bahaviour described in ccpnf_18m_socialemotional_j	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_k	ASQ:SE at 18 months - child does things over and over and can't seem to stop. Examples include rocking and hand flapping	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_k_concern	Dad is concerned about the bahaviour described in ccpnf_18m_socialemotional_k	0"Not ticked", 1"Yes"

ccpnf_18m_socialemotional_l	ASQ:SE at 18 months - child has eating problems, such as stuffing foods, vomiting or eating nonfood items	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_l_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_l	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_m	ASQ:SE at 18 months - child has trouble falling asleep at naptime or at night	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_m_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_m	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_n	ASQ:SE at 18 months - child and dad enjoy mealtimes together	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_n_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_n	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_o	ASQ:SE at 18 months - child sleeps at least 10 hours within a 24 hour period	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_o_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_o	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_p	ASQ:SE at 18 months - when dad points at something, child looks in that direction	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_p_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_p	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_q	ASQ:SE at 18 months - child gets constipated or has diarrhoea	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_q_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_q	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_r	ASQ:SE at 18 months - child lets dad know how they are feeling by using hand gestures	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_r_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_r	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_s	ASQ:SE at 18 months - child follows simple directions/instructions	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_s_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_s	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_t	ASQ:SE at 18 months - child likes to play near or be with family members and friends	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_t_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_t	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_u	ASQ:SE at 18 months - child checks to make sure dad is present when exploring new places, such as a park or a friend's home	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_u_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_u	0"Not ticked", 1"Yes"

ccpnf_18m_socialemotional_v	ASQ:SE at 18 months - child likes to hear stories or sing songs	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_v_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_v	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_w	ASQ:SE at 18 months - child hurts themselves on purpose	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_w_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_w	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_x	ASQ:SE at 18 months - child likes to be around other children	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_18m_socialemotional_x_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_x	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_y	ASQ:SE at 18 months - child tries to hurt other children, adults or animals	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_y_concern	Dad is concerned about the behaviour described in ccpnf_18m_socialemotional_y	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_z	ASQ:SE at 18 months - someone has expressed concerns about child's behaviour	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_18m_socialemotional_z_concern	Dad is concerned that someone else has expressed concerns about her child's behaviour	0"Not ticked", 1"Yes"
ccpnf_18m_socialemotional_z_detail	ASQ:SE at 18 months - detail of concern raised by someone else about child's behaviour	Free text
ccpnf_18m_socialemotional_score	ASQ:SE score - sum of ASQ:SE variables plus 5 extra points per concern raised	Continuous
ccpnf_18m_eatsleepconcern	Dad has concerns about child's eating or sleeping behaviours	0"No", 1"Yes"
ccpnf_18m_eatsleepconcern_detail	Detail as to why dad has concerns about child's eating or sleeping behaviours	Free text
ccpnf_18m_worries	Dad is worried about child	0"No", 1"Yes"
ccpnf_18m_worries_detail	Detail about why dad is worried about child	Free text
ccpnf_18m_enjywthchld	Things dad enjoys most about child	Free text

## Section Z

### Data for release

Variable Name	Variable Label	Variable Values
ccpnf_18m_compy	Person who completed postnatal father's 18 months questionnaire	1"Child's biological father", 2"Child's step father", 3"Child's adoptive / foster father" 4"Someone else"
ccpnf_18m_compy_se	Person who completed postnatal father's baseline questionnaire - if "someone else" selected	Free text
ccpnf_18m_datecomp	Date postnatal father's baseline questionnaire was completed	Date DD/MM/YYYY

ccpnf_18m_chldagenow	Age of child at completion of father's 18 months questionnaire - (months)	Continuous
<b>Mother's 3 year Questionnaire - birth cohort</b>		
<b>Section A - Your child's health</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_3yr_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_3yr_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpnm_3yr_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
ccpnm_3yr_paldiag	Time in which child's cleft palate was diagnosed	1"At the 20 week scan", 2"During 3D scan", 3"At birth", 4"After birth-late diagnosis", 5"Not applicable"
ccpnm_3yr_3dpaldiag_wks	Gestational age of child at 3D scan where cleft palate was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnm_3yr_infections	Child has had an infection	0"No", 1"Yes"
ccpnm_3yr_germanmeasles	Child has had German Measles	0"No", 1"Yes"
ccpnm_3yr_measles	Child has had Measles	0"No", 1"Yes"
ccpnm_3yr_chickenpox	Child has had Chickenpox	0"No", 1"Yes"
ccpnm_3yr_mumps	Child has had Mumps	0"No", 1"Yes"
ccpnm_3yr_meningitis	Child has had Meningitis	0"No", 1"Yes"
ccpnm_3yr_uti	Child has had a Urinary Tract Infection (UTI) eg-Cystitis	0"No", 1"Yes"
ccpnm_3yr_chestinfec_pneumonia	Child has had chest infections or Pneumonia	0"No", 1"Yes"
ccpnm_3yr_recurrrearinfec	Child has had recurring ear infections	0"No", 1"Yes"
ccpnm_3yr_othinfec	Child has had other infections	0"No", 1"Yes"
ccpnm_3yr_othinfec_sepc	Other infections child has had	Free text
ccpnm_3yr_condneuro	Child had or currently has a neurological or sensory condition	0"No", 1"Yes"
ccpnm_3yr_condhrtlng	Child had or currently has a heart, lung or immune system condition	0"No", 1"Yes"
ccpnm_3yr_condsknmus	Child had or currently has a skin or musculoskeletal condition	0"No", 1"Yes"
ccpnm_3yr_condmetabolic	Child had or currently has a metabolic condition	0"No", 1"Yes"
ccpnm_3yr_condabdominal	Child had or currently has a abdominal condition	0"No", 1"Yes"



ccpnm_3yr_condkidblad	Child had or currently has a kidney or bladder condition	0"No", 1"Yes"
ccpnm_3yr_devprob	Child has problems with the development of their eyes, ears, cheekbones, jaw, tongue, hands, feet, spine or other body part	0"No", 1"Yes"
ccpnm_3yr_devprob_eyes	Child has problems with the development of their eyes	0"No", 1"Yes"
ccpnm_3yr_devprob_ears	Child has problems with the development of their ears	0"No", 1"Yes"
ccpnm_3yr_devprob_chkbns	Child has problems with the development of their cheekbones	0"No", 1"Yes"
ccpnm_3yr_devprob_jaw	Child has problems with the development of their jaw	0"No", 1"Yes"
ccpnm_3yr_devprob_tongue	Child has problems with the development of their tongue	0"No", 1"Yes"
ccpnm_3yr_devprob_hands	Child has problems with the development of their hands	0"No", 1"Yes"
ccpnm_3yr_devprob_feet	Child has problems with the development of their feet	0"No", 1"Yes"
ccpnm_3yr_devprob_spine	Child has problems with the development of their spine	0"No", 1"Yes"
ccpnm_3yr_devprob_other	Child has problems with the development of another body part	0"No", 1"Yes"
ccpnm_3yr_devprob_other_detail	Child has problems with the development of another body part - detail	Free text
ccpnm_3yr_syndrome	Child has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes", 2"Currently undergoing tests"
ccpnm_3yr_syndrome_test	Child is currently undergoing genetic testing	0"No", 1"Yes"
ccpnm_3yr_syndrome_prs	Child has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnm_3yr_syndrome_vw	Child has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_3yr_syndrome_tc	Child has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_3yr_syndrome_hm	Child has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_3yr_syndrome_ss	Child has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnm_3yr_syndrome_22q	Child has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
ccpnm_3yr_syndrome_cranio	Child has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_3yr_syndrome_cl	Child has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
ccpnm_3yr_syndrome_other	Child has been diagnosed with another syndrome or genetic condition	Free Text

ccpnm_3yr_othercondition	Child has been diagnosed with another condition not already mentioned	Free text
<b>Section B - Feeding your child</b>		
<b>Data for release</b>		
Variable Name	Variable Label	Variable Values
ccpnm_3yr_nasregur	Child experienced nasal regurgitation	0"No", 1"Sometimes", 2"Often"
ccpnm_3yr_difswall	Child has had difficulty swallowing	0"No", 1"Sometimes", 2"Often"
ccpnm_3yr_fdindep	Child feeds themselves	0"No", 1"Yes, sometimes", 2"Yes, usually"
ccpnm_3yr_fdindep_kandf	Child feeds themselves using a knife and fork	0"No", 1"Yes"
ccpnm_3yr_fdindep_sandf	Child feeds themselves using a spoon and fork	0"No", 1"Yes"
ccpnm_3yr_fdindep_fing	Child feeds themselves using their fingers	0"No", 1"Yes"
ccpnm_3yr_chldnrmdrnk_wtr	Child normally drinks water	0"No", 1"Yes"
ccpnm_3yr_chldnrmdrnk_mlk	Child normally drinks milk	0"No", 1"Yes"
ccpnm_3yr_chldnrmdrnk_fj	Child normally drinks fruit juice	0"No", 1"Yes"
ccpnm_3yr_chldnrmdrnk_sqsh	Child normally drinks squash	0"No", 1"Yes"
ccpnm_3yr_chldnrmdrnk_oth	Child normally drinks something other/else than water, milk, fruit juice or squash	0"No", 1"Yes"
ccpnm_3yr_chldnrmdrnk_oth_detail	Child normally drinks something other/else than water, milk, fruit juice or squash - specific	Free text
ccpnm_3yr_chlddrnkfrm	Child normally drinks from cupe, beaker or bottle	1"A bottle", 2"A cup or beaker", 3"Both"
ccpnm_3yr_agechlddrnkfrmcupbkr	Age of child (in months) when they first began drinking from a cup or beaker	Continuous
ccpnm_3yr_chldnrmeat_tbl	Child normally eats their meals at the table	0"No", 1"Yes"
ccpnm_3yr_chldnrmeat_hchr	Child normally eats their meals in a highchair	0"No", 1"Yes"
ccpnm_3yr_chldnrmeat_wlk	Child normally eats their meals walking around	0"No", 1"Yes"
ccpnm_3yr_chldnrmeat_oth	Child normally eats their meals at another place	0"No", 1"Yes"
ccpnm_3yr_chldnrmeat_oth_detail	Child normally eats their meals at another place - specific	free text
ccpnm_3yr_chldnrmeat_infrnttv	Place where child normally eats food is in front of television	0"No", 1"Yes"
ccpnm_3yr_chldnrmeatwth_alone	Child normally eats alone	0"No", 1"Yes"
ccpnm_3yr_chldnrmeatwth_sbngs	Child normally eats with siblings	0"No", 1"Yes"
ccpnm_3yr_chldnrmeatwth_prnts	Child normally eats with parents	0"No", 1"Yes"
ccpnm_3yr_chldnrmeatwth_whlfam	Child normally eats with the whole family	0"No", 1"Yes"
ccpnm_3yr_chldnrmeatwth_oth	Child normally eats with other	0"No", 1"Yes"
ccpnm_3yr_chldnrmeatwth_oth_detail	Child normally eats with other - specific	free text
ccpnm_3yr_chldnrmeat_tm	Average length of time child spends eating their main meal of the day	1"0-15 minutes", 2"15-30 minutes", 3"30-45 minutes", 4"45-60minutes", 5"More than 1 hour"

ccpnm_3yr_chldeatsamefd	Chld eats the same food as the rest of the family	0"No", 1"Sometimes", 2"Usually"
ccpnm_3yr_numsnacks	Number of snacks child has in a day between meals	0"No snacks", 1"Snacks once a day", 2"Snacks twice a day", 3"Snacks more than twice a day"
ccpnm_3yr_etnghbtncnrn	Mother has concerns about child's eating habits	0"No", 1"Yes"
ccpnm_3yr_etnghbtncrn_detail	Mother has concerns about child's eating habits - specific	Free text
<b>Section C - Your child's teeth</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
ccpnm_3yr_numtth	Number of teeth child currently has	Discrete
ccpnm_3yr_brshchldtth_tm	Time of day when child's teeth get brushed	1"Morning",2"Morning and evening", 3"Evening", 4"Other"
ccpnm_3yr_brshchldtth_tm_detail	Time of day when child's teeth get brushed - other	Free text
ccpnm_3yr_brshchldtth_who	Person who brushes child's teeth	1"Parent", 2"Child", 3"Both parent and child", 4"Other", 5"Not applicable"
ccpnm_3yr_brshchldtth_who_detail	Person who brushes child's teeth - other	Free text
ccpnm_3yr_tthpst	Toothpaste child is currently using	0"None",1"Children's paste (0-3 years)", 2"Children's paste (over 3 years)", 3"Adult toothpaste"
ccpnm_3yr_chlldrnk_bfbd	Child drinks in the last hour before bed	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_wterbfbd	Child drinks water in the last hour before bed	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_mlkbfbd	Child drinks milk in the last hour before bed	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_juicbfbd	Child drinks fruit juice in the last hour before bed	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_sqshbfbd	Child drinks squash in the last hour before bed	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_othbfbd	Child drinks something other than water, milk, fruit juice or squash in the last hour before bed	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_othrdetailbfbd	Child drinks something other than water, milk or juice in the last hour before bed - specified	Free text
ccpnm_3yr_mtrbrshchldtth__bfbd	Mother brushes her child's teeth after child has drunk in the last hour before bed	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_nt	Child drinks in the night	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_wternght	Child drinks water in the night	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_mlknght	Child drinks milk in the night	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_juicnght	Child drinks fruit juice in the night	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_sqshnght	Child drinks squash in the night	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_othrnght	Child drinks something other than water, milk, fruit juice or squash in the night	0"No", 1"Yes"
ccpnm_3yr_chlldrnk_othrdetailnght	Child drinks something other than water, milk or juice in the night - specified	Free text

ccpnm_3yr_mtrfmydntst	Mother has a family dentist	0"No", 1"Yes"
ccpnm_3yr_agechlddntstlkdmt	Age of child when the dentist first looked in their mouth	0"Has not yet looked", 1"Less than 18 months", 2"18-24 months", 3"2-3 years", 4"Not applicable"
ccpnm_3yr_frqchldvstdntst	Frequency in how often child visits dentist	1"Every 3 months", 2"Every 4 months", 3"Every 6 months", 4"Every 12 months", 5"Other", 6"Not applicable"
ccpnm_3yr_frqchldvstdntst_oth	Frequency in how often child visits dentist - other	Free text
ccpnm_3yr_dntstchldtth	The dentist has spoken to mother about caring for her child's teeth	0"No", 1"Yes", 2"Not applicable"
ccpnm_3yr_dntstspkntthbrshng	The dentist has spoken to mother about teeth brushing	0"No", 1"Yes"
ccpnm_3yr_dntstspkndiet	The dentist has spoken to mother about diet	0"No", 1"Yes"
ccpnm_3yr_dntstspknflrdthpst	The dentist has spoken to mother about fluoride in toothpaste	0"No", 1"Yes"
ccpnm_3yr_dntstspknflrdwtr	The dentist has spoken to mother about fluoride in water	0"No", 1"Yes"
ccpnm_3yr_dntstspknflrdvrnsh	The dentist has spoken to mother about fluoride in varnishes	0"No", 1"Yes"
ccpnm_3yr_dntstflrdvrnsh	The dentist has placed flouride varnish on child's teeth	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_3yr_dntstflrdvrnsh_freq	Number of times fluoride varnish has been applied to child's teeth	1"Only once", 2"Once a year", 3"Twice a year", 4"3 times a year", 5"4 times a year", 6"Don't know", 7"Not applicable"
ccpnm_3yr_bsdfrmlyntst	Child has seen another dental specialist besides family dentist	0"No", 1"Yes"
ccpnm_3yr_bsdfrmlydntst_lctn	Location where child sees other dental specialist besides family dentist	1"In the cleft team", 2"At the hospital", 3"Somewhere else"
ccpnm_3yr_bsdfadntst_lctndetail	Location where child sees other dental specialist besides family dentist - specified	Free text
ccpnm_3yr_chlddecay	Mother has been informed child has dental caries / decay	0"No", 1"Yes", 2"Don't know"
ccpnm_3yr_chlddntlprcdre	Child has had a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know"
ccpnm_3yr_chldflng	Child has had at least one filling	0"No", 1"Yes"
ccpnm_3yr_chldmtlcrwn	Child has had at least one metal crown	0"No", 1"Yes"
ccpnm_3yr_chldtthrmvcd	Child has had at least tooth removed	0"No", 1"Yes"
ccpnm_3yr_chlddntlprcdre_inject	Child had an injection in their mouth whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_3yr_chlddntlprcdre_gssed	Child had gas and air sedation whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_3yr_chlddntlprcdre_asleep	Child was asleep whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_3yr_hypoplstic_mnrld	Mother has been told that her child's teeth are hypoplastic/hypomineralised	0"No", 1"Yes", 2"Don't know"
ccpnm_3yr_chldbngdfrnttth	Child at some point has banged their front teeth badly	0"No", 1"Yes", 2"Don't know"
ccpnm_3yr_mtrcnrcnchldtth	Mother has concerns about her child's teeth	0"No", 1"Yes"
ccpnm_3yr_mtrcnrcnchldtthnum	Mother is concerned about the number of teeth child has	0"No", 1"Yes"

ccpnm_3yr_mtrcncrnchldtthshp	Mother is concerned about the shape of her child's teeth	0"No", 1"Yes"
ccpnm_3yr_mtrcncrnchldtthpstn	Mother is concerned about the position of her child's teeth	0"No", 1"Yes"
ccpnm_3yr_mtrcncrnchldtthclr	Mother is concerned about the colour of her child's teeth	0"No", 1"Yes"
ccpnm_3yr_mtrcncrnchldtthothr	Mother has other concerns about her child's teeth	0"No", 1"Yes"
ccpnm_3yr_mtrcncrnchldtthothrdetail	Mother has other concerns about her child's teeth - specified	Free text
<b>Section D - Additional questions about the study child</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
<b>Childcare</b>		
ccpnm_3yr_grndprntchldcr_age	Age of child when grandparent regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnm_3yr_grndprntchldcr_freq	Frequency in which grandparent looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_3yr_othrelativechldcr_age	Age of child when other relative regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnm_3yr_othrelativechldcr_freq	Frequency in which other relative looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_3yr_frndnbrchldcr_age	Age of child when friend or neighbour regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnm_3yr_frndnbrchldcr_freq	Frequency in which friend or neighbour looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_3yr_chldminderchldcr_age	Age of child when a paid person outside the home (eg: childminder) regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnm_3yr_chldminderchldcr_freq	Frequency in which a paid person outside the home (eg: childminder) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_3yr_nannychldcr_age	Age of child when a paid person inside the home (eg: nanny) regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnm_3yr_nannychldcr_freq	Frequency in which a paid person inside the home (eg: nanny) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_3yr_prvnurschldcr_age	Age of child when a private day nursery or creche regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnm_3yr_prvnurschldcr_freq	Frequency in which a private day nursery or creche looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"

ccpnm_3yr_locauthnurschldcr_age	Age of child when a local authority day nursery regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnm_3yr_locauthnurschldcr_freq	Frequency in which a local authority day nursery looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_3yr_otherchldcr	Other childcare which regularly looked after child	Free text
ccpnm_3yr_otherchldcr_age	Age of child when other childcare regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnm_3yr_otherchldcr_freq	Frequency in which a other childcare looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
<b>Pre-cursors to Intelligibility in context scale</b>		
ccpnm_3yr_chldtlkssound	Child can talk using speech sounds and/or words	0"No", 1"Yes"
ccpnm_3yr_chldcomm_gestsignlan	Child cannot talk using speech sounds and/or words but communicates using gestures and sign language	0"No, 1"Yes"
ccpnm_3yr_chldcomm_facexp	Child cannot talk using speech sounds and/or words but communicates using facial expressions	0"No, 1"Yes"
ccpnm_3yr_chldcomm_pointlook	Child cannot talk using speech sounds and/or words but communicates using pointing and looking at things	0"No, 1"Yes"
ccpnm_3yr_chldcomm_other	Child cannot talk using speech sounds and/or words but communicates in another way	0"No, 1"Yes"
ccpnm_3yr_chldcomm_other_detail	Child cannot talk using speech sounds and/or words but communicates in another way - detail of other communication method	Free Text
<b>Intelligibility in context scale</b>		
ccpnm_3yr_ics_undrstnd	Mum understands her child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_3yr_ics_fmundrstnd	Immediate family understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_3yr_ics_exfmundrstnd	Extended family understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_3yr_ics_frndundrstnd	Child's friends understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_3yr_ics_acquundrstnd	Other acquaintances understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_3yr_ics_tchrundrstnd	Child's teachers/carers understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_3yr_ics_strngrundrstnd	Strangers understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_3yr_ics_totalscore	Intelligibility in context scale - total score	Continuous
ccpnm_3yr_ics_numicsans	Number of Intelligibility in context scale questions answered	Discrete
ccpnm_3yr_ics_avgscore	Intelligibility in context scale - average total score	Continuous
ccpnm_3yr_ics_avgscrvalid	All seven or six minus teacher ICS questions answered	0"No", 1"Yes"
<b>RHD9 Scale - Hearing</b>		

ccpnm_3yr_rhd9_a	Mum's description of child's hearing	0"Normal", 1.138"Slightly below normal", 2.051"Poor", 2.617"Very Poor", 1.010"Not sure"
ccpnm_3yr_rhd9_b	Child's hearing ability has varied	0"No - normal", 2.578"No - always impaired", 1.697"Yes - up and down", 1.087"Not sure"
ccpnm_3yr_rhd9_c	Child has raised the sound of the TV/radio	0"No", 0.255"Rarely", 1.252"Often", 1.894"Always", 0.793"Not sure"
ccpnm_3yr_rhd9_d	Child has responded when called in a normal voice	2.280"No", 2.026"Rarely", 0.992"Often", 0"Always", 1.091"Not sure"
ccpnm_3yr_rhd9_e	Child has misheard words when not looking at mum	0"No", 0.673"Rarely", 1.853"Often", 2.733"Always", 0.971"Not sure"
ccpnm_3yr_rhd9_f	Child has turned the wrong way to a call or sound	0"No", 0.715"Rarely", 1.508"Often", 1.943"Always", 0.879"Not sure"
ccpnm_3yr_rhd9_g	Child has difficulty hearing when spoken to face to face in a quiet room	0"No", 0.822"Rarely", 1.367"Often", 1.419"Always", 0.421"Not sure"
ccpnm_3yr_rhd9_h	Child has difficulty hearing when with a group of people	0"No", 0.761"Rarely", 1.777"Often", 2.649"Always", 1.091"Not sure"
ccpnm_3yr_rhd9_i	Child has asked for things to be repeated	0"No", 0.392"Rarely", 1.733"Often", 2.645"Always", 0.988"Not sure"
ccpnm_3yr_trbears	Number of times child has had trouble with their ears	0"Not at all", 1"Once", 2"2-3 times", 3"4-5 times", 4"6 or more times"
ccpnm_3yr_erinfect	Number of times child has had an ear infection	0"0", 1"Once", 2"2-3 times", 3"4 or more", -1"Not sure"
ccpnm_3yr_erache	Number of times child has had an earache	0"0", 1"Once", 2"2-3 times", 3"4 or more", -1"Not sure"
ccpnm_3yr_othsrchstds	Child has been or is still involved in other research studies	0"No", 1"Yes", 2"Don't know"
ccpnm_3yr_tops	Child has been or is still involved with TOPS (Timing of Palatal Surgery)	0"No", 1"Yes"
ccpnm_3yr_topsagepalpr	Age of child when palate was repaired	1"6 months", 2"9 months", 3"12 months"
ccpnm_3yr_spoocl	Child has been or is still involved Supporting Parents Of Children with a Cleft Lip (SPOCCL) study	0"No", 1"Yes"
ccpnm_3yr_spoocl_grp	Group child was assigned to within Supporting Parents Of Children with a Cleft Lip (SPOCCL) study	1""Watch and Discover' group (children were videoed at regular intervals and met with researchers for feedback)", 2"The 'Supported Information and Advice' group"
ccpnm_3yr_othsrchstds_detail	Child has been or is still involved in other research studies - specify	Free text
<b>Section E - Your Family</b>		

Data for release

Variable Name	Variable Label	Variable Values
ccpnm_3yr_chldr18mnth	Mother has had more children in the last 18 months	0"No", 1"Yes"
ccpnm_3yr_numchldr18mnth	Number of children mother has had in the last 18 months	Discrete
ccpnm_3yr_agechldr1staftrsc	Age of first child born after study child - months	Continuous (months)
ccpnm_3yr_genchldr1staftrsc	Gender of first child born after study child	1"Male", 2"Female"
ccpnm_3yr_agechldscndaftrsc	Age of second child born after study child - months	Continuous (months)
ccpnm_3yr_genchldscndaftrsc	Gender of second child born after study child	1"Male", 2"Female"
ccpnm_3yr_othchldrnclft	Other than the study child, mother has other children that have been born with a cleft	0"No", 1"Yes", 2"Mother has no other children"
ccpnm_3yr_agechld1clft	Age of first child with a cleft	Continuous (months)
ccpnm_3yr_genchld1clft	Gender of first child with a cleft	1"Male", 2"Female"
ccpnm_3yr_clfttypchld1clft	Cleft type of first child with a cleft	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_3yr_unibichld1clft	Laterality of cleft for first child with a cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_3yr_agechld2clft	Age of second child with a cleft	Continuous (months)
ccpnm_3yr_genchld2clft	Gender of second child with a cleft	1"Male", 2"Female"
ccpnm_3yr_clfttypchld2clft	Cleft type of second child with a cleft	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_3yr_unibichld2clft	Laterality of cleft for second child with a cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_3yr_mthrclefttyp	Type of cleft mother was born with	0"None", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_3yr_mthruni_bi	Unilateral or bilateral cleft lip for mother	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpnm_3yr_mthrcleftside	Side of mother's unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
ccpnm_3yr_fammemcleft	At least one relative (including child's biological father and his family) has been diagnosed with a cleft lip and/or palate	0"No", 1"Yes", 2"Don't know"
ccpnm_3yr_fammemwthcleft1	Relationship to mother of relative with cleft - family member 1	Free text
ccpnm_3yr_fammem1clefttyp	Cleft type of family member 1	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_3yr_fammem1uni_bi	Laterality of family member 1's cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_3yr_fammemwthcleft2	Relationship to mother of relative with cleft - family member 2	Free text
ccpnm_3yr_fammem2clefttyp	Cleft type of family member 2	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnm_3yr_fammem2uni_bi	Laterality of family member 2's cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_3yr_fammemwthcleft3	Relationship to mother of relative with cleft - family member 3	Free text
ccpnm_3yr_fammem3clefttyp	Cleft type of family member 3	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"



ccpnm_3yr_fammem3uni_bi	Laterality of family member 3's cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_3yr_mthrfthrchldrncond	Mother, child's biological father or any other child has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes", 2"Don't know"
ccpnm_3yr_mthrprs	Mother has been diagnosed with Pierre Robin sequence (PRS)	0"No", 1"Yes"
ccpnm_3yr_mthrvdw	Mother has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_3yr_mthrtcs	Mother has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_3yr_mthrgs	Mother has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_3yr_mthrss	Mother has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnm_3yr_mthr22q	Mother has been diagnosed with 22q 11.2 deletion syndrome (also known as Velocardiofacial syndrome, Shprintzen syndrome, DiGeorge syndrome)	0"No", 1"Yes"
ccpnm_3yr_mthrcranios	Mother has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_3yr_mthrcdls	Mother has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
ccpnm_3yr_mthrgentest	Mother is currently undergoing genetic testing	0"No", 1"Yes"
ccpnm_3yr_mthrothsynd	Mother has been diagnosed with other syndrome or genetic condition	0"No", 1"Yes"
ccpnm_3yr_mthrothsynd_detail	Mother has been diagnosed with B37:B47th other syndrome or genetic condition	Free text
ccpnm_3yr_biofthrprs	Biological father has been diagnosed with Pierre Robin sequence (PRS)	0"No", 1"Yes"
ccpnm_3yr_biofthrvdw	Biological father has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_3yr_biofthrtcs	Biological father has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_3yr_biofthrgs	Biological father has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_3yr_biofthrss	Biological father has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnm_3yr_biofthr22q	Biological father has been diagnosed with 22q 11.2 deletion syndrome (also known as Velocardiofacial syndrome, Shprintzen syndrome, DiGeorge syndrome)	0"No", 1"Yes"
ccpnm_3yr_biofthrcranios	Biological father has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_3yr_biofthrcdls	Biological father has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
ccpnm_3yr_biofthrgentest	Biological father is currently undergoing genetic testing	0"No", 1"Yes"

ccpnm_3yr_biofthrothsynd	Biological father has been diagnosed with other syndrome or genetic condition	0"No", 1"Yes"
ccpnm_3yr_biofthrttothsynd_detail	Biological father has been diagnosed with other syndrome or genetic condition	Free text
ccpnm_3yr_othchldprs	Other child has been diagnosed with Pierre Robin sequence (PRS)	0"No", 1"Yes"
ccpnm_3yr_othchldvdw	Other child has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_3yr_othchldtcs	Other child has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_3yr_othchldgs	Other child has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_3yr_othchldss	Other child has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnm_3yr_othchld22q	Other child has been diagnosed with 22q 11.2 deletion syndrome (also known as Velocardiofacial syndrome, Shprintzen syndrome, DiGeorge syndrome)	0"No", 1"Yes"
ccpnm_3yr_othchldcranios	Other child has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_3yr_othchldcdls	Other child has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
ccpnm_3yr_othchldgentest	Other child is currently undergoing genetic testing	0"No", 1"Yes"
ccpnm_3yr_othchldothsynd	Other child has been diagnosed with other syndrome or genetic condition	0"No", 1"Yes"
ccpnm_3yr_othchldprs_age	Age (months) of other child diagnosed with Pierre Robin sequence (PRS)	Continuous (months)
ccpnm_3yr_othchldvdw_age	Age (months) of other child diagnosed with Van der Woude syndrome	Continuous (months)
ccpnm_3yr_othchldtcs_age	Age (months) of other child diagnosed with Treacher Collins syndrome	Continuous (months)
ccpnm_3yr_othchldgs_age	Age (months) of other child diagnosed with Hemifacial Microsomy / Goldenhar syndrome	Continuous (months)
ccpnm_3yr_othchldss_age	Age (months) of other child diagnosed with Stickler syndrome	Continuous (months)
ccpnm_3yr_othchld22q_age	Age (months) of other child diagnosed with 22q 11.2 deletion syndrome (also known as Velocardiofacial syndrome, Shprintzen syndrome, DiGeorge syndrome)	Continuous (months)
ccpnm_3yr_othchldcranios_age	Age (months) of other child diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	Continuous (months)

ccpnm_3yr_othchldcdls_age	Age (months) of other child diagnosed with Cornelia de Lange syndrome	Continuous (months)
ccpnm_3yr_othchldgentest_age	Age of other child currently undergoing genetic testing	Continuous (months)
ccpnm_3yr_othchldothsynd_age	Age (months) of other child diagnosed with other syndrome or genetic condition	Continuous (months)
ccpnm_3yr_othchldothsynd_detail	Child, other than study child, has been diagnosed with other syndrome or genetic condition	Free text
<b>Section F - Your Lifestyle</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
ccpnm_3yr_alcoholnow	Mother currently drinks alcohol	0"No",1"Yes"
ccpnm_3yr_alcoholnowunits	Units of alcohol per week currently drank by mother	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
ccpnm_3yr_crntsmk	Mother currently smokes cigarettes	0"No",1"Yes"
ccpnm_3yr_crntsmk_perday	Average number of cigarettes mother currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnm_3yr_chldpssvsmk	Child is exposed to passive smoke	0"No",1"Yes"
ccpnm_3yr_chldpssvsmkhrs	Hours per day in which child is exposed to passive smoke	1"Less than one hour per day", 2"One to two hours per day", 3"Three to four hours per day", 4"More than four hours per day"
ccpnm_3yr_crntdruguse	Mother currently uses drugs	0"No",1"Yes"
ccpnm_3yr_crntcannabis	Mother currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_3yr_crntcocaine	Mother currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_3yr_crntecstasy	Mother currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"

ccpnm_3yr_crntamphets	Mother currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_3yr_crntheroin	Mother currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_3yr_crntotherdrug	Mother currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_3yr_crntotherdrug_detail	Detail of other drug currently used by mother	Free text
ccpnm_3yr_minsvigex	Minutes mother spends on vigorous exercise a week	Continuous (minutes)
ccpnm_3yr_minsmodex	Minutes mother spends on moderate exercise a week	Continuous (minutes)
ccpnm_3yr_muscstrex	Minutes mother spends on muscle strengthening activities a week	Discrete (times per week)
<b>Section G - Your Wellbeing</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
<b>Ages and Stages - third edition (ASQ-3)</b>		
<b>ASQ-3 Communication</b>		
ccpnm_3yr_communication_a	ASQ-3 Communication: When asked child can point to their nose, eyes, hair, etc. and can correctly point to at least seven body parts	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_communication_b	ASQ-3 Communication: Child can make sentences that are three or four words long	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_communication_c	ASQ-3 Communication: When asking child to 'put the book on the table' and 'put the shoe under the chair,' they can carry out both of these directions correctly	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_communication_d	ASQ-3 Communication: When looking at a picture book, child can tell the adult what is happening in the picture (eg. 'running,' 'eating,' or 'crying')	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_communication_e	ASQ-3 Communication: Child can consistently move a coat zip up and down if asked	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_communication_f	ASQ-3 Communication: When asked, 'What is your name?' child says both first and last names	10"Yes", 5"Sometimes", 0"Not yet"

ccpnm_3yr_communication_score	ASQ-3 at 3 years communication skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnm_3yr_communication_adjscore	ASQ-3 at 3 years communication skills adjusted score - Valid adjusted score for those who answered 4 or more questions	Adjusted total score - Only available where 4 or more questions are answered
<b>ASQ-3 Gross Motor skills</b>		
ccpnm_3yr_grossmotor_a	ASQ-3 Gross Motor: Without holding onto anything for support, child can kick a ball by swinging their leg forward	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_grossmotor_b	ASQ-3 Gross Motor: Child can jump with both feet leaving the floor at the same time	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_grossmotor_c	ASQ-3 Gross Motor: Child can walk up stairs, using only one foot on each stair. (They may hold onto the railing or wall)	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_grossmotor_d	ASQ-3 Gross Motor: Child can stand on one foot for about one second without holding onto anything	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_grossmotor_e	ASQ-3 Gross Motor: While standing, child can throw a ball overhand by raising their arm shoulder height and throwing the ball forward	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_grossmotor_f	ASQ-3 Gross Motor: Child can jump forward at least 6 inches with both feet leaving the ground at the same time	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_grossmotor_score	ASQ-3 at 3 years gross motor skills score - total from questions a-f	Total score - potentially ranges from 0-60
<b>ASQ-3 Fine Motor skills</b>		
ccpnm_3yr_finemotor_a	ASQ-3 Fine Motor: Child can copy a drawing of a single line in a vertical direction	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_finemotor_b	ASQ-3 Fine Motor: Child can string small items such as beads or pasta onto a string or shoelace	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_finemotor_c	ASQ-3 Fine Motor: Child can copy a drawing of a circle	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_finemotor_d	ASQ-3 Fine Motor: Child can copy a drawing of a single line in a horizontal direction	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_finemotor_e	ASQ-3 Fine Motor: Child can try to cut paper with child-safe scissors	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_finemotor_f	ASQ-3 Fine Motor: When drawing, child can hold a pencil, crayon, or pen between their fingers and thumb like an adult	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_finemotor_score	ASQ-3 at 3 years fine motor skills score - total from questions a-f	Total score - potentially ranges from 0-60
<b>ASQ-3 Problem Solving</b>		

ccpnm_3yr_problemsolving_a	ASQ-3 Problem Solving: Child can copy you if you line up four objects in a row?	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_problemsolving_b	ASQ-3 Problem Solving: When child wants something they cannot reach, child finds a chair or box to stand on to reach it	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_problemsolving_c	ASQ-3 Problem Solving: When pointing to a figure of a person and child is asked 'What is this?' child will respond with a word that means a person or something similar? (eg. 'boy,' 'daddy')	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_problemsolving_d	ASQ-3 Problem Solving: When told two numbers in a row, child can repeat the two numbers in the same order	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_problemsolving_e	ASQ-3 Problem Solving: When shown how to make a bridge with blocks, child can copy by making one like it	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_problemsolving_f	ASQ-3 Problem Solving: When told three numbers in a row, child can repeat the three numbers in the same order	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_problemsolving_score	ASQ-3 at 3 years problem solving skills score - total from questions a-f	Total score - potentially ranges from 0-60
<b>ASQ-3 Personal-Social</b>		
ccpnm_3yr_personalsocial_a	ASQ-3 Personal Social: Child can use a spoon to feed themselves with little spilling	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_personalsocial_b	ASQ-3 Personal Social: Child can push a little toy on wheels, steering it around objects and backing it out of corners	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_personalsocial_c	ASQ-3 Personal Social: When child looks in the mirror and is asked, 'Who is in the mirror?' they say either 'me' or his/her own name	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_personalsocial_d	ASQ-3 Personal Social: Child can put on a coat, jacket, or shirt by themselves	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_personalsocial_e	ASQ-3 Personal Social: When asked 'Are you a girl or a boy?' child answers correctly	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_personalsocial_f	ASQ-3 Personal Social: Child takes turns by waiting while another child or adult takes a turn	10"Yes", 5"Sometimes", 0"Not yet"
ccpnm_3yr_personalsocial_score	ASQ-3 at 3 years personal-social skills score - total from questions a-f	Total score - potentially ranges from 0-60
<b>Additional questions</b>		
ccpnm_3yr_chldtlkkothrs	Child talks like other children their age	0"No", 1"Yes"
ccpnm_3yr_chldtlkkothrs_no	Mothers explanation of why they think their child does not talk like other children their age	Free Text

<b>Ages and Stages - Social &amp; Emotional (ASQ-SE)</b>		
ccpnm_3yr_socialemotional_a	ASQ:SE at 3 years - Child looks at mother when she talks	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_a_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_a	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_b	ASQ:SE at 3 years - Child likes to be hugged or cuddled	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_b_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_b	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_c	ASQ:SE at 3 years - Child talks and/or plays with adults they knows well	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_c_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_c	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_d	ASQ:SE at 3 years - Child clings to mum more than she would expect	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_d_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_d	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_e	ASQ:SE at 3 years - When upset child can calm down within fifteen minutes	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_e_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_e	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_f	ASQ:SE at 3 years - Child seems to be too friendly with strangers	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_f_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_f	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_g	ASQ:SE at 3 years - Child can settle theirself down after periods of exciting activity	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_g_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_g	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_h	ASQ:SE at 3 years - Child can move from one activity to the next with little difficulty, such as from playtime to mealtime	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_h_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_h	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_i	ASQ:SE at 3 years - Child seems happy	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_i_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_i	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_j	ASQ:SE at 3 years - Child is interested in things around them, such as people, toys, and foods	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_j_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_j	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_k	ASQ:SE at 3 years - Child does what mum asks them to do	0"Most of the time", 5"Sometimes", 10"Rarely or never"

ccpnm_3yr_socialemotional_k_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_k	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_l	ASQ:SE at 3 years - Child seems more active than other children their age	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_l_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_l	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_m	ASQ:SE at 3 years - Child can stay with activities they enjoy for at least five minutes (not including watching television)	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_m_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_m	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_n	ASQ:SE at 3 years - Mother and child enjoy mealtimes together	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_n_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_n	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_o	ASQ:SE at 3 years - Child has eating problems, such as stuffing foods, vomiting, or eating nonfood items	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_o_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_o	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_p	ASQ:SE at 3 years - Child sleeps at least 8 hours in a 24-hour period	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_p_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_p	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_q	ASQ:SE at 3 years - Child uses words to tell mum what they want	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_q_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_q	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_r	ASQ:SE at 3 years - Child follows routine directions	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_r_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_r	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_s	ASQ:SE at 3 years - Child cries, screams or has tantrums for long periods at a time	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_s_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_s	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_t	ASQ:SE at 3 years - Child checks to make sure mum is near when exploring new places, such as a park or a friend's home	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_t_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_t	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_u	ASQ:SE at 3 years - Child does things over and over and can't seem to stop (eg: rocking, hand flapping or spinning)	10"Most of the time", 5"Sometimes", 0"Rarely or never"



ccpnm_3yr_socialemotional_u_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_u	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_v	ASQ:SE at 3 years - Child hurts theirself on purpose	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_v_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_v	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_w	ASQ:SE at 3 years - Child stays away from dangerous things, such as fire and moving cars	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_w_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_w	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_x	ASQ:SE at 3 years - Child destroys or damages things on purpose	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_x_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_x	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_y	ASQ:SE at 3 years - Child uses words to describe their feelings and the feelings of others, such as, "I'm happy", "I don't like that" or She's sad"	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_y_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_y	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_z	ASQ:SE at 3 years - Child can name a friend	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_z_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_z	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_aa	ASQ:SE at 3 years - Other children like to play with child	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_aa_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_aa	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_bb	ASQ:SE at 3 years - Child likes to play with other children	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_3yr_socialemotional_bb_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_bb	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_cc	ASQ:SE at 3 years - Child tries to hurt other children, adults, or animals (eg. By kicking or biting)	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_cc_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_cc	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_dd	ASQ:SE at 3 years - Child shows an interest in or knowledge of adult sexual language and activity	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_dd_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_dd	0"Not ticked", 1"Yes"
ccpnm_3yr_socialemotional_ee	ASQ:SE at 3 years - Concerns have been expressed about child's behaviour	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnm_3yr_socialemotional_ee_concern	Mum is concerned about the behaviour described in ccpnm_3yr_socialemotional_ee	0"Not ticked", 1"Yes"

ccpnm_3yr_socialemotional_ee_description	Specific detail of concerns expressed by others about child's behaviour	Free text
ccpnm_3yr_eatsleptoilconcern	Mum has concerns about child's eating, sleeping or toilet habits	0"No", 1"Yes"
ccpnm_3yr_eatsleptoilconcern_detail	Detail as to why mum has concerns about child's eating, sleeping or toilet habits	Free text
<b>Fathers 3 year Questionnaire - birth cohort</b>		
<b>Section A - Your child's health</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnf_3yr_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_3yr_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpnf_3yr_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
ccpnf_3yr_paldiag	Time in which child's cleft palate was diagnosed	1"At the 20 week scan", 2"During 3D scan", 3"At birth", 4"After birth-late diagnosis", 5"Not applicable"
ccpnf_3yr_3dpaldiag_wks	Gestational age of child at 3D scan where cleft palate was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnf_3yr_paldiag_wks	Age of child when cleft palate was diagnosed postnatally - weeks	Continuous, 999"Not applicable"
ccpnf_3yr_infections	Child has had an infection	0"No", 1"Yes"
ccpnf_3yr_germanmeasles	Child has had German Measles	0"No", 1"Yes"
ccpnf_3yr_measles	Child has had Measles	0"No", 1"Yes"
ccpnf_3yr_chickenpox	Child has had Chickenpox	0"No", 1"Yes"
ccpnf_3yr_mumps	Child has had Mumps	0"No", 1"Yes"
ccpnf_3yr_meningitis	Child has had Meningitis	0"No", 1"Yes"
ccpnf_3yr_uti	Child has had a Urinary Tract Infection (UTI) eg-Cystitis	0"No", 1"Yes"
ccpnf_3yr_chestinfec_pneumonia	Child has had chest infections or Pneumonia	0"No", 1"Yes"
ccpnf_3yr_recurrearinfec	Child has had recurring ear infections	0"No", 1"Yes"
ccpnf_3yr_othinfec	Child has had other infections	0"No", 1"Yes"

ccpnf_3yr_othinfec_sepc	Other infections child has had	Free text
ccpnf_3yr_condneuro	Child had or currently has a neurological or sensory condition	0"No", 1"Yes"
ccpnf_3yr_condhrtlng	Child had or currently has a heart, lung or immune system condition	0"No", 1"Yes"
ccpnf_3yr_condsknmus	Child had or currently has a skin or musculoskeletal condition	0"No", 1"Yes"
ccpnf_3yr_condmetabolic	Child had or currently has a metabolic condition	0"No", 1"Yes"
ccpnf_3yr_condabdominal	Child had or currently has a abdominal condition	0"No", 1"Yes"
ccpnf_3yr_condkidblad	Child had or currently has a kidney or bladder condition	0"No", 1"Yes"
ccpnf_3yr_devprob	Child has problems with the development of their eyes, ears, cheekbones, jaw, tongue, hands, feet, spine or other body part	0"No", 1"Yes"
ccpnf_3yr_devprob_eyes	Child has problems with the development of their eyes	0"No", 1"Yes"
ccpnf_3yr_devprob_ears	Child has problems with the development of their ears	0"No", 1"Yes"
ccpnf_3yr_devprob_chkbns	Child has problems with the development of their cheekbones	0"No", 1"Yes"
ccpnf_3yr_devprob_jaw	Child has problems with the development of their jaw	0"No", 1"Yes"
ccpnf_3yr_devprob_tongue	Child has problems with the development of their tongue	0"No", 1"Yes"
ccpnf_3yr_devprob_hands	Child has problems with the development of their hands	0"No", 1"Yes"
ccpnf_3yr_devprob_feet	Child has problems with the development of their feet	0"No", 1"Yes"
ccpnf_3yr_devprob_spine	Child has problems with the development of their spine	0"No", 1"Yes"
ccpnf_3yr_devprob_other	Child has problems with the development of another body part	0"No", 1"Yes"
ccpnf_3yr_devprob_other_detail	Child has problems with the development of another body part - detail	Free text
ccpnf_3yr_syndrome	Child has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnf_3yr_syndrome_test	Child is currently undergoing genetic testing	0"No", 1"Yes"
ccpnf_3yr_syndrome_prs	Child has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnf_3yr_syndrome_vw	Child has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnf_3yr_syndrome_tc	Child has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnf_3yr_syndrome_hm	Child has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnf_3yr_syndrome_ss	Child has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnf_3yr_syndrome_22q	Child has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"

ccpnf_3yr_syndrome_cranio	Child has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnf_3yr_syndrome_cl	Child has been diagnosed with Cornelia de lange syndrome	0"No", 1"Yes"
ccpnf_3yr_syndrome_other	Child has been diagnosed with another syndrome or genetic condition	0"No", 1"Yes"
ccpnf_3yr_syndrome_other_detail	Child has been diagnosed with another syndrome or genetic condition - detail	Free Text
ccpnf_3yr_othercondition	Child has been diagnosed with another condition not already mentioned	Free text
<b>Section B - Feeding your child</b>		

### Data for release

Variable Name	Variable Label	Variable Values
ccpnf_3yr_nasregur	Child experienced nasal regurgitation	0"No", 1"Sometimes", 2"Often"
ccpnf_3yr_difswall	Child has had difficulty swallowing	0"No", 1"Sometimes", 2"Often"
ccpnf_3yr_fdindep	Child feeds themselves	0"No", 1"Yes, sometimes", 2"Yes, usually"
ccpnf_3yr_fdindep_kandf	Child feeds themselves using a knife and fork	0"No", 1"Yes"
ccpnf_3yr_fdindep_sandf	Child feeds themselves using a spoon and fork	0"No", 1"Yes"
ccpnf_3yr_fdindep_fing	Child feeds themselves using their fingers	0"No", 1"Yes"
ccpnf_3yr_chldnrmdrnk_wtr	Child normally drinks water	0"No", 1"Yes"
ccpnf_3yr_chldnrmdrnk_mlk	Child normally drinks milk	0"No", 1"Yes"
ccpnf_3yr_chldnrmdrnk_fj	Child normally drinks fruit juice	0"No", 1"Yes"
ccpnf_3yr_chldnrmdrnk_sqsh	Child normally drinks squash	0"No", 1"Yes"
ccpnf_3yr_chldnrmdrnk_oth	Child normally drinks something other/else than water, milk, fruit juice or squash	0"No", 1"Yes"
ccpnf_3yr_chldnrmdrnk_oth_detail	Child normally drinks something other/else than water, milk, fruit juice or squash - specific	Free text
ccpnf_3yr_chldnrkfrm	Child normally drinks from cupe, beaker or bottle	1"A bottle", 2"A cup or beaker", 3"Both"
ccpnf_3yr_agechlddrnkfrmcupbkr	Age of child (in months) when they first began drinking from a cup or beaker	Continuous, "Not applicable"=-99
ccpnf_3yr_chldnrmeat_tbl	Child normally eats their meals at the table	0"No", 1"Yes"
ccpnf_3yr_chldnrmeat_hchr	Child normally eats their meals in a highchair	0"No", 1"Yes"
ccpnf_3yr_chldnrmeat_wlk	Child normally eats their meals walking around	0"No", 1"Yes"
ccpnf_3yr_chldnrmeat_oth	Child normally eats their meals at another place	0"No", 1"Yes"

ccpnf_3yr_chldnrmeat_oth_detail	Child normally eats their meals at another place - specific	free text
ccpnf_3yr_chldnrmeat_infrrttv	Place where child normally eats food is in front of television	0"No", 1"Yes"
ccpnf_3yr_chldnrmeatwth_alone	Child normally eats alone	0"No", 1"Yes"
ccpnf_3yr_chldnrmeatwth_sbngs	Child normally eats with siblings	0"No", 1"Yes"
ccpnf_3yr_chldnrmeatwth_prnts	Child normally eats with parents	0"No", 1"Yes"
ccpnf_3yr_chldnrmeatwth_whlfam	Child normally eats with the whole family	0"No", 1"Yes"
ccpnf_3yr_chldnrmeatwth_oth	Child normally eats with other	0"No", 1"Yes"
ccpnf_3yr_chldnrmeatwth_oth_detail	Child normally eats with other - specific	free text
ccpnf_3yr_chldnrmeat_tm	Average length of time child spends eating their main meal of the day	1"0-15 minutes", 2"15-30 minutes", 3"30-45 minutes", 4"45-60 minutes", 5"More than 1 hour"
ccpnf_3yr_chldeatamefd	Child eats the same food as the rest of the family	0"No", 1"Sometimes", 2"Usually"
ccpnf_3yr_numsnacks	Number of snacks child has in a day between meals	0"No snacks", 1"Snacks once a day", 2"Snacks twice a day", 3"Snacks more than twice a day"
ccpnf_3yr_etnghbtncrn	Father has concerns about child's eating habits	0"No", 1"Yes"
ccpnf_3yr_etnghbtncrn_detail	Father has concerns about child's eating habits - specific	Free text
<b>Section C - Your Child's Teeth</b>		

### Data for release

Variable Name	Variable Label	Variable Values
ccpnf_3yr_numtth	Number of teeth child currently has	Discrete
ccpnf_3yr_brshchldtth_tm	Time of day when child's teeth get brushed	0"Never", 1"Morning", 2"Morning and evening", 3"Evening", 4"Other"
ccpnf_3yr_brshchldtth_tm_detail	Time of day when child's teeth get brushed - other	Free text
ccpnf_3yr_brshchldtth_who	Person who brushes child's teeth	1"Parent", 2"Child", 3"Both parent and child", 4"Other", 5"Not applicable"
ccpnf_3yr_brshchldtth_who_detail	Person who brushes child's teeth - other	Free text
ccpnf_3yr_tthpst	Toothpaste child is currently using	0"None", 1"Children's paste (0-3 years)", 2"Children's paste (over 3 years)", 3"Adult toothpaste"
ccpnf_3yr_chlddrnk_bfbd	Child drinks in the last hour before bed	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_wterbfbd	Child drinks water in the last hour before bed	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_mlkbfbd	Child drinks milk in the last hour before bed	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_juicbfbd	Child drinks fruit juice in the last hour before bed	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_sqshbfbd	Child drinks squash in the last hour before bed	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_othbfbd	Child drinks something other than water, milk, fruit juice or squash in the last hour before bed	0"No", 1"Yes"

ccpnf_3yr_chlddrnk_othrdetailbfbd	Child drinks something other than water, milk or juice in the last hour before bed - specified	Free text
ccpnf_3yr_ftrbrshchldtth_bfbd	Father brushes his child's teeth after child has drunk in the last hour before bed	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_nt	Child drinks in the night	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_wtrnght	Child drinks water in the night	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_mlknght	Child drinks milk in the night	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_juicnght	Child drinks fruit juice in the night	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_sqshnght	Child drinks squash in the night	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_othrnght	Child drinks something other than water, milk, fruit juice or squash in the night	0"No", 1"Yes"
ccpnf_3yr_chlddrnk_othrdetailnght	Child drinks something other than water, milk or juice in the night - specified	Free text
ccpnf_3yr_ftrfmydntst	Father has a family dentist	0"No", 1"Yes"
ccpnf_3yr_agechlddntstlkdmt	Age of child when the dentist first looked in their mouth	0"Has not yet looked", 1"Less than 18 months", 2"18-24 months", 3"2-3 years", 4"Not applicable"
ccpnf_3yr_frqchldvstdntst	Frequency in how often child visits dentist	1"Every 3 months", 2"Every 4 months", 3"Every 6 months", 4"Every 12 months", 5"Other", 6"Not applicable"
ccpnf_3yr_frqchldvstdntst_oth	Frequency in how often child visits dentist - other	Free text
ccpnf_3yr_dntstchldtth	The dentist has spoken to father about caring for his child's teeth	0"No", 1"Yes", 2"Not applicable"
ccpnf_3yr_dntstspkntthbrshng	The dentist has spoken to father about teeth brushing	0"No", 1"Yes"
ccpnf_3yr_dntstspkndiet	The dentist has spoken to father about diet	0"No", 1"Yes"
ccpnf_3yr_dntstspknflrdthpst	The dentist has spoken to father about fluoride in toothpaste	0"No", 1"Yes"
ccpnf_3yr_dntstspknflrdwtr	The dentist has spoken to father about fluoride in water	0"No", 1"Yes"
ccpnf_3yr_dntstspknflrdvrnsh	The dentist has spoken to father about fluoride in varnishes	0"No", 1"Yes"
ccpnf_3yr_dntstflrdvrnsh	The dentist has placed fluoride varnish on child's teeth	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnf_3yr_dntstflrdvrnsh_freq	Number of times fluoride varnish has been applied to child's teeth	1"Only once", 2"Once a year", 3"Twice a year", 4"3 times a year", 5"4 times a year", 6"Don't know", 7"Not applicable"
ccpnf_3yr_bsdfrmlyntst	Child has seen another dental specialist besides family dentist	0"No", 1"Yes"
ccpnf_3yr_bsdfrmlydntst_lctnct	Child sees other dental specialist besides family dentist in the cleft team	0"No", 1"Yes"
ccpnf_3yr_bsdfrmlydntst_lctnhsptl	Child sees other dental specialist besides family dentist at the hospital	0"No", 1"Yes"
ccpnf_3yr_bsdfrmlydntst_lctnelse	Child sees other dental specialist besides family dentist somewhere else	0"No", 1"Yes"
ccpnf_3yr_bsdfrmlydntst_lctndetail	Location where child sees other dental specialist besides family dentist - specified	Free text

ccpnf_3yr_chlddecay	Father has been informed child has dental caries / decay	0"No", 1"Yes", 2"Don't know"
ccpnf_3yr_chlddntlprcdre	Child has had a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know"
ccpnf_3yr_chldflng	Child has had at least one filling	0"No", 1"Yes"
ccpnf_3yr_chldmtlcrwn	Child has had at least one metal crown	0"No", 1"Yes"
ccpnf_3yr_chldtthrmved	Child has had at least tooth removed	0"No", 1"Yes"
ccpnf_3yr_chlddntlprcdre_inject	Child had an injection in their mouth whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnf_3yr_chlddntlprcdre_gssed	Child had gas and air sedation whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnf_3yr_chlddntlprcdre_asleep	Child was asleep whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnf_3yr_hypoplstic_mnrld	Father has been told that his child's teeth are hypoplastic/hypomineralised	0"No", 1"Yes", 2"Don't know"
ccpnf_3yr_chldbngdfrntth	Child at some point has banged their front teeth badly	0"No", 1"Yes", 2"Don't know"
ccpnf_3yr_ftrcnrcnchldtth	Father has concerns about his child's teeth	0"No", 1"Yes"
ccpnf_3yr_ftrcnrcnchldtthnum	Father is concerned about the number of teeth child has	0"No", 1"Yes"
ccpnf_3yr_ftrcnrcnchldtthshp	Father is concerned about the shape of his child's teeth	0"No", 1"Yes"
ccpnf_3yr_ftrcnrcnchldtthpstn	Father is concerned about the position of his child's teeth	0"No", 1"Yes"
ccpnf_3yr_ftrcnrcnchldtthclr	Father is concerned about the colour of his child's teeth	0"No", 1"Yes"
ccpnf_3yr_ftrcnrcnchldtthothr	Father has other concerns about his child's teeth	0"No", 1"Yes"
ccpnf_3yr_ftrcnrcnchldtthothrdetail	Father has other concerns about his child's teeth - specified	Free text

## Section D - Additional questions about the study child

Data for release		
Variable Name	Variable Label	Variable Values
<b>Childcare</b>		
ccpnf_3yr_grndprntchldcr_age	Age of child when grandparent regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnf_3yr_grndprntchldcr_freq	Frequency in which grandparent looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_3yr_othrelativechldcr_age	Age of child when other relative regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnf_3yr_othrelativechldcr_freq	Frequency in which other relative looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"

ccpnf_3yr_frndnbrchldcr_age	Age of child when friend or neighbour regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnf_3yr_frndnbrchldcr_freq	Frequency in which friend or neighbour looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_3yr_chldminderchldcr_age	Age of child when a paid person outside the home (eg: childminder) regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnf_3yr_chldminderchldcr_freq	Frequency in which a paid person outside the home (eg: childminder) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_3yr_nannychldcr_age	Age of child when a paid person inside the home (eg: nanny) regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnf_3yr_nannychldcr_freq	Frequency in which a paid person inside the home (eg: nanny) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_3yr_prvnurschldcr_age	Age of child when a private day nursery or creche regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnf_3yr_prvnurschldcr_freq	Frequency in which a private day nursery or creche looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_3yr_locauthnurschldcr_age	Age of child when a local authority day nursery regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnf_3yr_locauthnurschldcr_freq	Frequency in which a local authority day nursery looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnf_3yr_otherchldcr	Other childcare which regularly looked after child	Free text
ccpnf_3yr_otherchldcr_age	Age of child when other childcare regularly started looking after them	1"Less than 6 months", 2"Between 6 & 12 months", 3"Between 12 & 18 months", 4"Older than 18 months"
ccpnf_3yr_otherchldcr_freq	Frequency in which a other childcare looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
<b>Pre-cursors to Intelligibility in context scale</b>		
ccpnf_3yr_chldtlkssound	Child can talk using speech sounds and/or words	0"No", 1"Yes"
ccpnf_3yr_chldcomm_gestsignlan	Child cannot talk using speech sounds and/or words but communicates using gestures and sign language	0"No, 1"Yes"
ccpnf_3yr_chldcomm_facexp	Child cannot talk using speech sounds and/or words but communicates using facial expressions	0"No, 1"Yes"
ccpnf_3yr_chldcomm_pointlook	Child cannot talk using speech sounds and/or words but communicates using pointing and looking at things	0"No, 1"Yes"
ccpnf_3yr_chldcomm_other	Child cannot talk using speech sounds and/or words but communicates in another way	0"No, 1"Yes"



ccpnf_3yr_chldcomm_other_detail	Child cannot talk using speech sounds and/or words but communicates in another way - detail of other communication method	Free Text
<b>Intelligibility in context scale</b>		
ccpnf_3yr_ics_undrstnd	Dad understands his child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnf_3yr_ics_fmundrstnd	Immediate family understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnf_3yr_ics_exfmundrstnd	Extended family understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnf_3yr_ics_frndundrstnd	Child's friends understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnf_3yr_ics_acqundrstnd	Other acquaintances understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnf_3yr_ics_tchrundrstnd	Child's teachers/carers understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnf_3yr_ics_strngrundrstnd	Strangers understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnf_3yr_ics_totalscore	Intelligibility in context scale - total score	Continuous
ccpnf_3yr_ics_numicsans	Number of Intelligibility in context scale questions answered	Discrete
ccpnf_3yr_ics_avgscore	Intelligibility in context scale - average total score	Continuous
ccpnf_3yr_ics_avgscrvalid	All seven or six minus teacher ICS questions answered	0"No", 1"Yes"
<b>RHD9 Scale - Hearing</b>		
ccpnf_3yr_rhd9_a	Dad's description of child's hearing	0"Normal", 1.138"Slightly below normal", 2.051"Poor", 2.617"Very Poor", 1.010"Not sure"
ccpnf_3yr_rhd9_b	Child's hearing ability has varied	0"No - normal", 2.578"No - always impaired", 1.697"Yes - up and down", 1.087"Not sure"
ccpnf_3yr_rhd9_c	Child has raised the sound of the TV/radio	0"No", 0.255"Rarely", 1.252"Often", 1.894"Always", 0.793"Not sure"
ccpnf_3yr_rhd9_d	Child has responded when called in a normal voice	2.280"No", 2.026"Rarely", 0.992"Often", 0"Always", 1.091"Not sure"
ccpnf_3yr_rhd9_e	Child has misheard words when not looking at dad	0"No", 0.673"Rarely", 1.853"Often", 2.733"Always", 0.971"Not sure"
ccpnf_3yr_rhd9_f	Child has turned the wrong way to a call or sound	0"No", 0.715"Rarely", 1.508"Often", 1.943"Always", 0.879"Not sure"
ccpnf_3yr_rhd9_g	Child has difficulty hearing when spoken to face to face in a quiet room	0"No", 0.822"Rarely", 1.367"Often", 1.419"Always", 0.421"Not sure"
ccpnf_3yr_rhd9_h	Child has difficulty hearing when with a group of people	0"No", 0.761"Rarely", 1.777"Often", 2.649"Always", 1.091"Not sure"
ccpnf_3yr_rhd9_i	Child has asked for things to be repeated	0"No", 0.392"Rarely", 1.733"Often", 2.645"Always", 0.988"Not sure"
ccpnf_3yr_trbears	Number of times child has had trouble with their ears	0"Not at all", 1"Once", 2"2-3 times", 3"4-5 times", 4"6 or more times"

ccpnf_3yr_erinfect	Number of times child has had an ear infection	0"0", 1"Once", 2"2-3 times", 3"4 or more", -1"Not sure"
ccpnf_3yr_erache	Number of times child has had an earache	0"0", 1"Once", 2"2-3 times", 3"4 or more", -1"Not sure"
ccpnf_3yr_othrsrchstds	Child has been or is still involved in other research studies	0"No", 1"Yes", 2"Don't know"
ccpnf_3yr_tops	Child has been or is still involved with TOPS (Timing of Palatal Surgery)	0"No", 1"Yes"
ccpnf_3yr_topsagepalpr	Age of child when palate was repaired	1"6 months", 2"9 months", 3"12 months"
ccpnf_3yr_spoocl	Child has been or is still involved Supporting Parents Of Children with a Cleft Lip (SPOCCL) study	0"No", 1"Yes"
ccpnf_3yr_spoocl_grp	Group child was assigned to within Supporting Parents Of Children with a Cleft Lip (SPOCCL) study	1"'Watch and Discover' group (children were videoed at regular intervals and met with researchers for feedback)", 2"The 'Supported Information and Advice' group"
ccpnf_3yr_othrsrchstds_detail	Child has been or is still involved in other research studies - specify	Free text
<b>Section E - Your Family</b>		

### Data for release

Variable Name	Variable Label	Variable Values
ccpnf_3yr_chldrn18mnth	Father has had more children in the last 18 months	0"No", 1"Yes"
ccpnf_3yr_numchldrn18mnth	Number of children father has had in the last 18 months	Discrete
ccpnf_3yr_agechldfrstaftrsc	Age of first child born after study child - months	Continuous (months)
ccpnf_3yr_genchldfrstaftrsc	Gender of first child born after study child	1"Male", 2"Female"
ccpnf_3yr_agechldscndaftrsc	Age of second child born after study child - months	Continuous (months)
ccpnf_3yr_genchldscndaftrsc	Gender of second child born after study child	1"Male", 2"Female"
ccpnf_3yr_othchldrnclft	Other than the study child, father has other children that have been born with a cleft	0"No", 1"Yes", 2"Father has no other children"
ccpnf_3yr_agechld1clft	Age of first child with a cleft	Continuous (months)
ccpnf_3yr_genchld1clft	Gender of first child with a cleft	1"Male", 2"Female"
ccpnf_3yr_clfttypchld1clft	Cleft type of first child with a cleft	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_3yr_unibichld1clft	Laterality of cleft for first child with a cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_3yr_agechld2clft	Age of second child with a cleft	Continuous (months)
ccpnf_3yr_genchld2clft	Gender of second child with a cleft	1"Male", 2"Female"
ccpnf_3yr_clfttypchld2clft	Cleft type of second child with a cleft	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_3yr_unibichld2clft	Laterality of cleft for second child with a cleft	1"Unilateral", 2"Bilateral", 3"Don't know"

ccpnf_3yr_fthrclefttyp	Type of cleft father was born with	0"None", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_3yr_fthruni_bi	Unilateral or bilateral cleft lip for father	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpnf_3yr_fthrcleftside	Side of father's unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
ccpnf_3yr_fammemcleft	At least one relative (including child's biological father and his family) has been diagnosed with a cleft lip and/or palate	0"No", 1"Yes", 2"Don't know"
ccpnf_3yr_fammemwthcleft1	Relationship to father of relative with cleft - family member 1	Free text
ccpnf_3yr_fammem1clefttyp	Cleft type of family member 1	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_3yr_fammem1uni_bi	Laterality of family member 1's cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_3yr_fammemwthcleft2	Relationship to father of relative with cleft - family member 2	Free text
ccpnf_3yr_fammem2clefttyp	Cleft type of family member 2	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_3yr_fammem2uni_bi	Laterality of family member 2's cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_3yr_fammemwthcleft3	Relationship to father of relative with cleft - family member 3	Free text
ccpnf_3yr_fammem3clefttyp	Cleft type of family member 3	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
ccpnf_3yr_fammem3uni_bi	Laterality of family member 3's cleft	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnf_3yr_fthrfthrchldrncond	Father, child's biological mother or any other child has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes", 2"Don't know"
ccpnf_3yr_fthrprs	Father has been diagnosed with Pierre Robin sequence (PRS)	0"No", 1"Yes"
ccpnf_3yr_fthrvdw	Father has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnf_3yr_fthrtcs	Father has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnf_3yr_fthrgs	Father has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnf_3yr_fthrss	Father has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnf_3yr_fthr22q	Father has been diagnosed with 22q 11.2 deletion syndrome (also known as Velocardiofacial syndrome, Shprintzen syndrome, DiGeorge syndrome)	0"No", 1"Yes"
ccpnf_3yr_fthrcranios	Father has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnf_3yr_fthrcdls	Father has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
ccpnf_3yr_fthrgentest	Father is currently undergoing genetic testing	0"No", 1"Yes"
ccpnf_3yr_fthrothsynd	Father has been diagnosed with other syndrome or genetic condition	0"No", 1"Yes"
ccpnf_3yr_fthrothsynd_detail	Father has been diagnosed with other syndrome or genetic condition	Free text

ccpnf_3yr_biofthrprs	Biological father has been diagnosed with Pierre Robin sequence (PRS)	0"No", 1"Yes"
ccpnf_3yr_biofthrvdw	Biological father has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnf_3yr_biofthrtcs	Biological father has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnf_3yr_biofthrsgs	Biological father has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnf_3yr_biofthrss	Biological father has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnf_3yr_biofthr22q	Biological father has been diagnosed with 22q 11.2 deletion syndrome (also known as Velocardiofacial syndrome, Shprintzen syndrome, DiGeorge syndrome)	0"No", 1"Yes"
ccpnf_3yr_biofthrcranios	Biological father has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnf_3yr_biofthrcdls	Biological father has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
ccpnf_3yr_biofthrgentest	Biological father is currently undergoing genetic testing	0"No", 1"Yes"
ccpnf_3yr_biofthrothsynd	Biological father has been diagnosed with other syndrome or genetic condition	0"No", 1"Yes"
ccpnf_3yr_biofthrtothsynd_detail	Biological father has been diagnosed with other syndrome or genetic condition	Free text
ccpnf_3yr_othchldprs	Other child has been diagnosed with Pierre Robin sequence (PRS)	0"No", 1"Yes"
ccpnf_3yr_othchldvdw	Other child has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnf_3yr_othchldtcs	Other child has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnf_3yr_othchldgs	Other child has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnf_3yr_othchldss	Other child has been diagnosed with Stickler syndrome	0"No", 1"Yes"
ccpnf_3yr_othchld22q	Other child has been diagnosed with 22q 11.2 deletion syndrome (also known as Velocardiofacial syndrome, Shprintzen syndrome, DiGeorge syndrome)	0"No", 1"Yes"
ccpnf_3yr_othchldcranios	Other child has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnf_3yr_othchldcdls	Other child has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"

ccpnf_3yr_othchldgentest	Other child is currently undergoing genetic testing	0"No", 1"Yes"
ccpnf_3yr_othchldothsynd	Other child has been diagnosed with other syndrome or genetic condition	0"No", 1"Yes"
ccpnf_3yr_othchldprs_age	Age (months) of other child diagnosed with Pierre Robin sequence (PRS)	Continuous (months)
ccpnf_3yr_othchldvdw_age	Age (months) of other child diagnosed with Van der Woude syndrome	Continuous (months)
ccpnf_3yr_othchldtcs_age	Age (months) of other child diagnosed with Treacher Collins syndrome	Continuous (months)
ccpnf_3yr_othchldgs_age	Age (months) of other child diagnosed with Hemifacial Microsomy / Goldenhar syndrome	Continuous (months)
ccpnf_3yr_othchldss_age	Age (months) of other child diagnosed with Stickler syndrome	Continuous (months)
ccpnf_3yr_othchld22q_age	Age (months) of other child diagnosed with 22q 11.2 deletion syndrome (also known as Velocardiofacial syndrome, Shprintzen syndrome, DiGeorge syndrome)	Continuous (months)
ccpnf_3yr_othchldcranios_age	Age (months) of other child diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	Continuous (months)
ccpnf_3yr_othchldcdls_age	Age (months) of other child diagnosed with Cornelia de Lange syndrome	Continuous (months)
ccpnf_3yr_othchldgentest_age	Age of other child currently undergoing genetic testing	Continuous (months)
ccpnf_3yr_othchldothsynd_age	Age (months) of other child diagnosed with other syndrome or genetic condition	Continuous (months)
ccpnf_3yr_othchldothsynd_detail	Child, other than study child, has been diagnosed with other syndrome or genetic condition	Free text
ccpnf_3yr_lvnumchldrn	Number of children/stepchildren father lives with	Discrete
ccpnf_3yr_lvnumsblng	Number of siblings father lives with	Discrete
ccpnf_3yr_lvnumprnt	Number of parents father lives with	Discrete
ccpnf_3yr_lvnumothrel	Number of other relatives father lives with	Discrete
ccpnf_3yr_lvnumunrelind	Number of unrelated individuals father lives with	Discrete
ccpnf_3yr_crnthshldarrngmnt	Time father has lived in this household arrangement	Continuous (months)
ccpnf_3yr_maritalsts	Fathers marital status	1"Single", 2"Domestic partner", 3"Married", 4"Separated", 5"Divorced", 6"Widowed", 7"Civil Union"
ccpnf_3yr_crrntmaritalarrngmnt	Time father has lived in this marital arrangement	Continuous (months)
ccpnf_3yr_partnercloserel	Father and father's partner have a close relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_partnerprobel	Father and father's partner have problems in their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"

ccpnf_3yr_hpyrel	Father is very happy in his relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_partnerunderstndng	Father's partner is usually understanding	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_endrel	Father often thinks about ending his relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_satrel	Father is satisfied with his relationship with partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_disagreeimpdecs	Father often disagrees with partner about important decisions	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_lckyptrnr	Father feels lucky in his choice of partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_agreechldnrnsd	Father and father's partner agree how children should be raised	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_prtnrnsatrel	Father thinks partner is satisfied with their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
ccpnf_3yr_oftnactchld_bath	Frequency in which father bathes child	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_feed	Frequency in which father feeds child	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_sing	Frequency in which father sings to child	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_read	Frequency in which father reads to child or shows them pictures	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_plytys	Frequency in which father plays with toys with child	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_cddl	Frequency in which father cuddles child	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_physply	Frequency in which father has physical play with child	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_walk	Frequency in which father takes child for a walk	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_sftply	Frequency in which father takes child to soft play	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_plygrp	Frequency in which father takes child to playgroup	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_swm	Frequency in which father takes child swimming	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"

ccpnf_3yr_oftnactchld_oth	Frequency in which father does other activities with child	0"Never", 1"Hardly ever", 2"Occasionally", 3"Often", 4"Every day"
ccpnf_3yr_oftnactchld_oth_det	Frequency in which father does other activities with child - detail	Free text
<b>Section F - Your Lifestyle</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnf_3yr_alcoholnow	Father currently drinks alcohol	0"No",1"Yes"
ccpnf_3yr_alcoholnowunits	Units of alcohol per week currently drank by father	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
ccpnf_3yr_crntsmk	Father currently smokes cigarettes	0"No",1"Yes"
ccpnf_3yr_crntsmk_perday	Average number of cigarettes father currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnf_3yr_chldpssvsmk	Child is exposed to passive smoke	0"No",1"Yes"
ccpnf_3yr_chldpssvsmkhrs	Hours per day in which child is exposed to passive smoke	1"Less than one hour per day", 2"One to two hours per day", 3"Three to four hours per day", 4"More than four hours per day"
ccpnf_3yr_crntdruguse	Father currently uses drugs	0"No",1"Yes"
ccpnf_3yr_crntcannabis	Father currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_3yr_crntcocaine	Father currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_3yr_crntecstasy	Father currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_3yr_crntamphets	Father currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"

ccpnf_3yr_crntheroin	Father currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_3yr_crntotherdrug	Father currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnf_3yr_crntotherdrug_detail	Detail of other drug currently used by father	Free text
ccpnf_3yr_minsvigex	Minutes father spends on vigorous exercise a week	Continuous (minutes)
ccpnf_3yr_minsmodex	Minutes father spends on moderate exercise a week	Continuous (minutes)
ccpnf_3yr_muscstrex	Minutes father spends on muscle strengthening activities a week	Discrete (times per week)
<b>Section G - Your Wellbeing</b>		

<b>Data for release</b>		
-------------------------	--	--

Variable Name	Variable Label	Variable Values
ccpnf_3yr_clsfrnds	Number of close friends that father has (excluding partner)	0/1/2/3/4+
ccpnf_3yr_rtclsfrndshp	Rate of father's relationships with his close friends	0"Poor", 1"Fair", 2"Good", 3"Excellent"
<b>Life Events Scale</b>		
ccpnf_3yr_srrsca	Father's total score for The Social Readjustment Rating Scale (Holmes TH and Rahe RH, 1967)	Continuous (Higher score indicates a higher degree of stressful life events)
<b>Pediatric Quality of Life Inventory (PedsQL) - Family Impact Module</b>		
<b>Problems with Physical Functioning</b>		
ccpnf_3yr_pedsqfim_pf_a	In the past month, as a result of their child's health, father feels tired during the day	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_pf_b	In the past month, as a result of their child's health, father feels tired when he wakes up in the morning	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_pf_c	In the past month, as a result of their child's health, father feels too tired to do the things he would like to do	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_pf_d	In the past month, as a result of their child's health, father gets headaches	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_pf_e	In the past month, as a result of their child's health, father feels physically weak	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"



ccpnf_3yr_pedsqfim_pf_f	In the past month, as a result of their child's health, father feels sick to his stomach	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_pf	Physical Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G4 a-f
ccpnf_3yr_pedsqfim_pf_avg	Physical Functioning - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G4 a-f if at least 50% questions answered
<b>Problems with Emotional Functioning</b>		
ccpnf_3yr_pedsqfim_ef_g	In the past month, as a result of their child's health, father feels anxious	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_ef_h	In the past month, as a result of their child's health, father feels sad	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_ef_i	In the past month, as a result of their child's health, father feels angry	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_ef_j	In the past month, as a result of their child's health, father feels frustrated	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_ef_k	In the past month, as a result of their child's health, father feels helpless or hopeless	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_ef	Emotional Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G4 g-k
ccpnf_3yr_pedsqfim_ef_avg	Emotional Functioning - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G4 g-k if at least 50% questions answered
<b>Problems with Social Functioning</b>		
ccpnf_3yr_pedsqfim_sf_l	In the past month, as a result of their child's health, father feels isolated from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_sf_m	In the past month, as a result of their child's health, father has trouble getting support from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_sf_n	In the past month, as a result of their child's health, father feels it is hard to find time for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_sf_o	In the past month, as a result of their child's health, father does not have enough energy for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_sf	Social Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G4 l-o
ccpnf_3yr_pedsqfim_sf_avg	Social Functioning - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G4 l-o if at least 50% questions answered
<b>Problems with Cognitive Functioning</b>		
ccpnf_3yr_pedsqfim_cf_p	In the past month, as a result of their child's health, father feels it is hard to keep his attention on things	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_cf_q	In the past month, as a result of their child's health, father feels it is hard to remember what people tell his	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_cf_r	In the past month, as a result of their child's health, father feels that it is hard for his to remember what he has just heard	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

ccpnf_3yr_pedsqfim_cf_s	In the past month, as a result of their child's health, father feels it is hard for his to think quickly	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_cf_t	In the past month, as a result of their child's health, father has trouble remembering what he was just thinking	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_cf	Cognitive Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G4 p-t
ccpnf_3yr_pedsqfim_cf_avrg	Cognitive Functioning - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G4 p-t if at least 50% questions answered
<b>Problems with Communication</b>		
ccpnf_3yr_pedsqfim_com_u	In the past month, as a result of their child's health, father feels that others do not understand his family's situation	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_com_v	In the past month, as a result of their child's health, father finds it hard to talk about his child's health with others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_com_w	In the past month, as a result of their child's health, father finds it hard to tell doctors and nurses how he feels	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_com	Communication - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G4 u-w
ccpnf_3yr_pedsqfim_com_avrg	Communication - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G4 u-w if at least 50% questions answered
<b>Problems with Worry</b>		
ccpnf_3yr_pedsqfim_wor_x	In the past month, as a result of their child's health, father worries about wether or not his child's medical treatments are working	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_wor_y	In the past month, as a result of their child's health, father worries about the side effects of his child's medication/medical treatments	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_wor_z	In the past month, as a result of their child's health, father worries about how others will react to his child's condition	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_wor_aa	In the past month, as a result of their child's health, father worries about how his child's illness is affecting other family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_wor_bb	In the past month, as a result of their child's health, father worries about his child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_wor	Worry - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G4 x-bb
ccpnf_3yr_pedsqfim_wor_avrg	Worry - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G4 x-bb if at least 50% questions answered
<b>Problems with Daily Activities</b>		
ccpnf_3yr_pedsqfim_da_a	In the past month, as a result of their child's health, family activities have taken more time and effort	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_da_b	In the past month, as a result of their child's health, family have had difficulty finding time to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

	In the past month, as a result of their child's health, family have felt too tired to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_da	Problems with daily Activities - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G5 a-c
ccpnf_3yr_pedsqfim_da_avrg	Problems with daily Activities - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G5 a-c if at least 50% questions answered
<b>Problems with Family Relationships</b>		
ccpnf_3yr_pedsqfim_fr_d	In the past month, as a result of their child's health, there has been a lack of communication between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_fr_e	In the past month, as a result of their child's health, there have been conflicts between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_fr_f	In the past month, as a result of their child's health, there has been difficulty making decisions together as a family	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_fr_g	In the past month, as a result of their child's health, there has been difficulty solving family problems together	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_fr_h	In the past month, as a result of their child's health, there has been stress or tension between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_pedsqfim_fr	Problems with family relationships - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G5 d-h
ccpnf_3yr_pedsqfim_fr_avrg	Problems with family relationships - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G5 d-h if at least 50% questions answered
ccpnf_3yr_pedsqfim_avrg	PedsQL Family Impact Module (v2) average	Continuous score - average of questions G4 a-bb & G5 a-h if at least 50% questions answered
ccpnf_3yr_pedsqfim_prnthRQL_avrg	Parent HRQL - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G4 a-t if at least 50% questions answered
ccpnf_3yr_pedsqfim_fmfnctn_avrg	Family Functioning - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G5 a-h if at least 50% questions answered
<b>Pediatric Quality of Life Inventory (PedsQL) - Healthcare Satisfaction Generic Module</b>		
<b>Information</b>		
ccpnf_3yr_pedsqlhsgm_info_a	Father's happiness about how much information was provided to the family, from the hospital, about their child's diagnosis	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqlhsgm_info_b	Father's happiness about how much information was provided to the family, from the hospital, about their child's treatment and course of child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqlhsgm_info_c	Father's happiness about how much information was provided to the family, from the hospital, about the side effects of their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnf_3yr_pedsqihsgm_info_d	Father's happiness about how much information was provided to the family, from the hospital, about their child's test results	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqihsgm_info_e	Father's happiness about how often they are updated, from the hospital, about their child's health	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqihsgm_info	Father's happiness on information - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G6 a-e
ccpnf_3yr_pedsqihsgm_info_avrg	Father's happiness on information - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G6 a-e if at least 50% questions answered
<b>Inclusion of Family</b>		
ccpnf_3yr_pedsqihsgm_iof_f	Father's happiness of the hospitals sensitivity shown to the family during their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqihsgm_iof_g	Father's happiness of the hospitals willingness to answer questions that the family have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqihsgm_iof_h	Father's happiness of the hospitals effort to include the family in discussion of their child's care and other information about their child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqihsgm_iof_i	Father's happiness at how much time the staff gave them to ask any questions they may have had about their child's health and treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqihsgm_iof	Father's happiness on inclusion of family - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G6 f-i
ccpnf_3yr_pedsqihsgm_iof_avrg	father's happiness on inclusion of family - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G6 f-i if at least 50% questions answered
<b>Communication</b>		
ccpnf_3yr_pedsqihsgm_com_j	Father's happiness of how well the staff explained their child's health condition and treatment to their child in a way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqihsgm_com_k	Father's happiness of the time taken to explain their child's health condition and treatment to them (father) in the way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqihsgm_com_l	Father's happiness of how well the staff listens to them and their concerns	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnf_3yr_pedsqhlhsgm_com_m	Father's happiness of the preparation provided for them about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_com_n	Father's happiness of the preparation provided for their child about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_com	Father's happiness on communication - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G6 j-n
ccpnf_3yr_pedsqhlhsgm_com_avrg	Father's happiness on communication - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G6 j-n if at least 50% questions answered
<b>Technical Skills</b>		
ccpnf_3yr_pedsqhlhsgm_ts_o	Father's happiness of how well the staff responds to their child's needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_ts_p	Father's happiness of the efforts to keep their child comfortable and as pain free as possible	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_ts_q	Father's happiness of how much time the staff took to help you with your child coming back home	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_ts	Father's happiness on technical skills - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G6 o-q
ccpnf_3yr_pedsqhlhsgm_ts_avrg	Father's happiness on technical skills - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G6 o-q if at least 50% questions answered
<b>Emotional Needs</b>		
ccpnf_3yr_pedsqhlhsgm_en_r	Father's happiness of the amount of time given to their child to play, talk about their feelings, and any questions they may have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_en_s	Father's happiness of the amount of time spent helping their child with going back to school	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_en_t	Father's happiness of the amount of time spent attending their child's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_en_u	Father's happiness of the amount of time hospital spent attending father's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_en	Father's happiness on emotional needs - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G6 r-u

ccpnf_3yr_pedsqhlhsgm_en_avrg	Father's happiness on emotional needs - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G6 r-u if at least 50% questions answered
<b>Overall Satisfaction</b>		
ccpnf_3yr_pedsqhlhsgm_os_v	Father's happiness of the overall care their child is receiving	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_os_w	Father's happiness of how friendly and helpful the staff are	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_os_x	Father's happiness of the way their child is treated at the hospital	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnf_3yr_pedsqhlhsgm_os	Father's happiness on overall satisfaction - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G6 v-x
ccpnf_3yr_pedsqhlhsgm_os_avrg	Father's happiness on overall satisfaction - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G6 v-x if at least 50% questions answered
<b>Perceived Stress Scale</b>		
ccpnf_3yr_pss_a	In the last month, frequency father has been upset because of something that happened unexpectedly - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_3yr_pss_b	In the last month, frequency father has felt that he was unable to control the important things in his life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_3yr_pss_c	In the last month, frequency of how often father has felt nervous and stressed - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_3yr_pss_d	In the last month, frequency of how often father has felt confident about his ability to handle his personal problems - Perceived Stress Scale	4"Never", 3"Almost never", 2"Sometimes", 1"Fairly often", 0"Very often"
ccpnf_3yr_pss_e	In the last month, frequency of how often father has felt things were going his way - Perceived Stress Scale	4"Never", 3"Almost never", 2"Sometimes", 1"Fairly often", 0"Very often"
ccpnf_3yr_pss_f	In the last month, frequency of how often father has found that he could not cope with all the things he had to do - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_3yr_pss_g	In the last month, frequency of how often father has felt he is able to control irritations in his life - Perceived Stress Scale	4"Never", 3"Almost never", 2"Sometimes", 1"Fairly often", 0"Very often"
ccpnf_3yr_pss_h	In the last month, frequency of how often father has felt he was on top of things - Perceived Stress Scale	4"Never", 3"Almost never", 2"Sometimes", 1"Fairly often", 0"Very often"

ccpnf_3yr_pss_i	In the last month, frequency of how often father has been angered because of things there were outside of his control - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_3yr_pss_j	In the last month, frequency of how often father has felt difficulties were piling up so high that he could not overcome them - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnf_3yr_pss	Perceived Stress Scale - Cohen et al. (1988)	Sum of G7 a-j, continuous
ccpnf_3yr_pss_avrg	Perceived Stress Scale - Cohen et al. (1988) average	Average of G7 a-j if at least 50% questions answered, continuous
<b>Hospital Anxiety and Depression Scale (HADS)</b>		
ccpnf_3yr_hads_a	Father feels tense or 'wound up'	0"Not at all", 1"From time to time, occasionally", 2"A lot of the time", 3"Most of the time"
ccpnf_3yr_hads_b	Father still enjoys the things he used to enjoy	0"Definitely as much", 1"Not quite so much", 2"Only a little", 3"Hardly at all"
ccpnf_3yr_hads_c	Father gets a sort of frightened feeling as if something awful is about to happen	0"Not at all", 1"A little, but it doesn't worry me", 2"Yes, but not too badly", 3"Very definitely and quite badly"
ccpnf_3yr_hads_d	Father can laugh and see the funny side of things	0"As much as he always could", 1"Not quite so much now", 2"Definitely not so much now", 3"Not at all"
ccpnf_3yr_hads_e	Father has worrying thoughts that go through his mind	0"Only occasionally", 1"From time to time, but not too often", 2"A lot of the time", 3"A great deal of the time"
ccpnf_3yr_hads_f	Father feels cheerful	0"Most of the time", 1"Sometimes", 2"Not often", 3"Not at all"
ccpnf_3yr_hads_g	Father can sit at ease and feel relaxed	0"Definitely", 1"Usually", 2"Not often", 3"Not at all"
ccpnf_3yr_hads_h	Father feels as if he is slowed down	0"Not at all", 1"Sometimes", 2"Very often", 3"Nearly all the time"
ccpnf_3yr_hads_i	Father gets a sort of frightened feeling like 'butterflies' in the stomach	0"Not at all", 1"Occasionally", 2"Quite often", 3"Very often"
ccpnf_3yr_hads_j	Father has lost interest in his appearance	0"I take just as much care as ever", 1"I may not take quite as much care", 2"I don't take as much care as I should", 3"Definitely"
ccpnf_3yr_hads_k	Father feels restless as he has to be on the move	0"Not at all", 1"Not very much", 2"Quite a lot", 3"Very much indeed"
ccpnf_3yr_hads_l	Father looks forward with enjoyment for things	0"As much as I ever did", 1"Rather less than I used to", 2"Definitely less than I used to", 3"Hardly at all"
ccpnf_3yr_hads_m	Father gets sudden feelings of panic	0"Not at all", 1"Not very often", 2"Quite often", 3"Very often indeed"
ccpnf_3yr_hads_n	Father can enjoy a good book or radio or TV program	0"Often", 1"Sometimes", 2"Not often", 3"Very seldom"

ccpnf_3yr_hads_anx	Father's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety	Continuous (Norms available for comparison)
ccpnf_3yr_hads_dep	Father's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Depression	Continuous (Norms available for comparison)
ccpnf_3yr_hads_anx_avrg	Father's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety average	average if at least 50% questions answered, continuous (Norms available for comparison)
ccpnf_3yr_hads_dep_avrg	Father's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Depression average	average if at least 50% questions answered, continuous (Norms available for comparison)
<b>Ages and Stages - third edition (ASQ-3)</b>		
<b>ASQ-3 Communication</b>		
ccpnf_3yr_communication_a	ASQ-3 Communication: When asked child can point to their nose, eyes, hair, etc. and can correctly point to at least seven body parts	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_communication_b	ASQ-3 Communication: Child can make sentences that are three or four words long	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_communication_c	ASQ-3 Communication: When asking child to 'put the book on the table' and 'put the shoe under the chair,' they can carry out both of these directions correctly	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_communication_d	ASQ-3 Communication: When looking at a picture book, child can tell the adult what is happening in the picture (eg. 'running,' 'eating,' or 'crying')	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_communication_e	ASQ-3 Communication: Child can consistently move a coat zip up and down if asked	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_communication_f	ASQ-3 Communication: When asked, 'What is your name?' child says both first and last names	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_communication_score	ASQ-3 at 3 years communication skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_3yr_communication_adjscore	ASQ-3 at 3 years communication skills adjusted score - Valid adjusted score for those who answered 4 or more questions	Adjusted total score - Only available where 4 or more questions are answered
<b>ASQ-3 Gross Motor skills</b>		
ccpnf_3yr_grossmotor_a	ASQ-3 Gross Motor: Without holding onto anything for support, child can kick a ball by swinging their leg forward	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_grossmotor_b	ASQ-3 Gross Motor: Child can jump with both feet leaving the floor at the same time	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_grossmotor_c	ASQ-3 Gross Motor: Child can walk up stairs, using only one foot on each stair. (They may hold onto the railing or wall)	10"Yes", 5"Sometimes", 0"Not yet"



ccpnf_3yr_grossmotor_d	ASQ-3 Gross Motor: Child can stand on one foot for about one second without holding onto anything	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_grossmotor_e	ASQ-3 Gross Motor: While standing, child can throw a ball overhand by raising their arm shoulder height and throwing the ball forward	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_grossmotor_f	ASQ-3 Gross Motor: Child can jump forward at least 6 inches with both feet leaving the ground at the same time	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_grossmotor_score	ASQ-3 at 3 years gross motor skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_3yr_grossmotor_adjscore	ASQ-3 at 3 years gross motor skills score adjusted score - Valid adjusted score for those who answered 4 or more questions	Adjusted total score - Only available where 4 or more questions are answered
<b>ASQ-3 Fine Motor skills</b>		
ccpnf_3yr_finemotor_a	ASQ-3 Fine Motor: Child can copy a drawing of a single line in a vertical direction	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_finemotor_b	ASQ-3 Fine Motor: Child can string small items such as beads or pasta onto a string or shoelace	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_finemotor_c	ASQ-3 Fine Motor: Child can copy a drawing of a circle	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_finemotor_d	ASQ-3 Fine Motor: Child can copy a drawing of a single line in a horizontal direction	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_finemotor_e	ASQ-3 Fine Motor: Child can try to cut paper with child-safe scissors	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_finemotor_f	ASQ-3 Fine Motor: When drawing, child can hold a pencil, crayon, or pen between their fingers and thumb like an adult	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_finemotor_score	ASQ-3 at 3 years fine motor skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_3yr_finemotor_adjscore	ASQ-3 at 3 years fine motor skills score adjusted score - Valid adjusted score for those who answered 4 or more questions	Adjusted total score - Only available where 4 or more questions are answered
<b>ASQ-3 Problem Solving</b>		
ccpnf_3yr_problemsolving_a	ASQ-3 Problem Solving: Child can copy you if you line up four objects in a row?	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_problemsolving_b	ASQ-3 Problem Solving: When child wants something they cannot reach, child finds a chair or box to stand on to reach it	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_problemsolving_c	ASQ-3 Problem Solving: When pointing to a figure of a person and child is asked 'What is this?' child will respond with a word that means a person or something similar? (eg. 'boy,' 'daddy')	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_problemsolving_d	ASQ-3 Problem Solving: When told two numbers in a row, child can repeat the two numbers in the same order	10"Yes", 5"Sometimes", 0"Not yet"

ccpnf_3yr_problemsolving_e	ASQ-3 Problem Solving: When shown how to make a bridge with blocks, child can copy by making one like it	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_problemsolving_f	ASQ-3 Problem Solving: When told three numbers in a row, child can repeat the three numbers in the same order	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_problemsolving_score	ASQ-3 at 3 years problem solving skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_3yr_problemsolving_adjscore	ASQ-3 at 3 years problem solving skills score adjusted score - Valid adjusted score for those who answered 4 or more questions	Adjusted total score - Only available where 4 or more questions are answered
<b>ASQ-3 Personal-Social</b>		
ccpnf_3yr_personalsocial_a	ASQ-3 Personal Social: Child can use a spoon to feed themselves with little spilling	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_personalsocial_b	ASQ-3 Personal Social: Child can push a little toy on wheels, steering it around objects and backing it out of corners	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_personalsocial_c	ASQ-3 Personal Social: When child looks in the mirror and is asked, 'Who is in the mirror?' they say either 'me' or his/her own name	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_personalsocial_d	ASQ-3 Personal Social: Child can put on a coat, jacket, or shirt by themselves	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_personalsocial_e	ASQ-3 Personal Social: When asked 'Are you a girl or a boy?' child answers correctly	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_personalsocial_f	ASQ-3 Personal Social: Child takes turns by waiting while another child or adult takes a turn	10"Yes", 5"Sometimes", 0"Not yet"
ccpnf_3yr_personalsocial_score	ASQ-3 at 3 years personal-social skills score - total from questions a-f	Total score - potentially ranges from 0-60
ccpnf_3yr_personalsocial_adjscore	ASQ-3 at 3 years personal-social skills score adjusted score - Valid adjusted score for those who answered 4 or more questions	Adjusted total score - Only available where 4 or more questions are answered
<b>Additional questions</b>		
ccpnf_3yr_chldtlkkothrs	Child talks like other children their age	0"No", 1"Yes"
ccpnf_3yr_chldtlkkothrs_no	Fathers explanation of why they think their child does not talk like other children their age	Free Text
<b>Ages and Stages - Social &amp; Emotional (ASQ-SE)</b>		
ccpnf_3yr_socialemotional_a	ASQ:SE at 3 years - Child looks at father when he talks	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_a_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_a	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_b	ASQ:SE at 3 years - Child likes to be hugged or cuddled	0"Most of the time", 5"Sometimes", 10"Rarely or never"

ccpnf_3yr_socialemotional_b_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_b	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_c	ASQ:SE at 3 years - Child talks and/or plays with adults they knows well	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_c_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_c	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_d	ASQ:SE at 3 years - Child clings to Dad more than he would expect	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_d_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_d	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_e	ASQ:SE at 3 years - When upset child can calm down within fifteen minutes	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_e_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_e	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_f	ASQ:SE at 3 years - Child seems to be too friendly with strangers	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_f_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_f	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_g	ASQ:SE at 3 years - Child can settle theirselves down after periods of exciting activity	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_g_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_g	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_h	ASQ:SE at 3 years - Child can move from one activity to the next with little difficulty, such as from playtime to mealtime	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_h_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_h	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_i	ASQ:SE at 3 years - Child seems happy	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_i_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_i	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_j	ASQ:SE at 3 years - Child is interested in things around them, such as people, toys, and foods	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_j_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_j	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_k	ASQ:SE at 3 years - Child does what Dad asks them to do	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_k_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_k	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_l	ASQ:SE at 3 years - Child seems more active than other children their age	10"Most of the time", 5"Sometimes", 0"Rarely or never"

ccpnf_3yr_socialemotional_l_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_l	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_m	ASQ:SE at 3 years - Child can stay with activities they enjoy for at least five minutes (not including watching television)	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_m_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_m	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_n	ASQ:SE at 3 years - father and child enjoy mealtimes together	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_n_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_n	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_o	ASQ:SE at 3 years - Child has eating problems, such as stuffing foods, vomiting, or eating nonfood items	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_o_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_o	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_p	ASQ:SE at 3 years - Child sleeps at least 8 hours in a 24-hour period	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_p_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_p	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_q	ASQ:SE at 3 years - Child uses words to tell Dad what they want	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_q_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_q	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_r	ASQ:SE at 3 years - Child follows routine directions	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_r_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_r	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_s	ASQ:SE at 3 years - Child cries, screams or has tantrums for long periods at a time	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_s_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_s	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_t	ASQ:SE at 3 years - Child checks to make sure Dad is near when exploring new places, such as a park or a friend's home	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_t_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_t	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_u	ASQ:SE at 3 years - Child does things over and over and can't seem to stop (eg: rocking, hand flapping or spinning)	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_u_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_u	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_v	ASQ:SE at 3 years - Child hurts themselves on purpose	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_v_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_v	0"Not ticked", 1"Yes"

ccpnf_3yr_socialemotional_w	ASQ:SE at 3 years - Child stays away from dangerous things, such as fire and moving cars	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_w_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_w	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_x	ASQ:SE at 3 years - Child destroys or damages things on purpose	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_x_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_x	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_y	ASQ:SE at 3 years - Child uses words to describe their feelings and the feelings of others, such as, "I'm happy", "I don't like that" or he's sad"	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_y_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_y	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_z	ASQ:SE at 3 years - Child can name a friend	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_z_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_z	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_aa	ASQ:SE at 3 years - Other children like to play with child	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_aa_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_aa	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_bb	ASQ:SE at 3 years - Child likes to play with other children	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnf_3yr_socialemotional_bb_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_bb	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_cc	ASQ:SE at 3 years - Child tries to hurt other children, adults, or animals (eg. By kicking or biting)	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_cc_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_cc	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_dd	ASQ:SE at 3 years - Child shows an interest in or knowledge of adult sexual language and activity	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_dd_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_dd	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_ee	ASQ:SE at 3 years - Concerns have been expressed about child's behaviour	10"Most of the time", 5"Sometimes", 0"Rarely or never"
ccpnf_3yr_socialemotional_ee_concern	Dad is concerned about the behaviour described in ccpnf_3yr_socialemotional_ee	0"Not ticked", 1"Yes"
ccpnf_3yr_socialemotional_ee_description	Specific detail of concerns expressed by others about child's behaviour	Free text
ccpnf_3yr_eatsleptoilconcern	Dad has concerns about child's eating, sleeping or toilet habits	0"No", 1"Yes"

ccpnf_3yr_eatsleepoilconcern_detail	Detail as to why Dad has concerns about child's eating, sleeping or toilet habits	Free text
ccpnf_3yr_wryabtchld	Something worries father about his child	0"No", 1"Yes"
ccpnf_3yr_wryabtchld_specific	Something worries father about his child - detail	Free text
ccpnf_3yr_enjychld	Detail of what father enjoys most about his child	Free text
ccpnf_3yr_noticeable	Noticeability of child's cleft	0"Not at all noticeable", 1"A little noticeable", 2"Quite noticeable", 3"Very noticeable"
ccpnf_3yr_noticeable_nodiff	Noticeability of child's cleft makes no difference	0"Makes no difference - not ticked", 1"Makes no difference - ticked only", 2"Makes no difference - ticked in addition to level of noticeability"
ccpnf_3yr_cenq_bi	Over the last 6 months, father has felt that the cleft is dominating his experience of bringing up his child	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_bii	Over the last 6 months, father has felt that it is his fault that his child was born with cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_biii	Over the last 6 months, father has struggled to come to terms with his child's cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_biv	Over the last 6 months, father has worried that he unable to care for his child because of the cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_bv	Over the last 6 months, father has worried about other health problems his child may have	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_bvi	Over the last 6 months, father has worried that the cleft is affecting his relationship with his child	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_bvii	Over the last 6 months, father has worried that the cleft is affecting his child's relationship with other people	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_bviii	Over the last 6 months, father has worried about his child's future cleft treatment	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_bix	Over the last 6 months, father has felt optimistic about his child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_bx	Over the last 6 months, father has felt that there are positives to having a child with cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnf_3yr_cenq_bx_specify	Over the last 6 months, father has felt that there are positives to having a child with cleft - specified	Free Text
ccpnf_3yr_clapasupt	Father has received support from CLAPA	0"No", 1"Yes"
ccpnf_3yr_clapainfoabtclp	Father has received information about cleft lip and palate from CLAPA	0"No", 1"Yes"

ccpnf_3yr_clapainfoabttrt	Father has received information about cleft treatment from CLAPA	0"No", 1"Yes"
ccpnf_3yr_clapafeedingbot	Father has received feeding bottles from CLAPA	0"No", 1"Yes"
ccpnf_3yr_clapaemotsup	Father has received emotional support from CLAPA	0"No", 1"Yes"
ccpnf_3yr_clapaother	Father has received other kinds of support from CLAPA	0"No", 1"Yes"
ccpnf_3yr_clapaother_detail	Father has received other kinds of support from CLAPA - detail	Free text
ccpnf_3yr_clapasuptcntd	Father still receives support from CLAPA	0"No", 1"Yes, occasionally", 2"Yes, frequently"
ccpnf_3yr_clapasuprtsatfd	Frequency in which father has been satisfied with the support he has received from CLAPA	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always", 5"Always"
ccpnf_3yr_clapaactvvltr	Father is currently an active CLAPA volunteer	0"No", 1"Yes"
<b>Mother's 5 year Questionnaire - birth cohort</b>		
<b>Section A - Your Child's Health</b>		
<b>Data for release</b>		
Variable Name	Variable Label	Variable Values
ccpnm_5yr_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
ccpnm_5yr_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know"
ccpnm_5yr_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
ccpnm_5yr_paldiag	Time in which child's cleft palate was diagnosed	1"At the 20 week scan", 2"During 3D scan", 3"At birth", 4"After birth-late diagnosis", 5"Not applicable"
ccpnm_5yr_3dpaldiag_wks	Gestational age of child at 3D scan where cleft palate was diagnosed - weeks	Continuous, 99"Not applicable"
ccpnm_5yr_paldiag_wks	Age of child when cleft palate was diagnosed postnatally - weeks	Continuous, 999"Not applicable"
ccpnm_5yr_infections	Child has had an infection	0"No", 1"Yes"
ccpnm_5yr_germanmeasles	Child has had German Measles	0"No", 1"Yes"
ccpnm_5yr_measles	Child has had Measles	0"No", 1"Yes"
ccpnm_5yr_chickenpox	Child has had Chickenpox	0"No", 1"Yes"
ccpnm_5yr_mumps	Child has had Mumps	0"No", 1"Yes"
ccpnm_5yr_meningitis	Child has had Meningitis	0"No", 1"Yes"
ccpnm_5yr_uti	Child has had a Urinary Tract Infection (UTI) eg-Cystitis	0"No", 1"Yes"
ccpnm_5yr_chestinfec_pneumonia	Child has had chest infections or Pneumonia	0"No", 1"Yes"

ccpnm_5yr_recurrrearinfec	Child has had recurring ear infections	0"No", 1"Yes"
ccpnm_5yr_othinfec	Child has had other infections	0"No", 1"Yes"
ccpnm_5yr_othinfec_sepc	Other infections child has had	Free text
ccpnm_5yr_condneuro	Child had or currently has a neurological or sensory condition	0"No", 1"Yes"
ccpnm_5yr_condhrtlng	Child had or currently has a heart, lung or immune system condition	0"No", 1"Yes"
ccpnm_5yr_condsknmus	Child had or currently has a skin or musculoskeletal condition	0"No", 1"Yes"
ccpnm_5yr_condmetabolic	Child had or currently has a metabolic condition	0"No", 1"Yes"
ccpnm_5yr_condabdominal	Child had or currently has a abdominal condition	0"No", 1"Yes"
ccpnm_5yr_condkidblad	Child had or currently has a kidney or bladder condition	0"No", 1"Yes"
ccpnm_5yr_devprob	Child has problems with the development of their eyes, ears, cheekbones, jaw, tongue, hands, feet, spine or other body part	0"No", 1"Yes"
ccpnm_5yr_devprob_eyes	Child has problems with the development of their eyes	0"No", 1"Yes"
ccpnm_5yr_devprob_ears	Child has problems with the development of their ears	0"No", 1"Yes"
ccpnm_5yr_devprob_chkbns	Child has problems with the development of their cheekbones	0"No", 1"Yes"
ccpnm_5yr_devprob_jaw	Child has problems with the development of their jaw	0"No", 1"Yes"
ccpnm_5yr_devprob_tongue	Child has problems with the development of their tongue	0"No", 1"Yes"
ccpnm_5yr_devprob_hands	Child has problems with the development of their hands	0"No", 1"Yes"
ccpnm_5yr_devprob_feet	Child has problems with the development of their feet	0"No", 1"Yes"
ccpnm_5yr_devprob_spine	Child has problems with the development of their spine	0"No", 1"Yes"
ccpnm_5yr_devprob_other	Child has problems with the development of another body part	0"No", 1"Yes"
ccpnm_5yr_devprob_other_detail	Child has problems with the development of another body part - detail	Free text
ccpnm_5yr_syndrome	Child has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes",2"Currently undergoing tests"
ccpnm_5yr_syndrome_test	Child is currently undergoing genetic testing	0"No", 1"Yes"
ccpnm_5yr_syndrome_prs	Child has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
ccpnm_5yr_syndrome_vw	Child has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
ccpnm_5yr_syndrome_tc	Child has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
ccpnm_5yr_syndrome_hm	Child has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
ccpnm_5yr_syndrome_ss	Child has been diagnosed with Stickler syndrome	0"No", 1"Yes"



ccpnm_5yr_syndrome_22q	Child has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
ccpnm_5yr_syndrome_cranio	Child has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
ccpnm_5yr_syndrome_cl	Child has been diagnosed with Cornelia de lange syndrome	0"No", 1"Yes"
ccpnm_5yr_syndrome_other	Child has been diagnosed with another syndrome or genetic condition	0"No", 1"Yes"
ccpnm_5yr_syndrome_other_detail	Child has been diagnosed with another syndrome or genetic condition - detail	Free Text
ccpnm_5yr_othercondition	Child has been diagnosed with another condition not already mentioned	Free text
<b>Section B - Your Child's Teeth</b>		

#### Data for release

Variable Name	Variable Label	Variable Values
ccpnm_5yr_numtth	Number of teeth child currently has	Discrete
ccpnm_5yr_brshchldtth_tm	Time of day when child's teeth get brushed	0"Never",1"Morning",2"Morning and evening", 3"Evening", 4"Other"
ccpnm_5yr_brshchldtth_tm_detail	Time of day when child's teeth get brushed - other	Free text
ccpnm_5yr_brshchldtth_who	Person who brushes child's teeth	1"Parent", 2"Child", 3"Both parent and child", 4"Other", 5"Not applicable"
ccpnm_5yr_brshchldtth_who_detail	Person who brushes child's teeth - other	Free text
ccpnm_5yr_tthpst	Toothpaste child is currently using	0"None",1"Children's paste (0-3 years)", 2"Children's paste (over 3 years)", 3"Adult toothpaste"
ccpnm_5yr_chlddrnk_bfbd	Child drinks in the last hour before bed	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_wterbfbd	Child drinks water in the last hour before bed	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_mlkbfbd	Child drinks milk in the last hour before bed	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_juicbfbd	Child drinks fruit juice in the last hour before bed	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_sqshbfbd	Child drinks squash in the last hour before bed	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_othbfbd	Child drinks something other than water, milk, fruit juice or squash in the last hour before bed	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_othrdetailbfbd	Child drinks something other than water, milk or juice in the last hour before bed - specified	Free text
ccpnm_5yr_mtrbrshchldtth_bfbd	Mother brushes her child's teeth after child has drunk in the last hour before bed	0"No", 1"Yes"

ccpnm_5yr_chlddrnk_nt	Child drinks in the night	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_wtrnght	Child drinks water in the night	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_mlknght	Child drinks milk in the night	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_juicnght	Child drinks fruit juice in the night	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_sqshnght	Child drinks squash in the night	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_othrnght	Child drinks something other than water, milk, fruit juice or squash in the night	0"No", 1"Yes"
ccpnm_5yr_chlddrnk_othrdetailnght	Child drinks something other than water, milk or juice in the night - specified	Free text
ccpnm_5yr_mtrfmydntst	Mother has a family dentist	0"No", 1"Yes"
ccpnm_5yr_agechlddntstlkdmt	Age of child when the dentist first looked in their mouth	0"Has not yet looked", 1"Less than 18 months", 2"18-24 months", 3"2-3 years", 4"3-4 years", 5"4-5 years", 6"Not applicable"
ccpnm_5yr_frqchldvstdntst	Frequency in how often child visits dentist	1"Every 3 months", 2"Every 4 months", 3"Every 6 months", 4"Every 12 months", 5"Other", 6"Not applicable"
ccpnm_5yr_frqchldvstdntst_oth	Frequency in how often child visits dentist - other	Free text
ccpnm_5yr_dntstchldtth	The dentist has spoken to mother about caring for her child's teeth	0"No", 1"Yes", 2"Not applicable"
ccpnm_5yr_dntstspkntthbrshng	The dentist has spoken to mother about teeth brushing	0"No", 1"Yes"
ccpnm_5yr_dntstspkndiet	The dentist has spoken to mother about diet	0"No", 1"Yes"
ccpnm_5yr_dntstspknflrdthp	The dentist has spoken to mother about fluoride in toothpaste	0"No", 1"Yes"
ccpnm_5yr_dntstspknflrdwtr	The dentist has spoken to mother about fluoride in water	0"No", 1"Yes"
ccpnm_5yr_dntstspknflrdvrnsh	The dentist has spoken to mother about fluoride in varnishes	0"No", 1"Yes"
ccpnm_5yr_dntstflrdvrnsh	The dentist has placed fluoride varnish on child's teeth	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_5yr_dntstflrdvrnsh_freq	Number of times fluoride varnish has been applied to child's teeth	1"Only once", 2"Once a year", 3"Twice a year", 4"3 times a year", 5"4 times a year", 6"Don't know", 7"Not applicable"
ccpnm_5yr_bsdmyntst	Child has seen another dental specialist besides family dentist	0"No", 1"Yes"
ccpnm_5yr_bsdmydntst_lctnct	Child sees other dental specialist besides family dentist in the cleft team	0"No", 1"Yes"
ccpnm_5yr_bsdmydntst_lctnhsptl	Child sees other dental specialist besides family dentist at the hospital	0"No", 1"Yes"
ccpnm_5yr_bsdmydntst_lctnelse	Child sees other dental specialist besides family dentist somewhere else	0"No", 1"Yes"
ccpnm_5yr_bsdmydntst_lctndetail	Location where child sees other dental specialist besides family dentist - specified	Free text
ccpnm_5yr_chlddecay	Mother has been informed child has dental caries / decay	0"No", 1"Yes", 2"Don't know"
ccpnm_5yr_chlddntlprcdre	Child has had a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know"

ccpnm_5yr_chldflng	Child has had at least one filling	0"No", 1"Yes"
ccpnm_5yr_chldmtlcrwn	Child has had at least one metal crown	0"No", 1"Yes"
ccpnm_5yr_chldtthrmvcd	Child has had at least tooth removed	0"No", 1"Yes"
ccpnm_5yr_chlddntlprcdre_inject	Child had an injection in their mouth whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_5yr_chlddntlprcdre_gssed	Child had gas and air sedation whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_5yr_chlddntlprcdre_asleep	Child was asleep whilst having a filling, a metal crown or a tooth removed	0"No", 1"Yes", 2"Don't know", 3"Not applicable"
ccpnm_5yr_hypoplstic_mnrld	Mother has been told that her child's teeth are hypoplastic/hypomineralised	0"No", 1"Yes", 2"Don't know"
ccpnm_5yr_chldbngdfrnttth	Child at some point has banged their front teeth badly	0"No", 1"Yes", 2"Don't know"
ccpnm_5yr_mtrcnrcnrchldtth	Mother has concerns about her child's teeth	0"No", 1"Yes"
ccpnm_5yr_mtrcnrcnrchldtthnum	Mother is concerned about the number of teeth child has	0"No", 1"Yes"
ccpnm_5yr_mtrcnrcnrchldtthshp	Mother is concerned about the shape of her child's teeth	0"No", 1"Yes"
ccpnm_5yr_mtrcnrcnrchldtthpstn	Mother is concerned about the position of her child's teeth	0"No", 1"Yes"
ccpnm_5yr_mtrcnrcnrchldtthclr	Mother is concerned about the colour of her child's teeth	0"No", 1"Yes"
ccpnm_5yr_mtrcnrcnrchldtthothr	Mother has other concerns about her child's teeth	0"No", 1"Yes"
ccpnm_5yr_mtrcnrcnrchldtthothrdetail	Mother has other concerns about her child's teeth - specified	Free text

## Section C - Additional Questions About Your Child

### Data for release

Variable Name	Variable Label	Variable Values
<b>Childcare</b>		
ccpnm_5yr_nochldcr	No one else looked after child	0"No", 1"Yes"
ccpnm_5yr_grndprntchldcr_freq	Frequency in which grandparent looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_othrelativechldcr_freq	Frequency in which other relative looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_frndnbrchldcr_freq	Frequency in which friend or neighbour looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_chldminderchldcr_freq	Frequency in which a paid person outside the home (eg: childminder) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_nannychldcr_freq	Frequency in which a paid person inside the home (eg: nanny) looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_otherchldcr	Other childcare which regularly looked after child	Free text

ccpnm_5yr_otherchldcr_freq	Frequency in which a other childcare looked after child each week	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_nochldcr_schldy	No one else looked after child on school days	0"No", 1"Yes"
ccpnm_5yr_grndprntchldcr_freq_schldy	Frequency in which grandparent looked after child each week on school days	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_othrelativechldcr_freq_schldy	Frequency in which other relative looked after child each week on school days	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_frndnbrchldcr_freq_schldy	Frequency in which friend or neighbour looked after child each week on school days	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_chldminderchldcr_freq_schldy	Frequency in which a paid person outside the home (eg: childminder) looked after child each week on school days	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_nannychldcr_freq_schldy	Frequency in which a paid person inside the home (eg: nanny) looked after child each week on school days	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_clubchldcr_freq_schldy	Frequency in which an after school club looked after child each week on school days	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
ccpnm_5yr_otherchldcr_schldy	Other childcare which regularly looked after child on school days	Free text
ccpnm_5yr_otherchldcr_freq_schldy	Frequency in which a other childcare looked after child each week on school days	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
<b>Pre-cursors to Intelligibility in context scale</b>		
ccpnm_5yr_chldtlkssound	Child can talk using speech sounds and/or words	0"No", 1"Yes"
ccpnm_5yr_chldcomm_gestsignlan	Child can communicate using gestures and sign language	0"No", 1"Yes"
ccpnm_5yr_chldcomm_facexp	Child can communicate using facial expressions	0"No", 1"Yes"
ccpnm_5yr_chldcomm_pointlook	Child can communicate using pointing and looking at things	0"No", 1"Yes"
ccpnm_5yr_chldcomm_other	Child can communicate in another way	0"No", 1"Yes"
ccpnm_5yr_chldcomm_other_detail	Child can communicate in another way - detail of other communication method	Free Text
<b>Intelligibility in context scale</b>		
ccpnm_5yr_ics_undrstnd	Mum understands her child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_5yr_ics_fmundrstnd	Immediate family understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_5yr_ics_exfmundrstnd	Extended family understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_5yr_ics_frndundrstnd	Child's friends understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_5yr_ics_acqundrstnd	Other acquaintances understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_5yr_ics_tchrundrstnd	Child's teachers/carers understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_5yr_ics_strngrundrstnd	Strangers understand child's speech	1"Never", 2"Rarely", 3"Sometimes", 4"Usually", 5"Always"
ccpnm_5yr_ics_totalscore	Intelligibility in context scale - total score	Continuous
ccpnm_5yr_ics_numicsans	Number of Intelligibility in context scale questions answered	Discrete
ccpnm_5yr_ics_avgscore	Intelligibility in context scale - average total score	Continuous
ccpnm_5yr_ics_avgscrvalid	All seven or six minus teacher ICS questions answered	0"No", 1"Yes"

<b>RHD9 Scale - Hearing</b>		
ccpnm_5yr_rhd9_a	Mum's description of child's hearing	0"Normal", 1.138"Slightly below normal", 2.051"Poor", 2.617"Very Poor", 1.010"Not sure"
ccpnm_5yr_rhd9_b	Child's hearing ability has varied	0"No - normal", 2.578"No - always impaired", 1.697"Yes - up and down", 1.087"Not sure"
ccpnm_5yr_rhd9_c	Child has raised the sound of the TV/radio	0"No", 0.255"Rarely", 1.252"Often", 1.894"Always", 0.793"Not sure"
ccpnm_5yr_rhd9_d	Child has responded when called in a normal voice	2.280"No", 2.026"Rarely", 0.992"Often", 0"Always", 1.091"Not sure"
ccpnm_5yr_rhd9_e	Child has misheard words when not looking at mum	0"No", 0.673"Rarely", 1.853"Often", 2.733"Always", 0.971"Not sure"
ccpnm_5yr_rhd9_f	Child has turned the wrong way to a call or sound	0"No", 0.715"Rarely", 1.508"Often", 1.943"Always", 0.879"Not sure"
ccpnm_5yr_rhd9_g	Child has difficulty hearing when spoken to face to face in a quiet room	0"No", 0.822"Rarely", 1.367"Often", 1.419"Always", 0.421"Not sure"
ccpnm_5yr_rhd9_h	Child has difficulty hearing when with a group of people	0"No", 0.761"Rarely", 1.777"Often", 2.649"Always", 1.091"Not sure"
ccpnm_5yr_rhd9_i	Child has asked for things to be repeated	0"No", 0.392"Rarely", 1.733"Often", 2.645"Always", 0.988"Not sure"
ccpnm_5yr_trbears	Number of times child has had trouble with their ears	0"Not at all", 1"Once", 2"2-3 times", 3"4-5 times", 4"6 or more times"
ccpnm_5yr_erinfect	Number of times child has had an ear infection	0"0", 1"Once", 2"2-3 times", 3"4 or more", -1"Not sure"
ccpnm_5yr_erache	Number of times child has had an earache	0"0", 1"Once", 2"2-3 times", 3"4 or more", -1"Not sure"
<b>Section D - Work and Education</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>

ccpnm_5yr_higheduqual	Mother's highest educational qualification	0"No qualifications", 1"One or more Olevels/CSEs/GCEs (any grades)", 2"Five or more Olevels/CSEs (grade 1)/GCSEs (grades A* - C)/School Certificate", 3"One or more A Levels/AS Levels", 4"Two or more A Levels/Four or more AS Levels/Higher School Certificate", 5"NVQ Level 1/Foundation GNVQ", 6"NVQ Level 2/Intermediate GNVQ", 7"NVQ Level 3/Advanced GNVQ", 8"NVQ Levels 4-5/HNC/HND", 9"First degree (e.g. BA/BSc)", 10"Higher degree (e.g. MA, PhD, Postgraduate PGCE)", 11"Other qualifications (e.g. City and Guilds, RSA/OCR, BTEC/Edexcel)", 12"Overseas qualifications", 13"Other", 14"Don't know"
ccpnm_5yr_crntemplymnt	Mother's current employment status	1"Student", 2"Homemaker", 3"Intern/apprentice", 4"Military Service", 5"Unemployed/laid off", 6"Rehabilitation/disabled", 7"Employed in public sector", 8"Employed in private sector", 9"Self-employed", 10"Other"
ccpnm_5yr_crntemplymnt_oth	Mother's current employment status - other	Free Text
ccpnm_5yr_crntoccpn	Mother's current/most recent occupation	1"Professional/executive", 2"Small business proprietor sales", 3"Clerical/administrative", 4"Skilled worker", 5"Semiskilled worker", 6"Unskilled worker", 7"Student/school pupil", 8"Homemaker", 9"Volunteer worker", 10"Other"
ccpnm_5yr_jbtitle	Mother's current/most recent job title	Free text
ccpnm_5yr_timejb	Length of time Mother has worked/did work in current/most recent job	Continuous (Months)
ccpnm_5yr_absncewrk	Mother has been absent from work (other than maternity leave) for more than 2 weeks in the last year	0"No", 1"Yes"
ccpnm_5yr_absncewrk_reas	Reason for Mother's absence from work (other than maternity leave) for more than 2 weeks in the last year	1"Medical leave", 2"Leave of absence", 3"Child was ill", 4"Other"
ccpnm_5yr_hrswrkwk	Hours worked by Mother per week	Continuous (hours per week)
ccpnm_5yr_crrntwrkhrs	Mother's current working hours	1"Permanent day", 2"Permanent evening", 3"Permanent night", 4"Shift work", 5"No set times / Temporary", 6"Other"
ccpnm_5yr_phshvywrk	Mother does physically heavy work in her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_5yr_strssflwrk	Mother finds her current work situation very stressful	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_5yr_lrnwrk	Mother learns a lot within her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_5yr_mntnswrk	Mother's current work is very monotonous	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_5yr_dmndswrk	Mother's current work demands a lot of her	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_5yr_slfmngwrk	Mother is able to decide how her work is carried out in her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"

ccpnm_5yr_gdtmsprtwrk	There is good team spirit in the Mother's current place of work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_5yr_enjywrk	Mother enjoys her current work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
ccpnm_5yr_annlincm	Mother's annual income after tax, including tax credits, benefits and other sources	1"£1,299 or less", 2"£1,300 - £2,099", 3"£2,100 - £3,099", 4"£3,100 - £4,199", 5"£4,200 - £5,199", 6"£5,200 - £6,499", 7"£6,500 - £7,799", 8"£7,800 - £9,299", 9"£9,300 - £10,999", 10"£11,000 - £13,499", 11"£13,500 - £15,999", 12"£16,000 - £19,999", 13"£20,000 - £24,999", 14"£25,000 - £29,999", 15"£30,000 - £39,999", 16"£40,000 - £49,999", 17"£50,000 - £59,999", 18"£60,000 - £69,999", 19"£70,000 - £79,999", 20"£80,000 or more"
ccpnm_5yr_crds_bnfts	Mother, as an individual, receives credits, allowances or benefits	0"No", 1"Yes", 2"Don't know"
ccpnm_5yr_chldbnt	Mother receives Child Benefit	0"No", 1"Yes"
ccpnm_5yr_chldtxcrdt	Mother receives Child Tax Credit	0"No", 1"Yes"
ccpnm_5yr_wrkngtxcrdt	Mother receives Working Tax Credit	0"No", 1"Yes"
ccpnm_5yr_incmspprt	Mother receives Income Support	0"No", 1"Yes"
ccpnm_5yr_dsblyalwnc	Mother receives Disability Living Allowance	0"No", 1"Yes"
ccpnm_5yr_jbskrsalwnc	Mother receives income tested Job Seeker's allowance	0"No", 1"Yes"
ccpnm_5yr_hbrctb	Mother receives Housing Benefit/Rent Rebate/Council Tax Benefit	0"No", 1"Yes"
ccpnm_5yr_incpctybnft	Mother receives Incapacity Benefits	0"No", 1"Yes"
ccpnm_5yr_pnsncrdt	Mother receives Pension Credit	0"No", 1"Yes"
ccpnm_5yr_careralwnc	Mother receives Carer's Allowance	0"No", 1"Yes"
ccpnm_5yr_indincmfrmbnt	Amount of Mother's individual income that comes from benefits	0"None", 1"less than 25%", 2"Between 25% and 50%", 3"50% or more"
<b>Section E - Health and Illness</b>		
<b>Data for release</b>		
Variable Name	Variable Label	Variable Values
ccpnm_5yr_mthrepilepsy	Mother has a medical history of epilepsy and/or seizures	0"No",1"Yes"
ccpnm_5yr_mthrhldpres	Mother has a medical history of high blood pressure	0"No",1"Yes"
ccpnm_5yr_mthrdiabetes	Mother has a medical history of diabetes	0"No",1"Yes"
ccpnm_5yr_mthrhrtdis	Mother has a medical history of heart disease	0"No",1"Yes"
ccpnm_5yr_mthrarthritis	Mother has a medical history of arthritis	0"No",1"Yes"
ccpnm_5yr_mthrthyroid	Mother has a medical history of a thyroid condition	0"No",1"Yes"

ccpnm_5yr_mthrhepatitis	Mother has a medical history of hepatitis	0"No",1"Yes"
ccpnm_5yr_mthrlupus	Mother has a medical history of lupus	0"No",1"Yes"
ccpnm_5yr_mthrsevacne	Mother has a medical history of sever acne	0"No",1"Yes"
ccpnm_5yr_mthrasthma	Mother has a medical history of asthma	0"No",1"Yes"
ccpnm_5yr_mthrallergies	Mother has a medical history of allergies	0"No",1"Yes"
ccpnm_5yr_mthrsevheadaches	Mother has a medical history of severe headaches	0"No",1"Yes"
ccpnm_5yr_mthrchronearinfect	Mother has a medical history of chronic ear infections	0"No",1"Yes"
ccpnm_5yr_mthrcancer	Mother has previously been diagnosed with cancer	0"No",1"Yes"
ccpnm_5yr_mthr_brstcancer	Mother has previously been diagnosed with breast cancer	0"No",1"Yes"
ccpnm_5yr_mthr_crvlcancer	Mother has previously been diagnosed with cervical cancer	0"No",1"Yes"
ccpnm_5yr_mthr_clnrctmcancer	Mother has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"
ccpnm_5yr_mthr_leukaemia	Mother has previously been diagnosed with leukaemia	0"No",1"Yes"
ccpnm_5yr_mthr_lngcancer	Mother has previously been diagnosed with lung cancer	0"No",1"Yes"
ccpnm_5yr_mthr_skncancer	Mother has previously been diagnosed with skin cancer	0"No",1"Yes"
ccpnm_5yr_mthr_thyrdcancer	Mother has previously been diagnosed with thyroid cancer	0"No",1"Yes"
ccpnm_5yr_mthr_utrscancer	Mother has previously been diagnosed with uterus cancer	0"No",1"Yes"
ccpnm_5yr_mthr_othercancer	Mother has previously been diagnosed with another cancer	0"No",1"Yes"
ccpnm_5yr_mthr_hrtdfct	Mother has been diagnosed with a heart defect	0"No",1"Yes"
ccpnm_5yr_mthr_shrtsight	Mother has been diagnosed with short-sightedness	0"No",1"Yes"
ccpnm_5yr_mthr_lrndiff	Mother has been diagnosed with a learning difficulty	0"No",1"Yes"
ccpnm_5yr_mthr_othercongen	Mother has been diagnosed with another congenital defect (other than cleft)	0"No",1"Yes"
ccpnm_5yr_mthr_gendis	Mother has been diagnosed with a genetic disorder	0"No",1"Yes"
ccpnm_5yr_mthr_hrngls	Mother has been diagnosed with hearing loss or impairment	0"No",1"Yes"
ccpnm_5yr_mthr_behavprob	Mother has been diagnosed with a behavioural problem	0"No",1"Yes"
ccpnm_5yr_mthr_anxiety	Mother has been diagnosed with anxiety	0"No",1"Yes"
ccpnm_5yr_mthr_phobia	Mother has been diagnosed with a phobia	0"No",1"Yes"
ccpnm_5yr_mthr_depression	Mother has been diagnosed with depression	0"No",1"Yes"
ccpnm_5yr_mthr_bipoloar	Mother has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
ccpnm_5yr_mthr_schizophrenia	Mother has been diagnosed with Schizophrenia	0"No",1"Yes"
<b>Section F - Your Lifestyle</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
ccpnm_5yr_alcoholnow	Mother currently drinks alcohol	0"No",1"Yes"



ccpnm_5yr_alcoholnowunits	Units of alcohol per week currently drank by mother	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty unts",6"More than thirty units"
ccpnm_5yr_crntsmk	Mother currently smokes cigarettes	0"No",1"Yes"
ccpnm_5yr_crntsmk_perday	Average number of cigarettes mother currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
ccpnm_5yr_chldpssvsmk	Child is exposed to passive smoke	0"No",1"Yes"
ccpnm_5yr_chldpssvsmkhrs	Hours per day in which child is exposed to passive smoke	1"Less than one hour per day", 2"One to two hours per day", 3"Three to four hours per day", 4"More than four hours per day"
ccpnm_5yr_crntdruguse	Mother currently uses drugs	0"No",1"Yes"
ccpnm_5yr_crntcannabis	Mother currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_5yr_crntcocaine	Mother currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_5yr_crntecstasy	Mother currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_5yr_crntamphets	Mother currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_5yr_crntheroiin	Mother currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_5yr_crntotherdrug	Mother currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
ccpnm_5yr_crntotherdrug_detail	Detail of other drug currently used by mother	Free text
ccpnm_5yr_minsvigex	Minutes mother spends on vigorous exercise a week	Continuous (minutes)
ccpnm_5yr_minsmodex	Minutes mother spends on moderate exercise a week	Continuous (minutes)
ccpnm_5yr_muscstrex	Minutes mother spends on muscle strengthening activities a week	Discrete (times per week)
<b>Section G - Your Wellbeing</b>		

Data for release		
Variable Name	Variable Label	Variable Values
<b>PedsQL FIM</b>		
ccpnm_5yr_pedsqfim_pf_a	In the past month, as a result of their child's health, mother feels tired during the day	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_pf_b	In the past month, as a result of their child's health, mother feels tired when she wakes up in the morning	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_pf_c	In the past month, as a result of their child's health, mother feels too tired to do the things she would like to do	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_pf_d	In the past month, as a result of their child's health, mother gets headaches	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_pf_e	In the past month, as a result of their child's health, mother feels physically weak	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_pf_f	In the past month, as a result of their child's health, mother feels sick to her stomach	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_pf	Physical Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G1 a-f
ccpnm_5yr_pedsqfim_pf_avg	Physical Functioning - PedsQL Family Impact Module (v2) average	Continuous score - sum of questions G1 a-f if at least 50% questions answered
ccpnm_5yr_pedsqfim_ef_g	In the past month, as a result of their child's health, mother feels anxious	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_ef_h	In the past month, as a result of their child's health, mother feels sad	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_ef_i	In the past month, as a result of their child's health, mother feels angry	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_ef_j	In the past month, as a result of their child's health, mother feels frustrated	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_ef_k	In the past month, as a result of their child's health, mother feels helpless or hopeless	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_ef	Emotional Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G1 g-k
ccpnm_5yr_pedsqfim_ef_avg	Emotional Functioning - PedsQL Family Impact Module (v2) average	Continuous score - sum of questions G1 g-k if at least 50% questions answered
ccpnm_5yr_pedsqfim_sf_l	In the past month, as a result of their child's health, mother feels isolated from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_sf_m	In the past month, as a result of their child's health, mother has trouble getting support from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_sf_n	In the past month, as a result of their child's health, mother feels it is hard to find time for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

ccpnm_5yr_pedsqfim_sf_o	In the past month, as a result of their child's health, mother does not have enough energy for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_sf	Social Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G1 l-o
ccpnm_5yr_pedsqfim_sf_avg	Social Functioning - PedsQL Family Impact Module (v2) average	Continuous score - sum of questions G1 l-o if at least 50% questions answered
ccpnm_5yr_pedsqfim_cf_p	In the past month, as a result of their child's health, mother feels it is hard to keep her attention on things	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_cf_q	In the past month, as a result of their child's health, mother feels it is hard to remember what people tell her	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_cf_r	In the past month, as a result of their child's health, mother feels that it is hard for her to remember what she has just heard	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_cf_s	In the past month, as a result of their child's health, mother feels it is hard for her to think quickly	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_cf_t	In the past month, as a result of their child's health, mother has trouble remembering what she was just thinking	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_cf	Cognitive Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G1 p-t
ccpnm_5yr_pedsqfim_cf_avg	Cognitive Functioning - PedsQL Family Impact Module (v2) average	Continuous score - sum of questions G1 p-t if at least 50% questions answered
ccpnm_5yr_pedsqfim_com_u	In the past month, as a result of their child's health, mother feels that others do not understand her family's situation	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_com_v	In the past month, as a result of their child's health, mother finds it hard to talk about her child's health with others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_com_w	In the past month, as a result of their child's health, mother finds it hard to tell doctors and nurses how she feels	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_com	Communication - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G1 u-w
ccpnm_5yr_pedsqfim_com_avg	Communication - PedsQL Family Impact Module (v2) average	Continuous score - sum of questions G1 u-w if at least 50% questions answered
ccpnm_5yr_pedsqfim_wor_x	In the past month, as a result of their child's health, mother worries about whether or not her child's medical treatments are working	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_wor_y	In the past month, as a result of their child's health, mother worries about the side effects of her child's medication/medical treatments	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_wor_z	In the past month, as a result of their child's health, mother worries about how others will react to her child's condition	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_wor_aa	In the past month, as a result of their child's health, mother worries about how her child's illness is affecting other family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

ccpnm_5yr_pedsqfim_wor_bb	In the past month, as a result of their child's health, mother worries about her child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_wor	Worry - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G1 x-bb
ccpnm_5yr_pedsqfim_wor_avrg	Worry - PedsQL Family Impact Module (v2) average	Continuous score - sum of questions G1 x-bb if at least 50% questions answered
ccpnm_5yr_pedsqfim_da_a	In the past month, as a result of their child's health, family activities have taken more time and effort	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_da_b	In the past month, as a result of their child's health, family have had difficulty finding time to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_da_c	In the past month, as a result of their child's health, family have felt too tired to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_da	Problems with daily Activities - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G2 a-c
ccpnm_5yr_pedsqfim_da_avrg	Problems with daily Activities - PedsQL Family Impact Module (v2) average	Continuous score - sum of questions G2 a-c if at least 50% questions answered
ccpnm_5yr_pedsqfim_fr_d	In the past month, as a result of their child's health, there has been a lack of communication between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_fr_e	In the past month, as a result of their child's health, there have been conflicts between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_fr_f	In the past month, as a result of their child's health, there has been difficulty making decisions together as a family	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_fr_g	In the past month, as a result of their child's health, there has been difficulty solving family problems together	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_fr_h	In the past month, as a result of their child's health, there has been stress or tension between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_pedsqfim_fr	Problems with family relationships - PedsQL Family Impact Module (v2)	Continuous score - sum of questions G2 d-h
ccpnm_5yr_pedsqfim_fr_avrg	Problems with family relationships - PedsQL Family Impact Module (v2) average	Continuous score - sum of questions G2 d-h if at least 50% questions answered
ccpnm_5yr_pedsqfim_avrg	PedsQL Family Impact Module (v2) average	Continuous score - average of questions G1 a-bb & G2 a-h if at least 50% questions answered
ccpnm_5yr_pedsqfim_prntHRQL_avrg	Parent HRQL - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G1 a-t if at least 50% questions answered
ccpnm_5yr_pedsqfim_fmfnctn_avrg	Family Functioning - PedsQL Family Impact Module (v2) average	Continuous score - average of questions G2 a-h if at least 50% questions answered
ccpnm_5yr_pedsqhlsgm_info_a	Mother's happiness about how much information was provided to the family, from the hospital, about their child's diagnosis	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnm_5yr_pedsqhlhsgm_info_b	Mother's happiness about how much information was provided to the family, from the hospital, about their child's treatment and course of child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_info_c	Mother's happiness about how much information was provided to the family, from the hospital, about the side effects of their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_info_d	Mother's happiness about how much information was provided to the family, from the hospital, about their child's test results	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_info_e	Mother's happiness about how often they are updated, from the hospital, about their child's health	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_info	Mother's happiness on information - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G3 a-e
ccpnm_5yr_pedsqhlhsgm_info_avrg	Mother's happiness on information - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G3 a-e if at least 50% questions answered
ccpnm_5yr_pedsqhlhsgm_iof_f	Mother's happiness of the hospitals sensitivity shown to the family suring their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_iof_g	Mother's happiness of the hospitals willingness to answer questions that the family have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_iof_h	Mother's happiness of the hospitals effort to include the family in discussion of their child's care and other information about their child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_iof_i	Mother's happiness at how much time the staff gave them to ask any questions they may have had about their child's health and treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_iof	Mother's happiness on inclusion of family - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G3 f-i
ccpnm_5yr_pedsqhlhsgm_iof_avrg	Mother's happiness on inclusion of family - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G3 f-i if at least 50% questions answered
ccpnm_5yr_pedsqhlhsgm_com_j	Mother's happiness of how well the staff explained their child's health condition and treatment to their child in a way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_com_k	Mother's happiness of the time taken to explain their child's health condition and treatment to them (mother) in the way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnm_5yr_pedsqhlhsgm_com_l	Mother's happiness of how well the staff listens to them and their concerns	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_com_m	Mother's happiness of the preparation provided for them about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_com_n	Mother's happiness of the preparation provided for their child about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_com	Mother's happiness on communication - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G3 j-n
ccpnm_5yr_pedsqhlhsgm_com_avrg	Mother's happiness on communication - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G3 j-n if at least 50% questions answered
ccpnm_5yr_pedsqhlhsgm_ts_o	Mother's happiness of how well the staff responds to their child's needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_ts_p	Mother's happiness of the efforts to keep their child comfortable and as pain free as possible	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_ts_q	Mother's happiness of how much time the staff took to help you with your child coming back home	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_ts	Mother's happiness on technical skills - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G3 o-q
ccpnm_5yr_pedsqhlhsgm_ts_avrg	Mother's happiness on technical skills - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G3 o-q if at least 50% questions answered
ccpnm_5yr_pedsqhlhsgm_en_r	Mother's happiness of the amount of time given to their child to play, talk about their feelings, and any questions they may have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_en_s	Mother's happiness of the amount of time spent helping their child with going back to school	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_en_t	Mother's happiness of the amount of time spent attending their child's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_en_u	Mother's happiness of the amount of time hospital spent attending mother's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

ccpnm_5yr_pedsqhlhsgm_en	Mother's happiness on emotional needs - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G3 r-u
ccpnm_5yr_pedsqhlhsgm_en_avg	Mother's happiness on emotional needs - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G3 r-u if at least 50% questions answered
ccpnm_5yr_pedsqhlhsgm_os_v	Mother's happiness of the overall care their child is receiving	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_os_w	Mother's happiness of how friendly and helpful the staff are	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_os_x	Mother's happiness of the way their child is treated at the hospital	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
ccpnm_5yr_pedsqhlhsgm_os	Mother's happiness on overall satisfaction - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions G3 v-x
ccpnm_5yr_pedsqhlhsgm_os_avg	Mother's happiness on overall satisfaction - PedsQL Healthcare Satisfaction Generic Module (v3) average	Continuous score - average of questions G3 v-x if at least 50% questions answered
ccpnm_5yr_pss_a	In the last month, frequency mother has been upset because of something that happened unexpectedly - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss_b	In the last month, frequency mother has felt that she was unable to control the important things in her life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss_c	In the last month, frequency of how often mother has felt nervous and stressed - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss_d	In the last month, frequency of how often mother has felt confident about her ability to handle her personal problems - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss_e	In the last month, frequency of how often mother has felt things were going her way - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss_f	In the last month, frequency of how often mother has found that she could not cope with all the things she had to do - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss_g	In the last month, frequency of how often mother has felt she is able to control irritations in her life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss_h	In the last month, frequency of how often mother has felt she was on top of things - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"

ccpnm_5yr_pss_i	In the last month, frequency of how often mother has been angered because of things there were outside of her control - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss_j	In the last month, frequency of how often mother has felt difficulties were piling up so high that she could not overcome them - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
ccpnm_5yr_pss	Perceived Stress Scale - Cohen et al. (1988)	Sum of G3 a-j, continuous
ccpnm_5yr_hads_a	Mother feels tense or 'wound up'	0"Not at all", 1"From time to time, occasionally", 2"A lot of the time", 3"Most of the time"
ccpnm_5yr_hads_b	Mother still enjoys the things she used to enjoy	0"Definitely as much", 1"Not quite so much", 2"Only a little", 3"Hardly at all"
ccpnm_5yr_hads_c	Mother gets a sort of frightened feeling as if something awful is about to happen	0"Not at all", 1"A little, but it doesn't worry me", 2"Yes, but not too badly", 3"Very definitely and quite badly"
ccpnm_5yr_hads_d	Mother can laugh and see the funny side of things	0"As much as she always could", 1"Not quite so much now", 2"Definitely not so much now", 3"Not at all"
ccpnm_5yr_hads_e	Mother has worrying thoughts that go through her mind	0"Only occasionally", 1"From time to time, but not too often", 2"A lot of the time", 3"A great deal of the time"
ccpnm_5yr_hads_f	Mother feels cheerful	0"Most of the time", 1"Sometimes", 2"Not often", 3"Not at all"
ccpnm_5yr_hads_g	Mother can sit at ease and feel relaxed	0"Definitely", 1"Usually", 2"Not often", 3"Not at all"
ccpnm_5yr_hads_h	Mother feels as if she is slowed down	0"Not at all", 1"Sometimes", 2"Very often", 3"Nearly all the time"
ccpnm_5yr_hads_i	Mother gets a sort of frightened feeling like 'butterflies' in the stomach	0"Not at all", 1"Occasionally", 2"Quite often", 3"Very often"
ccpnm_5yr_hads_j	Mother has lost interest in her appearance	0"I take just as much care as ever", 1"I may not take quite as much care", 2"I don't take as much care as I should", 3"Definitely"
ccpnm_5yr_hads_k	Mother feels restless as she has to be on the move	0"Not at all", 1"Not very much", 2"Quite a lot", 3"Very much indeed"
ccpnm_5yr_hads_l	Mother looks forward with enjoyment for things	0"As much as I ever did", 1"Rather less than I used to", 2"Definitely less than I used to", 3"Hardly at all"
ccpnm_5yr_hads_m	Mother gets sudden feelings of panic	0"Not at all", 1"Not very often", 2"Quite often", 3"Very often indeed"
ccpnm_5yr_hads_n	Mother can enjoy a good book or radio or TV program	0"Often", 1"Sometimes", 2"Not often", 3"Very seldom"
ccpnm_5yr_hads_anx	Mother's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety	Continuous (Norms available for comparison)
ccpnm_5yr_hads_dep	Mother's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Depression	Continuous (Norms available for comparison)



ccpnm_5yr_hads_anx_avrg	Mother's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety average	Continuous (Norms available for comparison) when at least 50% questions answered
ccpnm_5yr_hads_dep_avrg	Mother's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Depression average	Continuous (Norms available for comparison) when at least 50% questions answered
ccpnm_5yr_sdq_item1	Child is considerate of other people's feelings	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item2	Child is restless, overactive, cannot stay still for long	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item3	Child often complains of headaches, stomach-aches or sickness	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item4	Child shares readily with other children (treats, toys, pencils etc)	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item5	Child often has temper tantrums or hot tempers	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item6	Child is rather solitary, tends to play alone	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item7	Child is generally obedient, usually does what adults request	0"Certainly true", 1"Somewhat true", 2"Not true"
ccpnm_5yr_sdq_item8	Child has many worries, often seems worried	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item9	Child is helpful if someone is hurt, upset or feeling ill	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item10	Child is constantly fidgeting or squirming	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item11	Child has at least one good friend	0"Certainly true", 1"Somewhat true", 2"Not true"
ccpnm_5yr_sdq_item12	Child often fights with other children or bullies them	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item13	Child is often unhappy, down-hearted or tearful	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item14	Child is generally liked by other children	0"Certainly true", 1"Somewhat true", 2"Not true"
ccpnm_5yr_sdq_item15	Child is easily distracted, concentration wanders	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item16	Child is nervous or clingy in new situations, easily loses confidence	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item17	Child is kind to younger children	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item18	Child often lies or cheats	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item19	Child is picked on or bullied by other children	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item20	Child often volunteers to help others (parents, teachers, other children)	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item21	Child thinks things out before acting	0"Certainly true", 1"Somewhat true", 2"Not true"
ccpnm_5yr_sdq_item22	Child steals from home, school or elsewhere	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item23	Child is gets on better with adults than with other children	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item24	Child has many fears, easily scared	0"Not true", 1"Somewhat true", 2"Certainly true"
ccpnm_5yr_sdq_item25	Child sees tasks through to the end, good attention span	0"Certainly true", 1"Somewhat true", 2"Not true"
ccpnm_5yr_sdq_emotional	Strength and difficulties questionnaire emotional problems score	continuous
ccpnm_5yr_sdq_conduct	Strength and difficulties questionnaire conduct problems score	continuous
ccpnm_5yr_sdq_hyperactivity	Strength and difficulties questionnaire hyperactivity problems score	continuous

ccpnm_5yr_sdq_peer	Strength and difficulties questionnaire peer problems score	contunious
ccpnm_5yr_sdq_prosocial	Strength and difficulties questionnaire prosocial problems score	contunious
ccpnm_5yr_sdq_total	Strength and difficulties questionnaire total score	contunious
ccpnm_5yr_sdq_externalising	Strength and difficulties questionnaire externalising score	contunious
ccpnm_5yr_sdq_internalising	Strength and difficulties questionnaire internalising score	contunious
ccpnm_5yr_sdq_emotional_c	Strength and difficulties questionnaire emotional problems score, category	0"Normal", 1"Borderline", 2"Abnormal"
ccpnm_5yr_sdq_conduct_c	Strength and difficulties questionnaire conduct problems score, category	0"Normal", 1"Borderline", 2"Abnormal"
ccpnm_5yr_sdq_hyperactivity_c	Strength and difficulties questionnaire hyperactivity problems score, category	0"Normal", 1"Borderline", 2"Abnormal"
ccpnm_5yr_sdq_peer_c	Strength and difficulties questionnaire peer problems score, category	0"Normal", 1"Borderline", 2"Abnormal"
ccpnm_5yr_sdq_prosocial_c	Strength and difficulties questionnaire prosocial problems score, category	0"Normal", 1"Borderline", 2"Abnormal"
ccpnm_5yr_sdq_total_c	Strength and difficulties questionnaire total score, category	0"Normal", 1"Borderline", 2"Abnormal"
ccpnm_5yr_sdq_difficulties	Child has difficulties in one or more of the following areas: emotions, concentration, behaviour or being able to get on with other people	0"No", 1"Yes - minor difficulties", 2"Yes - definite difficulties", 3"Yes - severe difficulties"
ccpnm_5yr_sdq_difficulties_tm	Length of time child's difficulties with emotions, concentration, behaviour or being able to get on with other people, have been present	1"Less than a month", 2" 1-5 months", 3"6-12 months", 4"Over a year"
ccpnm_5yr_sdq_difficulties_upst	Child's difficulties with emotions, concentration, behaviour or being able to get on with other people, upset or distress them	0"Not at all", 1"Only a little", 2"Quite a lot", 3"A great deal"
ccpnm_5yr_sdq_difficulties_hl	Child's difficulties interfere with everyday life: Home life	0"Not at all", 1"Only a little", 2"Quite a lot", 3"A great deal"
ccpnm_5yr_sdq_difficulties_frnd	Child's difficulties interfere with everyday life: Friendships	0"Not at all", 1"Only a little", 2"Quite a lot", 3"A great deal"
ccpnm_5yr_sdq_difficulties_cl	Child's difficulties interfere with everyday life: Classroom learning	0"Not at all", 1"Only a little", 2"Quite a lot", 3"A great deal"
ccpnm_5yr_sdq_difficulties_la	Child's difficulties interfere with everyday life: Leisure activities	0"Not at all", 1"Only a little", 2"Quite a lot", 3"A great deal"
ccpnm_5yr_sdq_difficulties_brnd	Child's difficulties put a burden on mother or the family as a whole	0"Not at all", 1"Only a little", 2"Quite a lot", 3"A great deal"
ccpnm_5yr_sdq_difficulties_total	Strength and difficulties questionnaire impact score	contunious
ccpnm_5yr_sdq_difficulties_total_c	Strength and difficulties questionnaire impact score, category	0"Normal", 1"Borderline", 2"Abnormal"
<b>Ages and Stages - third edition (ASQ-3)</b>		
ccpnm_5yr_asq_cmmnct_a	ASQ 3: Child can follow three directions that are unrelated to one another without parents help	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_cmmnct_b	ASQ 3: Child uses four and five word sentences	0"Not yet", 5"Sometimes", 10"Yes"

ccpnm_5yr_asq_cmmnct_c	ASQ 3: When talking about something that has already happened, child uses words that end in '-ed', such as 'walked', 'jumped', or 'played'	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_cmmnct_d	ASQ 3: Child uses comparison words, such as 'heavier,' 'stronger,' or 'shorter'	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_cmmnct_e	ASQ 3: When asked a question child responds appropriately	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_cmmnct_f	ASQ 3: Child is able to repeat the following sentences back to parent, without any mistakes: 'Jane hides her shoes for Maria to find' and 'Al read the blue book under his bed'	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_cmmnct	ASQ total score - communication	Continuous score - sum of questions G9 a-f, based on score adjustment chart
ccpnm_5yr_asq_gm_a	ASQ 3: While standing, child can throw a ball overhand in the direction of a person standing at least 6 feet away	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_gm_b	ASQ 3: Child can catch a large ball with both hands	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_gm_c	ASQ 3: Without holding onto anything, child can stand on one foot for at least 5 seconds without losing their balance and putting their foot down	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_gm_d	ASQ 3: Child can walk on their tiptoes for 15 feet	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_gm_e	ASQ 3: Child can hop forward on one foot for a distance of 4-6 feet without putting down the other foot	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_gm_f	ASQ 3: Child can skip using alternating feet	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_gm	ASQ total score - gross motor	Continuous score - sum of questions G10 a-e, based on score adjustment chart
ccpnm_5yr_asq_fm_a	ASQ 3: When tracing a straight line on a piece of paper, child can trace over the line without going off the line more than once	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_fm_b	ASQ 3: When drawing a picture of a person, child draw a person with a head, body, arms and legs	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_fm_c	ASQ 3: When using scissors, child can cut the paper in a more or less straight line	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_fm_d	ASQ 3: Child is able to copy basic shapes (e.g. square, triangle, cross) accurately without tracing	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_fm_e	ASQ 3: Child able to copy letters (e.g. A, B, C) without tracing	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_fm_f	ASQ 3: Child is able to copy their own name	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_fm	ASQ total score - fine motor	Continuous score - sum of questions G11 a-f, based on score adjustment chart
ccpnm_5yr_asq_ps_a	ASQ 3: If shown three circles of varying size, child is able to identify which circle is the smallest	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_ps_b	ASQ 3: Child can identify five different colours?	0"Not yet", 5"Sometimes", 10"Yes"

ccpnm_5yr_asq_ps_c	ASQ 3: Child can count up to 15 without making mistakes=yes, child can count to 12 without making mistakes=sometimes	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_ps_d	ASQ 3: Child can finish a sentence using a word that means the opposite of another word (e.g. 'Ice is cold, and fire is hot')	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_ps_e	ASQ 3: Child knows the names of numbers if the number is written down	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_ps_f	ASQ 3: Child can name at least four letters in their name if asked 'what letter is this?'	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_ps	ASQ total score - problem solving	Continuous score - sum of questions G12 a-f, based on score adjustment chart
ccpnm_5yr_asq_pscl_a	ASQ 3: Child can serve themselves, taking food from one container to another, using utensils	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_pscl_b	ASQ 3: Child can wash their hands and dry them with a towel without help	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_pscl_c	ASQ 3: Child can tell parent at least four of the following: their first name/age/city they live in/last name/gender/telephone number	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_pscl_d	ASQ 3: Child can dress and undress themselves, including the use of buttons and zips	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_pscl_e	ASQ 3: Child can use the toilet by themselves	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_pscl_f	ASQ 3: Child usually takes turns and shares with other children	0"Not yet", 5"Sometimes", 10"Yes"
ccpnm_5yr_asq_pscl	ASQ total score - personal social	Continuous score - sum of questions G13 a-f, based on score adjustment chart
ccpnm_5yr_asq_ovrall_a	ASQ 3: Child hears well	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_a_detail	ASQ 3: Child hears well, detail	Free text
ccpnm_5yr_asq_ovrall_b	ASQ 3: Child talks like other children their age	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_b_detail	ASQ 3: Child talks like other children their age, detail	Free text
ccpnm_5yr_asq_ovrall_c	ASQ 3: Mum can understand most of what child says	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_c_detail	ASQ 3: Mum can understand most of what child says, detail	Free text
ccpnm_5yr_asq_ovrall_d	ASQ 3: Other people can understand most of what child says	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_d_detail	ASQ 3: Other people can understand most of what child says, detail	Free text
ccpnm_5yr_asq_ovrall_e	ASQ 3: Child walks, runs and climbs like other toddlers their age	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_e_detail	ASQ 3: Child walks, runs and climbs like other toddlers their age, detail	Free text
ccpnm_5yr_asq_ovrall_f	ASQ 3: One parent has a family history of childhood deafness or hearing impairment	0"No", 1"Yes"

ccpnm_5yr_asq_ovrall_f_detail	ASQ 3: One parent has a family history of childhood deafness or hearing impairment, detail	Free text
ccpnm_5yr_asq_ovrall_g	ASQ 3: Mum has concern about child's vision	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_g_detail	ASQ 3: Detailed concern about child's vision	Free text
ccpnm_5yr_asq_ovrall_h	ASQ 3: Child has had medical problems in the last several months	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_h_detail	ASQ 3: Child has had medical problems in the last several months, detail	Free text
ccpnm_5yr_asq_ovrall_i	ASQ 3: Mum has concern about child's behaviour	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_i_detail	ASQ 3: Detailed concern about child's behaviour	Free text
ccpnm_5yr_asq_ovrall_j	ASQ 3: Something about child worries mother	0"No", 1"Yes"
ccpnm_5yr_asq_ovrall_j_detail	ASQ 3: Something about child worries mother, detail	Free text
<b>Ages and Stages - Social &amp; Emotional (ASQ-SE)</b>		
ccpnm_5yr_socialemotional_a	ASQ-SE: Child looks at mother when she talks	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_a_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_a	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_b	ASQ-SE: Child clings to mum more than she would expect	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_b_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_b	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_c	ASQ-SE: Child likes to be hugged or cuddled	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_c_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_c	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_d	ASQ-SE: Child talks and/or plays with adults they knows well	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_d_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_d	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_e	ASQ-SE: When upset child can calm down within fifteen minutes	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_e_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_e	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_f	ASQ-SE: Child seems to be too friendly with strangers	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_f_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_f	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_g	ASQ-SE: Child can settle theirself down after periods of exciting activity	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_g_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_g	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_h	ASQ-SE: Child seems happy	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_h_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_h	0"Not ticked", 1"Yes"

ccpnm_5yr_socialemotional_i	ASQ-SE: Child cries, screams, or has tantrums for long periods of time	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_i_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_i	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_j	ASQ-SE: Child is interested in things around them, such as people, toys, and foods	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_j_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_j	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_k	ASQ-SE: Child goes to the bathroom by theirself	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_k_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_k	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_l	ASQ-SE: Child has eating problems, such as stuffing foods, vomiting, or eating nonfood items	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_l_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_l	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_m	ASQ-SE: Child can stay with activities they enjoy for at least five minutes (not including watching television)	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_m_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_m	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_n	ASQ-SE: Mother and child enjoy mealtimes together	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_n_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_n	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_o	ASQ-SE: Child does what you ask them to do	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_o_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_o	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_p	ASQ-SE: Child seems more active than other children their age	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_p_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_p	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_q	ASQ-SE: Child sleeps at least 8 hours in a 24-hour period	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_q_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_q	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_r	ASQ-SE: Child uses words to tell parent what they want or need	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_r_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_r	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_s	ASQ-SE: Child uses words to describe their feelings and the feelings of others, such as, "I'm happy", "I don't like that" or She's sad"	0"Most of the time", 5"Sometimes", 10"Rarely or never"

ccpnm_5yr_socialemotional_s_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_s	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_t	ASQ-SE: Child can move from one activity to the next with little difficulty, such as from playtime to mealtime	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_t_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_t	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_u	ASQ-SE: Child checks to make sure mum is near when exploring new places, such as a park or a friend's home	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_u_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_u	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_v	ASQ-SE: Child does things over and over and can't seem to stop (eg: rocking, hand flapping or spinning)	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_v_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_v	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_w	ASQ-SE: Child hurts theirsself on purpose	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_w_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_w	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_x	ASQ-SE: Child follows rules (at home or at school)	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_x_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_x	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_y	ASQ-SE: Child destroys or damages things on purpose	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_y_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_y	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_z	ASQ-SE: Child stays away from dangerous things, such as fire and moving cars	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_z_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_z	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_aa	ASQ-SE: Child shows concern for other people's feelings	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_aa_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_aa	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_bb	ASQ-SE: Other children like to play with child	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_bb_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_bb	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_cc	ASQ-SE: Child likes to play with other children	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_cc_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_cc	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_dd	ASQ-SE: Child trys to hurt other children, adults, or animals (eg. By kicking or biting)	0"Most of the time", 5"Sometimes", 10"Rarely or never"

ccpnm_5yr_socialemotional_dd_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_dd	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_ee	ASQ-SE: Child takes turns and shares when playing with other children	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_ee_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_ee	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_ff	ASQ-SE: Child shows an interest in or knowledge of adult sexual language and activity	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_ff_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_ff	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_gg	ASQ-SE: Concerns have been expressed about child's behaviour	0"Most of the time", 5"Sometimes", 10"Rarely or never"
ccpnm_5yr_socialemotional_gg_concern	ASQ-SE: Mum is concerned about the behaviour described in ccpnm_5yr_socialemotional_gg	0"Not ticked", 1"Yes"
ccpnm_5yr_socialemotional_gg_description	ASQ-SE: Specific detail of concerns expressed by others about child's behaviour	Free text
ccpnm_5yr_hppysrgry	Mother is happy with the outcome of child's surgery	1"Very happy", 2"Quite happy", 3"Neutral", 4"Quite unhappy", 5"Very unhappy"
ccpnm_5yr_noticeable	Noticeability of child's cleft	0"Not at all noticeable", 1"A little noticeable", 2"Quite noticeable", 3"Very noticeable"
ccpnm_5yr_cenq_ci	Over the last 6 months, mother has felt that the cleft is dominating her experience of bringing up her child	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cii	Over the last 6 months, mother has felt that it is her fault that her child was born with cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_ciii	Over the last 6 months, mother has struggled to come to terms with her child's cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_civ	Over the last 6 months, mother has worried that she unable to care for her child because of the cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cv	Over the last 6 months, mother has worried about other health problems her child may have	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cvi	Over the last 6 months, mother has worried that the cleft is affecting her relationship with her child	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cvii	Over the last 6 months, mother has worried that the cleft is affecting her child's relationship with other people	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cviii	Over the last 6 months, mother has worried about the impact of cleft on child's learning at school	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cix	Over the last 6 months, mother worries about the impact of cleft on child's self-confidence	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"



ccpnm_5yr_cenq_cx	Over the last 6 months, mother has worried about her child's future cleft treatment	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cxi	Over the last 6 months, mother feels comfortable talking to her child about the cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cxii	Over the last 6 months, mother has felt optimistic about her child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cxiii	Over the last 6 months, mother has felt that there are positives to having a child with cleft	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
ccpnm_5yr_cenq_cxiii_specify	Over the last 6 months, mother has felt that there are positives to having a child with cleft - specified	Free Text
ccpnm_5yr_clapasupt	Mother has received support from CLAPA	0"No", 1"Yes"
ccpnm_5yr_clapainfoabtclp	Mother has received information about cleft lip and palate from CLAPA	0"No", 1"Yes"
ccpnm_5yr_clapainfoabttrt	Mother has received information about cleft treatment from CLAPA	0"No", 1"Yes"
ccpnm_5yr_clapafeedingbot	Mother has received feeding bottles from CLAPA	0"No", 1"Yes"
ccpnm_5yr_clapaemotsup	Mother has received emotional support from CLAPA	0"No", 1"Yes"
ccpnm_5yr_clapaother	Mother has received other kinds of support from CLAPA	0"No", 1"Yes"
ccpnm_5yr_clapaother_detail	Mother has received other kinds of support from CLAPA - detail	Free text
ccpnm_5yr_clapasuptcntd	Mother still receives support from CLAPA	0"No", 1"Yes, occasionally", 2"Yes, frequently"
ccpnm_5yr_clapasuprtsatfd	Frequency in which mother has been satisfied with the support she has received from CLAPA	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always", 5"Always"
ccpnm_5yr_clapatime	Time when mother first heard about CLAPA	1"When my child was diagnosed", 2"When my child was borth", 3"Other"
ccpnm_5yr_clapachldage	Age of child when mother first heard about CLAPA	Continuous
ccpnm_5yr_clsfrnds	Number of close friends that Mother has (excluding partner)	0/1/2/3/4+
ccpnm_5yr_rtclsfrndshp	Rate of Mother's relationships with her close friends	0"Poor", 1"Fair", 2"Good", 3"Excellent"
<b>Life Events Scale</b>		
ccpnm_5yr_srrsca	Mother's total score for The Social Readjustment Rating Scale (Holmes TH and Rahe RH, 1967)	Continuous (Higher score indicates a higher degree of stressful life events)
<b>Mother's 5-year-old cohort baseline questionnaire</b>		
<b>Section A - About You</b>		

Data for release		
Variable Name	Variable Label	Variable Values
cc5ym_blq_ethnic	Mother's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
cc5ym_blq_ethnic_mgm	Maternal Grandmother's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
cc5ym_blq_ethnic_mgf	Maternal Grandfather's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
cc5ym_blq_cntry_brth	Mother's country of birth	Free text
cc5ym_blq_uksincebrth	Mother has lived in the UK since birth	0"No", 1"Yes"
cc5ym_blq_yrslivedinuk	Number of years mother has lived in the UK	Discrete
cc5ym_blq_religion	Mother's religion	0"None", 1"Christian", 2"Buddhist", 3"Hindu", 4"Jewish", 5"Sikh", 6"Islam", 7"Other"
cc5ym_blq_ageatconc	Mother's age at conception	Continuous
cc5ym_blq_mthrcconcage	Age of maternal Grandmother when Mother was conceived	Continuous
cc5ym_blq_fthrcconcage	Age of maternal Grandfather when Mother was conceived	Continuous
cc5ym_blq_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5ym_blq_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
cc5ym_blq_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
<b>Section B - Work and Education</b>		
Data for release		
Variable Name	Variable Label	Variable Values
cc5ym_blq_higheduqual	Mother's highest educational qualification	0"No qualifications", 1"One or more Olevels/CSEs/GCEs (any grades)", 2"Five or more Olevels/CSEs (grade 1)/GCSEs (grades A* - C)/School Certificate", 3"One or more A Levels/AS Levels", 4"Two or more A Levels/Four or more AS Levels/Higher School Certificate", 5"NVQ Level 1/Foundation GNVQ", 6"NVQ Level 2/Intermediate GNVQ", 7"NVQ Level 3/Advanced GNVQ", 8"NVQ Levels 4-5/HNC/HND", 9"First degree (e.g. BA/BSc)", 10"Higher degree (e.g. MA, PhD, Postgraduate PGCE)", 11"Other qualifications (e.g. City and Guilds, RSA/OCR, BTEC/Edexcel)", 12"Overseas qualifications", 13"Other", 14"Don't know"

cc5ym_biq_schlexp	Mother's school experience	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5ym_biq_academperf	Mother's academic performance	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5ym_biq_schlenj	Mother's school enjoyment	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5ym_biq_relschlteach	Mother's relationship with her teachers at school	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5ym_biq_relschlfrnd	Mother's relationship with her friends at school	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5ym_biq_expbllyng	Mother experienced teasing and bullying	0"No", 1"Yes"
cc5ym_biq_blllyngextnt	Extent of bullying experienced by child's Mother	1"Not very bad", 2"Moderate", 3"Very bad"
cc5ym_biq_crntemplymnt	Mother's current employment status	1"Student", 2"Homemaker", 3"Intern/apprentice", 4"Military Service", 5"Unemployed/laid off", 6"Rehabilitation/disabled", 7"Employed in public sector", 8"Employed in private sector", 9"Self-employed", 10"Other"
cc5ym_biq_crntemplymnt_oth	Mother's current employment status - other	Free Text
cc5ym_biq_crntoccpn	Mother's current/most recent occupation	1"Professional/executive", 2"Small business proprietor sales", 3"Clerical/administrative", 4"Skilled worker", 5"Semiskilled worker", 6"Unskilled worker", 7"Student/school pupil", 8"Homemaker", 9"Volunteer worker", 10"Other"
cc5ym_biq_jbtitle	Mother's current/most recent job title	Free text
cc5ym_biq_timejb	Length of time Mother has worked/did work in current/most recent job	Continuous (Months)
cc5ym_biq_absncewrk	Mother has been absent from work (other than maternity leave) for more than 2 weeks in the last year	0"No", 1"Yes"
cc5ym_biq_absncewrk_reas	Reason for Mother's absence from work (other than maternity leave) for more than 2 weeks in the last year	1"Medical leave", 2"Leave of absence", 3"Child was ill", 4"Other"
cc5ym_biq_hrswrkwk	Hours worked by Mother per week	Continuous (hours per week)
cc5ym_biq_crrntwrkhrs	Mother's current working hours	1"Permanent day", 2"Permanent evening", 3"Permanent night", 4"Shift work", 5"No set times / Temporary", 6"Other"
cc5ym_biq_phshvywrk	Mother does physically heavy work in her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5ym_biq_strsflwrk	Mother finds her current work situation very stressful	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5ym_biq_lrnwrk	Mother learns a lot within her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5ym_biq_mntnswrk	Mother's current work is very monotonous	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5ym_biq_dmndswrk	Mother's current work demands a lot of her	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5ym_biq_slfmngwrk	Mother is able to decide how her work is carried out in her current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5ym_biq_gdtmsprtwrk	There is good team spirit in the Mother's current place of work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5ym_biq_enjywrk	Mother enjoys her current work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"

cc5ym_blq_annlincm	Mother's annual income after tax, including tax credits, benefits and other sources	1"£1,299 or less", 2"£1,300 - £2,099", 3"£2,100 - £3,099", 4"£3,100 - £4,199", 5"£4,200 - £5,199", 6"£5,200 - £6,499", 7"£6,500 - £7,799", 8"£7,800 - £9,299", 9"£9,300 - £10,999", 10"£11,000 - £13,499", 11"£13,500 - £15,999", 12"£16,000 - £19,999", 13"£20,000 - £24,999", 14"£25,000 - £29,999", 15"£30,000 - £39,999", 16"£40,000 - £49,999", 17"£50,000 - £59,999", 18"£60,000 - £69,999", 19"£70,000 - £79,999", 20"£80,000 or more"
cc5ym_blq_crds_bnfts	Mother, as an individual, receives credits, allowances or benefits	0"No", 1"Yes", 2"Don't know"
cc5ym_blq_chldbnt	Mother receives Child Benefit	0"No", 1"Yes"
cc5ym_blq_chldtxcrdt	Mother receives Child Tax Credit	0"No", 1"Yes"
cc5ym_blq_wrkngtxcrdt	Mother receives Working Tax Credit	0"No", 1"Yes"
cc5ym_blq_incmspprt	Mother receives Income Support	0"No", 1"Yes"
cc5ym_blq_dsbltyalwnce	Mother receives Disability Living Allowance	0"No", 1"Yes"
cc5ym_blq_jbskrsalwnce	Mother receives income tested Job Seeker's allowance	0"No", 1"Yes"
cc5ym_blq_hbrctb	Mother receives Housing Benefit/Rent Rebate/Council Tax Benefit	0"No", 1"Yes"
cc5ym_blq_incpctybnft	Mother receives Incapacity Benefits	0"No", 1"Yes"
cc5ym_blq_pnsncrdt	Mother receives Pension Credit	0"No", 1"Yes"
cc5ym_blq_careralwnce	Mother receives Carer's Allowance	0"No", 1"Yes"
cc5ym_blq_indincmfrmbnft	Amount of Mother's individual income that comes from benefits	0"None", 1"less than 25%", 2"Between 25% and 50%", 3"50% or more"
<b>Section C - Family Life</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
cc5ym_blq_lvdcrtaddr	Time Mother has lived at current address	Continuous (months)
cc5ym_blq_crntaddrstnure	Tenure of mother's current address	1"Buying it with the help of a mortgage or loan", 2"Owns it outright", 3"Rents it", 4"Lives here rent free", 5"Shared ownership", 6"Don't know", 7"Other"
cc5ym_blq_crntaddrstnure_oth	Tenure of mother's current address - other	Free text
cc5ym_blq_landlord	Landlord of property mother lives in if tenure is rented/shared ownership/rent free	1"Private landlord or letting agency", 2"Housing Association, Housing Co-operative, Charitable Trust", 3"Local Authority/Council", 4"Relative or friend", 5"Employer", 6"Don't know", 7"Other", 8"Not applicable"

cc5ym_blq_landlord_oth	Landlord of property mother lives in if landlord is other	Free text
cc5ym_blq_lvswithprtnr	Mother lives with her spouse or domestic partner	0"No", 1"Yes"
cc5ym_blq_lvswithchldrn	Mother lives with her children and/or stepchildren	0"No", 1"Yes"
cc5ym_blq_lvswithsblng	Mother lives with her sibling(s)	0"No", 1"Yes"
cc5ym_blq_lvswithprnt	Mother lives with her parent(s)	0"No", 1"Yes"
cc5ym_blq_lvswithothrel	Mother lives with other relatives	0"No", 1"Yes"
cc5ym_blq_lvswithunrelind	Mother lives with unrelated individuals	0"No", 1"Yes"
cc5ym_blq_lvsnmchldrn	Number of children/stepchildren Mother lives with	Discrete
cc5ym_blq_lvsnmsblng	Number of siblings Mother lives with	Discrete
cc5ym_blq_lvsnmprnt	Number of parents Mother lives with	Discrete
cc5ym_blq_lvsnmothrel	Number of other relatives Mother lives with	Discrete
cc5ym_blq_lvsnmunrelind	Number of unrelated individuals Mother lives with	Discrete
cc5ym_blq_crnthshldarrngmnt	Time Mother has lived in this household arrangement	Continuous (months)
cc5ym_blq_maritalsts	Mothers marital status	1"Single", 2"Domestic partner", 3"Married", 4"Separated", 5"Divorced", 6"Widowed", 7"Civil Union"
cc5ym_blq_crrntmaritalarrngmnt	Time Mother has lived in this marital arrangement	Continuous (months)
cc5ym_blq_nummarriage	Number of times Mother has been married or within a civil union	Discrete
cc5ym_blq_numseparated	Number of times Mother has been separated	Discrete
cc5ym_blq_numdivorce	Number of times Mother has been divorced	Discrete
cc5ym_blq_numwidowed	Number of times Mother has been widowed	Discrete
cc5ym_blq_partnercloserel	Mother and Mother's partner have a close relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_partnerprobel	Mother and Mother's partner have problems in their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_hpyrel	Mother is very happy in her relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_partnerunderstndng	Mother's partner is usually understanding	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_endrel	Mother often thinks about ending her relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_satrel	Mother is satisfied with her relationship with partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_disagreeimpdecs	Mother often disagrees with partner about important decisions	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_lckyptrtnr	Mother feels lucky in her choice of partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_agreechldnrstd	Mother and Mother's partner agree how children should be raised	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"

cc5ym_blq_prtnrsatrel	Mother thinks partner is satisfied with their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5ym_blq_frstbiochld	Study child is Mother's first biological child	0"No", 1"Yes"
cc5ym_blq_numbiochdrn	Number of biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5ym_blq_numfemalebiochdrn	Number of female biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5ym_blq_nummalebiochdrn	Number of male biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5ym_blq_biochldprvrel	At least one biological child is from a previous relationship(s)	0"No", 1"Yes"
cc5ym_blq_stepchldr	Mother has at least one step child	0"No", 1"Yes"
cc5ym_blq_numstepchdrn	Number of step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5ym_blq_numfemalestpchdrn	Number of female step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5ym_blq_nummalestpchdrn	Number of male step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5ym_blq_frstlaneng	Mother's first language is English	0"No", 1"Yes"
cc5ym_blq_spkenghm	Where Mother's first language is not English, English is often spoken at home	0"No", 1"Yes"
<b>Section D - Health and Illness</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
cc5ym_blq_mthbrnprem	Mother born prematurely	0"No",1"Yes",2"Don't know"
cc5ym_blq_mthbrbrthwgt	Mother's birth weight	Continuous (kg)
cc5ym_blq_mthrmult	Mother is a twin or multiple	0"No",1"Yes, monozygotic twin", 2"Yes, dizygotic twin", 3"Yes, multiple", 4"Don't know"
cc5ym_blq_chldslt	Mother saw a speech and language therapist as a child	0"No",1"Yes",2"Don't know"
cc5ym_blq_mthrepilepsy	Mother has a medical history of epilepsy and/or seizures	0"No",1"Yes"
cc5ym_blq_biofamepilepsy	Mother's biological family member has a medical history of epilepsy and/or seizures	0"No",1"Yes"
cc5ym_blq_mthrhldpres	Mother has a medical history of high blood pressure	0"No",1"Yes"
cc5ym_blq_biofamhldpres	Mother's biological family member has a medical history of high blood pressure	0"No",1"Yes"
cc5ym_blq_mthrdiabetes	Mother has a medical history of diabetes	0"No",1"Yes"
cc5ym_blq_biofamdiabetes	Mother's biological family member has a medical history of diabetes	0"No",1"Yes"
cc5ym_blq_mthrhrtdis	Mother has a medical history of heart disease	0"No",1"Yes"
cc5ym_blq_biofamhrtdis	Mother's biological family member has a medical history of heart disease	0"No",1"Yes"
cc5ym_blq_mthrarthritis	Mother has a medical history of arthritis	0"No",1"Yes"

cc5ym_blq_biofamarthrit	Mother's biological family member has a medical history of arthritis	0"No",1"Yes"
cc5ym_blq_mthrthyroid	Mother has a medical history of a thyroid condition	0"No",1"Yes"
cc5ym_blq_biofamthyroid	Mother's biological family member has a medical history of a thyroid condition	0"No",1"Yes"
cc5ym_blq_mthrhpatitis	Mother has a medical history of hepatitis	0"No",1"Yes"
cc5ym_blq_biofamhepatitis	Mother's biological family member has a medical history of hepatitis	0"No",1"Yes"
cc5ym_blq_mthrlupus	Mother has a medical history of lupus	0"No",1"Yes"
cc5ym_blq_biofamlupus	Mother's biological family member has a medical history of lupus	0"No",1"Yes"
cc5ym_blq_mthrsvacne	Mother has a medical history of sever acne	0"No",1"Yes"
cc5ym_blq_biofamsevacne	Mother's biological family member has a medical history of sever acne	0"No",1"Yes"
cc5ym_blq_mthrasthma	Mother has a medical history of asthma	0"No",1"Yes"
cc5ym_blq_biofamasthma	Mother's biological family member has a medical history of asthma	0"No",1"Yes"
cc5ym_blq_mthrallegies	Mother has a medical history of allergies	0"No",1"Yes"
cc5ym_blq_biofamallergies	Mother's biological family member has a medical history of allergies	0"No",1"Yes"
cc5ym_blq_mthrsvheadaches	Mother has a medical history of severe headaches	0"No",1"Yes"
cc5ym_blq_biofamsevheadaches	Mother's biological family member has a medical history of severe headaches	0"No",1"Yes"
cc5ym_blq_mthrchronearinfect	Mother has a medical history of chronic ear infections	0"No",1"Yes"
cc5ym_blq_biofamchronearinfect	Mother's biological family member has a medical history of chronic ear infections	0"No",1"Yes"
cc5ym_blq_mthrcancer	Mother has previously been diagnosed with cancer	0"No",1"Yes"
cc5ym_blq_biofamcancer	Mother's biological family member has previously been diagnosed with cancer	0"No",1"Yes"
cc5ym_blq_mthr_brstcancer	Mother has previously been diagnosed with breast cancer	0"No",1"Yes"
cc5ym_blq_biofam_brstcancer	Mother's biological family member has previously been diagnosed with breast cancer	0"No",1"Yes"
cc5ym_blq_mthr_crvclcancer	Mother has previously been diagnosed with cervical cancer	0"No",1"Yes"
cc5ym_blq_biofam_crvclcancer	Mother's biological family member has previously been diagnosed with cervical cancer	0"No",1"Yes"
cc5ym_blq_mthr_clnrctmccancer	Mother has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"
cc5ym_blq_biofam_clnrctmccancer	Mother's biological family member has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"

cc5ym_blq_mthr_leukaemia	Mother has previously been diagnosed with leukaemia	0"No",1"Yes"
cc5ym_blq_biofam_leukaemia	Mother's biological family member has previously been diagnosed with leukaemia	0"No",1"Yes"
cc5ym_blq_mthr_lngcancer	Mother has previously been diagnosed with lung cancer	0"No",1"Yes"
cc5ym_blq_biofam_lngcancer	Mother's biological family member has previously been diagnosed with lung cancer	0"No",1"Yes"
cc5ym_blq_biofam_prstcancer	Mother's biological family member has previously been diagnosed with prostate cancer	0"No",1"Yes"
cc5ym_blq_mthr_skncancer	Mother has previously been diagnosed with skin cancer	0"No",1"Yes"
cc5ym_blq_biofam_skncancer	Mother's biological family member has previously been diagnosed with skin cancer	0"No",1"Yes"
cc5ym_blq_biofam_tstclrcancer	Mother's biological family member has previously been diagnosed with testicular cancer	0"No",1"Yes"
cc5ym_blq_mthr_thyrdcancer	Mother has previously been diagnosed with thyroid cancer	0"No",1"Yes"
cc5ym_blq_biofam_thyrdcancer	Mother's biological family member has previously been diagnosed with thyroid cancer	0"No",1"Yes"
cc5ym_blq_mthr_utrscancer	Mother has previously been diagnosed with uterus cancer	0"No",1"Yes"
cc5ym_blq_biofam_utrscancer	Mother's biological family member has previously been diagnosed with uterus cancer	0"No",1"Yes"
cc5ym_blq_mthr_othercancer	Mother has previously been diagnosed with another cancer	0"No",1"Yes"
cc5ym_blq_biofam_othercancer	Mother's biological family member has previously been diagnosed with another cancer	0"No",1"Yes"
cc5ym_blq_mthr_hrtdfct	Mother has been diagnosed with a heart defect	0"No",1"Yes"
cc5ym_blq_biofam_hrtdfct	Mother's biological family member has been diagnosed with a heart defect	0"No",1"Yes"
cc5ym_blq_mthr_shrtsight	Mother has been diagnosed with short-sightedness	0"No",1"Yes"
cc5ym_blq_biofam_shrtsight	Mother's biological family member has been diagnosed with short-sightedness	0"No",1"Yes"
cc5ym_blq_mthr_lrndiff	Mother has been diagnosed with a learning difficulty	0"No",1"Yes"
cc5ym_blq_biofam_lrndiff	Mother's biological family member has been diagnosed with a learning difficulty	0"No",1"Yes"
cc5ym_blq_mthr_othercongen	Mother has been diagnosed with another congenital defect (other than cleft)	0"No",1"Yes"
cc5ym_blq_biofam_othercongen	Mother's biological family member has been diagnosed with another congenital defect (other than cleft)	0"No",1"Yes"
cc5ym_blq_mthr_gendis	Mother has been diagnosed with a genetic disorder	0"No",1"Yes"
cc5ym_blq_biofam_gendis	Mother's biological family member has been diagnosed with a genetic disorder	0"No",1"Yes"
cc5ym_blq_mthr_hrngls	Mother has been diagnosed with hearing loss or impairment	0"No",1"Yes"



cc5ym_blq_biofam_hrngls	Mother's biological family member has been diagnosed with hearing loss or impairment	0"No",1"Yes"
cc5ym_blq_mthr_behavprob	Mother has been diagnosed with a behavioural problem	0"No",1"Yes"
cc5ym_blq_biofam_behavprob	Mother's biological family member has been diagnosed with a behavioural problem	0"No",1"Yes"
cc5ym_blq_mthr_anxiety	Mother has been diagnosed with anxiety	0"No",1"Yes"
cc5ym_blq_biofam_anxiety	Mother's biological family member has been diagnosed with anxiety	0"No",1"Yes"
cc5ym_blq_mthr_phobia	Mother has been diagnosed with a phobia	0"No",1"Yes"
cc5ym_blq_biofam_phobia	Mother's biological family member has been diagnosed with a phobia	0"No",1"Yes"
cc5ym_blq_mthr_depression	Mother has been diagnosed with depression	0"No",1"Yes"
cc5ym_blq_biofam_depression	Mother's biological family member has been diagnosed with depression	0"No",1"Yes"
cc5ym_blq_mthr_bipoloar	Mother has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
cc5ym_blq_biofam_bipolar	Mother's biological family member has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
cc5ym_blq_mthr_schizophrenia	Mother has been diagnosed with Schizophrenia	0"No",1"Yes"
cc5ym_blq_biofam_schizophrenia	Mother's biological family member has been diagnosed with Schizophrenia	0"No",1"Yes"
cc5ym_blq_mthr_cleft	Mother has been diagnosed with a cleft lip and/or palate	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
cc5ym_blq_mthr_cleft_unibi	Where mother has a cleft, cleft is unilateral or bilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5ym_blq_fam1_cleft	Relative who has been diagnosed with cleft - number 1	Free text
cc5ym_blq_fam1_clefttyp	Cleft type of relative -number 1	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
cc5ym_blq_fam1_cleft_unibi	Relative number 1 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5ym_blq_fam2_cleft	Relative who has been diagnosed with cleft - number 2	Free text
cc5ym_blq_fam2_clefttyp	Cleft type of relative -number 2	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
cc5ym_blq_fam2_cleft_unibi	Relative number 2 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5ym_blq_fam3_cleft	Relative who has been diagnosed with cleft - number 3	Free text
cc5ym_blq_fam3_clefttyp	Cleft type of relative -number 3	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
cc5ym_blq_fam3_cleft_unibi	Relative number 3 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5ym_blq_fam4_cleft	Relative who has been diagnosed with cleft - number 4	Free text
cc5ym_blq_fam4_clefttyp	Cleft type of relative -number 4	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"

cc5ym_blq_fam4_cleft_unibi	Relative number 4 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5ym_blq_fam5_cleft	Relative who has been diagnosed with cleft - number 5	Free text
cc5ym_blq_fam5_clefttyp	Cleft type of relative -number 5	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
cc5ym_blq_fam5_cleft_unibi	Relative number 5 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5ym_blq_fam6_cleft	Relative who has been diagnosed with cleft - number 6	Free text
cc5ym_blq_fam6_clefttyp	Cleft type of relative -number 6	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submoucouc cleft palate", 5"Don't know"
cc5ym_blq_fam6_cleft_unibi	Relative number 6 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5ym_blq_preginfectdis	During pregnancy with study child, mother had an infectious disease	0"No", 1"Yes"
cc5ym_blq_preginfectdis_detail	During pregnancy with study child, mother had an infectious disease - detail	Free text
cc5ym_blq_fertprob	Mother has been diagnosed with fertility problems	0"No", 1"Yes"
cc5ym_blq_asstdconcp	Study child was conceived using assisted methods	0"No", 1"Yes"
cc5ym_blq_asstdconcp_detail	Study child was conceived using assisted methods - detail	Free text
<b>Section E - Your Lifestyle</b>		

### Data for release

Variable Name	Variable Label	Variable Values
cc5ym_blq_height	Mother's height (metres)	Continuous (metres)
cc5ym_blq_crntweight	Mother's current weight (kg)	Continuous (kg)
cc5ym_blq_hvstwt16	Mother's heaviest weight since she was 16 years old	Continuous (kg)
cc5ym_blq_lgtstwt16	Mother's lightest weight since she was 16 years old	Continuous (kg)
cc5ym_blq_dietedlmtdfd	Mother has dieted or limited food intake at some point	0"No",1"Yes"
cc5ym_blq_dietedfrstage	Mother's age when she first dieted or restricted food intake	Continuous (yrs)
cc5ym_blq_diet_vmtng	Mother has used vomiting as a method to control weight	0"No",1"Yes"
cc5ym_blq_diet_lxtvs	Mother has used laxatives as a method to control weight	0"No",1"Yes"
cc5ym_blq_diet_fstng	Mother has used fasting as a method to control weight	0"No",1"Yes"
cc5ym_blq_diet_hrdphysexcse	Mother has used hard physical exercise as a method to control weight	0"No",1"Yes"
cc5ym_blq_diet_medctn	Mother has used medication as a method to control weight	0"No",1"Yes"
cc5ym_blq_gendiet	Mother's general diet	1"Varied diet",2"Vegetarian diet",3"Vegan diet",4"Other"
cc5ym_blq_fruitveg	Average frequency of mother eating fruit and vegetables	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"

cc5ym_blq_dairy	Average frequency of mother eating milk and dairy products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5ym_blq_protein	Average frequency of mother eating protein rich products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5ym_blq_fatandsgr	Average frequency of mother eating products containing fat and sugar	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5ym_blq_starch	Average frequency of mother eating starchy products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5ym_blq_whlgrn	Average frequency of mother eating wholegrain food varieties	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5ym_blq_sndwchs	Average frequency of mother eating meals and sandwiches bought from canteens/petrol stations/corner shops	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5ym_blq_takeaway	Average frequency of mother eating foods or meals from takeaway outlets or fast food restaurants	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5ym_blq_rdy meals	Average frequency of mother eating 'ready meals' (such as microwavable or oven-ready meals)	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5ym_blq_cafteacoffee	Average frequency of mother drinking caffeinated tea or coffee	0"Never or rarely",1"One or two cups a week",2"One or two cups a day",3"Three to five cups a day",4"More than five cups a day"
cc5ym_blq_decafteacoffee	Average frequency of mother drinking decaffeinated tea or coffee	0"Never or rarely",1"One or two cups a week",2"One or two cups a day",3"Three to five cups a day",4"More than five cups a day"
cc5ym_blq_fzydrnks	Average frequency of mother drinking fizzy drinks	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
cc5ym_blq_enrgydrnks	Average frequency of mother drinking energy drinks	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
cc5ym_blq_water	Average frequency of mother drinking water	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"

cc5ym_blq_cncvdmultivits	Mother took multivitamin supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregmultivits	Mother took multivitamin supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdvita	Mother took vitamin A supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregvita	Mother took vitamin A supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdvitb	Mother took vitamin B supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregvitb	Mother took vitamin B supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdvitc	Mother took vitamin C supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregvitc	Mother took vitamin C supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdvitd	Mother took vitamin D supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregvitd	Mother took vitamin D supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdvite	Mother took vitamin E supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregvite	Mother took vitamin E supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdcalcium	Mother took calcium supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregcalcium	Mother took calcium supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdfolicacd	Mother took folic acid supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregfolicacd	Mother took folic acid supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdiron	Mother took iron supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregiron	Mother took iron supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdzinc	Mother took zinc supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"

cc5ym_blq_3mpregzinc	Mother took zinc supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5ym_blq_cncvdothnutsup	Mother took another nutritional supplement around the time their child was conceived, detail in variable: cc5ym_blq_othnutsup_detail	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregothnutsup	Mother took another nutritional supplement in the first three months of pregnancy, detail in variable: cc5ym_blq_othnutsup_detail	0"No",1"Yes",2"Don't know"
cc5ym_blq_othnutsup_detail	Detail of other supplement taken by mother	Free text
cc5ym_blq_cncvdherbal	Mother took herbal remedies around the time their child was conceived, detail in variable: cc5ym_blq_herbal_detail	0"No",1"Yes",2"Don't know"
cc5ym_blq_3mpregherbal	Mother took herbal remedies in the first three months of pregnancy, detail in variable: cc5ym_blq_herbal_detail	0"No",1"Yes",2"Don't know"
cc5ym_blq_herbal_detail	Detail of herbal remedy taken by mother	Free text
cc5ym_blq_cncvdalcohol	Mother drank alcohol around the time their child was conceived	0"No",1"Yes"
cc5ym_blq_alcoholnow	Mother currently drinks alcohol (post natal)	0"No",1"Yes"
cc5ym_blq_cncvdalcoholunits	Units of alcohol drank by mother per week around the time their child was conceived	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
cc5ym_blq_alcoholnowunits	Units of alcohol per week currently drank by mother	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
cc5ym_blq_cncvdalcoholfreq	Average frequency of mother's alcohol consumption around the time their child was conceived	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
cc5ym_blq_alcoholnowfreq	Average frequency of mother's alcohol consumption now	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
cc5ym_blq_alcoholbeer	Mother usually drinks beer	0"No",1"Yes"
cc5ym_blq_alcoholwine	Mother usually drinks wine	0"No",1"Yes"
cc5ym_blq_alcoholspirits	Mother usually drinks spirits	0"No",1"Yes"
cc5ym_blq_alcoholfrtdwine	Mother usually drinks fortified wine	0"No",1"Yes"
cc5ym_blq_alcoholmixed	Mother usually drinks mixed drinks	0"No",1"Yes"
cc5ym_blq_alcoholother	Mother usually drinks other type of alcohol	0"No",1"Yes"
cc5ym_blq_alcoholother_detail	Detail of other type of alcohol	Free text
cc5ym_blq_smkreg	Mother has smoked cigarettes regularly	0"No",1"Yes"
cc5ym_blq_smkreg_startage	Derived variable: Age mother started smoking cigarettes regularly	Continuous (Years)

cc5ym_blq_crntsmk	Mother currently smokes cigarettes	0"No",1"Yes"
cc5ym_blq_crntsmk_perday	Average number of cigarettes mother currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
cc5ym_blq_smkquitage	Derived variable: Age mother quit smoking cigarettes	Continuous (Years)
cc5ym_blq_prevsmk_perday	Average number of cigarettes mother used to smoke per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
cc5ym_blq_cncvdsmk	Mother smoked around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_cncvdsmk_perday	Average number of cigarettes mother smoked per day around the time her child was conceived	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
cc5ym_blq_smklocation	Location where mother currently/previously smokes	1"Only outside",2"Only inside",3"Both inside and outside"
cc5ym_blq_concvd_passsmk	Mother was exposed to passive smoke around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crnt_passsmk	Mother is currently exposed to passive smoke	0"No",1"Yes"
cc5ym_blq_cncvd_passsmktm	Hours a day mother was exposed to passive smoke when her child was conceived	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
cc5ym_blq_crnt_passsmktm	Hours a day mother is exposed to passive smoke	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
cc5ym_blq_cncvdnct	Mother used a different type of nicotine (other than smoking) around the time she conceived study child	0"No",1"Yes"
cc5ym_blq_crntnct	Mother currently uses a different type of nicotine (other than smoking)	0"No",1"Yes"
cc5ym_blq_cncvdnctngm	Mother used nicotine gum around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crntnctngm	Mother currently uses nicotine gum	0"No",1"Yes"
cc5ym_blq_cncvdadhptch	Mother used an adhesive patch around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crntadhptch	Mother currently uses an adhesive patch	0"No",1"Yes"
cc5ym_blq_cncvdnctnspry	Mother used nicotine spray around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crntnctnspry	Mother currently uses nicotine spray	0"No",1"Yes"

cc5ym_blq_cncvdnctninh	Mother used nicotine inhalers around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crntnctninh	Mother currently uses nicotine inhalers	0"No",1"Yes"
cc5ym_blq_cncvdnctntabs	Mother used nicotine tablets or lozenges around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crntnctntabs	Mother currently uses nicotine tablets or lozenges	0"No",1"Yes"
cc5ym_blq_cncvdsnuff	Mother used 'Sinus' or nasal snuff around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crntsnuff	Mother currently uses 'Sinus' or nasal snuff	0"No",1"Yes"
cc5ym_blq_cncvdchwtob	Mother chewed tobacco around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crntchwtob	Mother currently chews tobacco	0"No",1"Yes"
cc5ym_blq_cncvdnctnoth	Mother used another type of nicotine around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_crntnctnoth	Mother currently uses another type of nicotine	0"No",1"Yes"
cc5ym_blq_cncvdnctnoth_detail	Detail of other type of nicotine used by mother around the time her child was conceived	Free text
cc5ym_blq_crntnctnoth_detail	Detail of other type of nicotine mother currently uses	Free text
cc5ym_blq_prevdruguse	Derived variable: Mother has previously used drugs	0"No",1"Yes"
cc5ym_blq_prevcannabis	Mother has previously used cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_prevcocaine	Mother has previously used cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_prevecstasy	Mother has previously used ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_prevamphets	Mother has previously used amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_prevheroin	Mother has previously used heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_prevothdrug	Mother has previously used another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_prevothdrug_detail	Detail of other drug previously used by mother	Free text

cc5ym_blq_cncvdruguse	Derived variable: Mother used drugs around the time her child was conceived	0"No",1"Yes"
cc5ym_blq_cncvdcannabis	Mother used cannabis around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_cncvdcocaine	Mother used cocaine around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_cncvdecstasy	Mother used ecstasy around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_cncvdamphets	Mother used amphetamines around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_cncvheroin	Mother used heroin around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_cncvdothdrug	Mother used another drug around the time her child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_cncvdothdrug_detail	Detail of other drug used around the time of conception by mother	Free text
cc5ym_blq_crntdruguse	Derived variable: Mother currently uses drugs	0"No",1"Yes"
cc5ym_blq_crntcannabis	Mother currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_crntcocaine	Mother currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_crntecstasy	Mother currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_crntamphets	Mother currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_crntheroin	Mother currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"



cc5ym_blq_crntotherdrug	Mother currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5ym_blq_crntotherdrug_detail	Detail of other drug currently used by mother	Free text
cc5ym_blq_minsvigex	Minutes mother spends on vigorous exercise a week	Continuous (minutes)
cc5ym_blq_minsmodex	Minutes mother spends on moderate exercise a week	Continuous (minutes)
cc5ym_blq_muscstrex	Minutes mother spends on muscle strengthening activities a week	Discrete (times per week)
cc5ym_blq_cncvdotsttm	Time mother spent outside when child was conceived	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"Five or more hours per day"
cc5ym_blq_crntotsdtm	Time mother currently spends outside	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"Five or more hours per day"
<b>Section F - Your Wellbeing</b>		

### Data for release

Variable Name	Variable Label	Variable Values
cc5ym_blq_clsfrnds	Number of close friends that Mother has (excluding partner)	0/1/2/3/4+
cc5ym_blq_rtclsfrndshp	Rate of Mother's relationships with her close friends	0"Poor", 1"Fair", 2"Good", 3"Excellent"
cc5ym_blq_srrsca	Mother's total score for The Social Readjustment Rating Scale (Holmes TH and Rahe RH, 1967)	Continuous (Higher score indicates a higher degree of stressful life events)
cc5ym_blq_lotr_expctbst	In uncertain times, mother usually expects the best	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5ym_blq_lotr_esyrlx	Mother usually finds it easy to relax	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5ym_blq_lotr_gowrng	Mother usually feels that if something can go wrong for her, it will	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
cc5ym_blq_lotr_optimfut	Mother is always optimistic about her future	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5ym_blq_lotr_enjyfrnds	Mother enjoys her friends a lot	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5ym_blq_lotr_kpbsy	Mother feels it is important that she keeps busy	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5ym_blq_lotr_expway	Mother hardly ever expects things to go her way	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"

cc5ym_blq_lotr_dntupset	Mother does not get upset easily	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5ym_blq_lotr_cntgdthngs	Mother rarely counts on good things happening to her	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
cc5ym_blq_lotr_moregd	Overall, mother expects more good things to happen to her than bad	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5ym_blq_lotr	Mother's total optimism score for the Revised Life Orientation Test (LOT-R) (Scheier MF, Carver CS and Bridges MW, 1994)	Continuous (Higher score indicates a higher degree of optimism)
cc5ym_blq_pedsqfim_pf_a	In the past month, as a result of their child's health, mother feels tired during the day	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_pf_b	In the past month, as a result of their child's health, mother feels tired when she wakes up in the morning	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_pf_c	In the past month, as a result of their child's health, mother feels too tired to do the things she would like to do	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_pf_d	In the past month, as a result of their child's health, mother gets headaches	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_pf_e	In the past month, as a result of their child's health, mother feels physically weak	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_pf_f	In the past month, as a result of their child's health, mother feels sick to her stomach	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_pf	Physical Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 a-f
cc5ym_blq_pedsqfim_ef_g	In the past month, as a result of their child's health, mother feels anxious	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_ef_h	In the past month, as a result of their child's health, mother feels sad	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_ef_i	In the past month, as a result of their child's health, mother feels angry	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_ef_j	In the past month, as a result of their child's health, mother feels frustrated	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_ef_k	In the past month, as a result of their child's health, mother feels helpless or hopeless	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_ef	Emotional Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 g-k
cc5ym_blq_pedsqfim_sf_l	In the past month, as a result of their child's health, mother feels isolated from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_sf_m	In the past month, as a result of their child's health, mother has trouble getting support from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_sf_n	In the past month, as a result of their child's health, mother feels it is hard to find time for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

cc5ym_blq_pedsqfim_sf_o	In the past month, as a result of their child's health, mother does not have enough energy for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_sf	Social Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 l-o
cc5ym_blq_pedsqfim_cf_p	In the past month, as a result of their child's health, mother feels it is hard to keep her attention on things	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_cf_q	In the past month, as a result of their child's health, mother feels it is hard to remember what people tell her	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_cf_r	In the past month, as a result of their child's health, mother feels that it is hard for her to remember what she has just heard	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_cf_s	In the past month, as a result of their child's health, mother feels it is hard for her to think quickly	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_cf_t	In the past month, as a result of their child's health, mother has trouble remembering what she was just thinking	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_cf	Cognitive Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 p-t
cc5ym_blq_pedsqfim_com_u	In the past month, as a result of their child's health, mother feels that others do not understand her family's situation	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_com_v	In the past month, as a result of their child's health, mother finds it hard to talk about her child's health with others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_com_w	In the past month, as a result of their child's health, mother finds it hard to tell doctors and nurses how she feels	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_com	Communication - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 u-w
cc5ym_blq_pedsqfim_wor_x	In the past month, as a result of their child's health, mother worries about whether or not her child's medical treatments are working	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_wor_y	In the past month, as a result of their child's health, mother worries about the side effects of her child's medication/medical treatments	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_wor_z	In the past month, as a result of their child's health, mother worries about how others will react to her child's condition	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_wor_aa	In the past month, as a result of their child's health, mother worries about how her child's illness is affecting other family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_wor_bb	In the past month, as a result of their child's health, mother worries about her child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_wor	Worry - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 x-bb
cc5ym_blq_pedsqfim_da_a	In the past month, as a result of their child's health, family activities have taken more time and effort	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

cc5ym_blq_pedsqfim_da_b	In the past month, as a result of their child's health, family have had difficulty finding time to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_da_c	In the past month, as a result of their child's health, family have felt too tired to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_da	Problems with daily Activities - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F6 a-c
cc5ym_blq_pedsqfim_fr_d	In the past month, as a result of their child's health, there has been a lack of communication between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_fr_e	In the past month, as a result of their child's health, there have been conflicts between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_fr_f	In the past month, as a result of their child's health, there has been difficulty making decisions together as a family	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_fr_g	In the past month, as a result of their child's health, there has been difficulty solving family problems together	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_fr_h	In the past month, as a result of their child's health, there has been stress or tension between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5ym_blq_pedsqfim_fr	Problems with family relationships - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F6 d-h
cc5ym_blq_pedsqlhsgm_info_a	Mother's happiness about how much information was provided to the family, from the hospital, about their child's diagnosis	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsgm_info_b	Mother's happiness about how much information was provided to the family, from the hospital, about their child's treatment and course of child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsgm_info_c	Mother's happiness about how much information was provided to the family, from the hospital, about the side effects of their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsgm_info_d	Mother's happiness about how much information was provided to the family, from the hospital, about their child's test results	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsgm_info_e	Mother's happiness about how often they are updated, from the hospital, about their child's health	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsgm_info	Mother's happiness on information - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 a-e
cc5ym_blq_pedsqlhsgm_iof_f	Mother's happiness of the hospitals sensitivity shown to the family suring their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

cc5ym_blq_pedsqlhsqm_iof_g	Mother's happiness of the hospitals willingness to answer questions that the family have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_iof_h	Mother's happiness of the hospitals effort to include the family in discussion of their child's care and other information about their child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_iof_i	Mother's happiness at how much time the staff gave them to ask any questions they may have had about their child's health and treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_iof	Mother's happiness on inclusion of family - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 f-i
cc5ym_blq_pedsqlhsqm_com_j	Mother's happiness of how well the staff explained their child's health condition and treatment to their child in a way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_com_k	Mother's happiness of the time taken to explain their child's health condition and treatment to them (mother) in the way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_com_l	Mother's happiness of how well the staff listens to them and their concerns	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_com_m	Mother's happiness of the preparation provided for them about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_com_n	Mother's happiness of the preparation provided for their child about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_com	Mother's happiness on communication - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 j-n
cc5ym_blq_pedsqlhsqm_ts_o	Mother's happiness of how well the staff responds to their child's needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_ts_p	Mother's happiness of the efforts to keep their child comfortable and as pain free as possible	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_ts_q	Mother's happiness of how much time the staff took to help you with your child coming back home	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqlhsqm_ts	Mother's happiness on technical skills - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 o-q

cc5ym_blq_pedsqhlhsgm_en_r	Mother's happiness of the amount of time given to their child to play, talk about their feelings, and any questions they may have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqhlhsgm_en_s	Mother's happiness of the amount of time spent helping their child with going back to school	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqhlhsgm_en_t	Mother's happiness of the amount of time spent attending their child's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqhlhsgm_en_u	Mother's happiness of the amount of time hospital spent attending mother's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqhlhsgm_en	Mother's happiness on emotional needs - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 r-u
cc5ym_blq_pedsqhlhsgm_os_v	Mother's happiness of the overall care their child is receiving	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqhlhsgm_os_w	Mother's happiness of how friendly and helpful the staff are	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqhlhsgm_os_x	Mother's happiness of the way their child is treated at the hospital	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5ym_blq_pedsqhlhsgm_os	Mother's happiness on overall satisfaction - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 v-x
cc5ym_blq_pss_a	In the last month, frequency mother has been upset because of something that happened unexpectedly - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss_b	In the last month, frequency mother has felt that she was unable to control the important things in her life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss_c	In the last month, frequency of how often mother has felt nervous and stressed - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss_d	In the last month, frequency of how often mother has felt confident about her ability to handle her personal problems - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss_e	In the last month, frequency of how often mother has felt things were going her way - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"

cc5ym_blq_pss_f	In the last month, frequency of how often mother has found that she could not cope with all the things she had to do - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss_g	In the last month, frequency of how often mother has felt she is able to control irritations in her life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss_h	In the last month, frequency of how often mother has felt she was on top of things - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss_i	In the last month, frequency of how often mother has been angered because of things there were outside of her control - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss_j	In the last month, frequency of how often mother has felt difficulties were piling up so high that she could not overcome them - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5ym_blq_pss	Perceived Stress Scale - Cohen et al. (1988)	Sum of F8 a-j, continuous
cc5ym_blq_hads_a	Mother feels tense or 'wound up'	0"Not at all", 1"From time to time, occasionally", 2"A lot of the time", 3"Most of the time"
cc5ym_blq_hads_b	Mother still enjoys the things she used to enjoy	0"Definitely as much", 1"Not quite so much", 2"Only a little", 3"Hardly at all"
cc5ym_blq_hads_c	Mother gets a sort of frightened feeling as if something awful is about to happen	0"Not at all", 1"A little, but it doesn't worry me", 2"Yes, but not too badly", 3"Very definitely and quite badly"
cc5ym_blq_hads_d	Mother can laugh and see the funny side of things	0"As much as she always could", 1"Not quite so much now", 2"Definitely not so much now", 3"Not at all"
cc5ym_blq_hads_e	Mother has worrying thoughts that go through her mind	0"Only occasionally", 1"From time to time, but not too often", 2"A lot of the time", 3"A great deal of the time"
cc5ym_blq_hads_f	Mother feels cheerful	0"Most of the time", 1"Sometimes", 2"Not often", 3"Not at all"
cc5ym_blq_hads_g	Mother can sit at ease and feel relaxed	0"Definitely", 1"Usually", 2"Not often", 3"Not at all"
cc5ym_blq_hads_h	Mother feels as if she is slowed down	0"Not at all", 1"Sometimes", 2"Very often", 3"Nearly all the time"
cc5ym_blq_hads_i	Mother gets a sort of frightened feeling like 'butterflies' in the stomach	0"Not at all", 1"Occasionally", 2"Quite often", 3"Very often"
cc5ym_blq_hads_j	Mother has lost interest in her appearance	0"I take just as much care as ever", 1"I may not take quite as much care", 2"I don't take as much care as I should", 3"Definitely"
cc5ym_blq_hads_k	Mother feels restless as she has to be on the move	0"Not at all", 1"Not very much", 2"Quite a lot", 3"Very much indeed"
cc5ym_blq_hads_l	Mother looks forward with enjoyment for things	0"As much as I ever did", 1"Rather less than I used to", 2"Definitely less than I used to", 3"Hardly at all"

cc5ym_blq_hads_m	Mother gets sudden feelings of panic	0"Not at all", 1"Not very often", 2"Quite often", 3"Very often indeed"
cc5ym_blq_hads_n	Mother can enjoy a good book or radio or TV program	0"Often", 1"Sometimes", 2"Not often", 3"Very seldom"
cc5ym_blq_hads_anx	Mother's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety	Continuous (Norms available for comparison)
cc5ym_blq_hads_dep	Mother's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety	Continuous (Norms available for comparison)
<b>Section G - Further Information</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
cc5ym_blq_frstperiod	Age of mother when she had her first menstrual period	Continuous - years
cc5ym_blq_perioddep	Mother regularly feels depressed or irritable on her period	0"No",1"Yes"
cc5ym_blq_periodirregular	Mother regularly has irregular periods	0"No",1"Yes"
cc5ym_blq_periodlong	Mother regularly has periods that last longer than a week	0"No",1"Yes"
cc5ym_blq_periodpain	Mother regularly experiences menstrual pains with her periods	0"No",1"Yes"
cc5ym_blq_periodhvy	Mother regularly experiences heavy bleeding with her periods	0"No",1"Yes"
cc5ym_blq_periodanaemia	Mother regularly experiences anaemia with her periods	0"No",1"Yes"
cc5ym_blq_condom	Mother has previously used condoms as a form of contraceptive	0"No",1"Yes"
cc5ym_blq_diaphragm	Mother has previously used a diaphragm as a form of contraceptive	0"No",1"Yes"
cc5ym_blq_iud	Mother has previously used an Intrauterine Device (IUD) or coil as a form of contraceptive	0"No",1"Yes"
cc5ym_blq_hrmniud	Mother has previously used a Hormone Intrauterine Device (IUD) or coil as a form of contraceptive	0"No",1"Yes"
cc5ym_blq_injection	Mother has previously used a hormone injection as a form of contraceptive	0"No",1"Yes"
cc5ym_blq_pill	Mother has previously used the pill as a form of contraceptive	0"No",1"Yes"
cc5ym_blq_minipill	Mother has previously used the mini pill as a form of contraceptive	0"No",1"Yes"
cc5ym_blq_spermicide	Mother has previously used spermicide as a form of contraceptive	0"No",1"Yes"



cc5ym_blq_withdrawal	Mother has previously used the withdrawal method as a form of contraceptive	0"No",1"Yes"
cc5ym_blq_contratime	Total length of time where mother has used hormonal contraceptives (ie: Hormone Intrauterine Device, hormone injection, pill or mini pill)	0"Not applicable",1"Less than one year",2"1-3 years",3"4-6 years",4"7-9 years",5"10 years or more"
cc5ym_blq_frstcontraage	Age of mother when she first used a hormonal contraceptive	Continuous - years
cc5ym_blq_timespregnant	Number of times mother has been pregnant in her life	Discrete
cc5ym_blq_livebirthnum	Number of pregnancies that resulted in a live birth, full term	Discrete
cc5ym_blq_stillbirthnum	Number of pregnancies that resulted in a still birth	Discrete
cc5ym_blq_prembirthnum	Number of pregnancies that resulted in a premature birth	Discrete
cc5ym_blq_miscarriagenum	Number of pregnancies that resulted in a miscarriage	Discrete
cc5ym_blq_ectopicnum	Number of pregnancies that resulted in an ectopic pregnancy	Discrete
cc5ym_blq_terminationnum	Number of pregnancies that resulted in a termination	Discrete
cc5ym_blq_pregpland	Pregnancy of study child was planned	0"No", 1"Yes"
cc5ym_blq_tmtopreg	Length of time it took to conceive study child - months	continuous - months
cc5ym_blq_pregillness	Mother had an illness during pregnancy	0"No", 1"Yes"
cc5ym_blq_hospadmispreg	Mother was admitted to hospital during pregnancy	0"No", 1"Yes"
cc5ym_blq_prtnrhigeduqual	Highest educational qualification of mother's partner	0"No qualifications", 1"One or more Olevels/CSEs/GCEs (any grades)", 2"Five or more Olevels/CSEs (grade 1)/GCSEs (grades A* - C)/School Certificate", 3"One or more A Levels/AS Levels", 4"Two or more A Levels/Four or more AS Levels/Higher School Certificate", 5"NVQ Level 1/Foundation GNVQ", 6"NVQ Level 2/Intermediate GNVQ", 7"NVQ Level 3/Advanced GNVQ", 8"NVQ Levels 4-5/HNC/HND", 9"First degree (e.g. BA/BSc)", 10"Higher degree (e.g. MA, PhD, Postgraduate PGCE)", 11"Other qualifications (e.g. City and Guilds, RSA/OCR, BTEC/Edexcel)", 12"Overseas qualifications", 13"Other", 14"Don't know"
cc5ym_blq_prtnrcntemploymnt	Current employment status of mother's partner	1"Student", 2"Homemaker", 3"Intern/apprentice", 4"Military Service", 5"Unemployed/laid off", 6"Rehabilitation/disabled", 7"Employed in public sector", 8"Employed in private sector", 9"Self-employed", 10"Other"

cc5ym_blq_prtnrannlincm	Annual income after tax, including tax credits, benefits and other sources	1"£1,299 or less", 2"£1,300 - £2,099", 3"£2,100 - £3,099", 4"£3,100 - £4,199", 5"£4,200 - £5,199", 6"£5,200 - £6,499", 7"£6,500 - £7,799", 8"£7,800 - £9,299", 9"£9,300 - £10,999", 10"£11,000 - £13,499", 11"£13,500 - £15,999", 12"£16,000 - £19,999", 13"£20,000 - £24,999", 14"£25,000 - £29,999", 15"£30,000 - £39,999", 16"£40,000 - £49,999", 17"£50,000 - £59,999", 18"£60,000 - £69,999", 19"£70,000 - £79,999", 20"£80,000 or more"
-------------------------	--	---

## Section Z

### Data for release

Variable Name	Variable Label	Variable Values
cc5ym_blq_compyby	Person who completed postnatal Mother's baseline questionnaire	1"Baby's biological mother", 2"Baby's step mother", 3"Baby's adoptive/foster mother", 4"Other"
cc5ym_blq_sameaddr	Mother lives in the same house as the study child	0"No", 1"Yes"
cc5ym_blq_datecomp	Date postnatal Mother's baseline questionnaire was completed	Date DD/MM/YYYY
cc5ym_blq_addcomments	Additional comments made by person completing postnatal Mother's baseline questionnaire	Free text

## Father's 5-year-old cohort baseline questionnaire

## Section A - About You

### Data for release

Variable Name	Variable Label	Variable Values
cc5yf_blq_ethnic	Father's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
cc5yf_blq_ethnic_mgm	Paternal Grandmother's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"
cc5yf_blq_ethnic_mgf	Paternal Grandfather's ethnicity, self reported, 6 levels	1"White", 2"Mixed", 3"Asian or Asian British", 4"Black or Black British", 5"Chinese or other ethnic group"

cc5yf_blq_cntry_brth	Father's country of birth	Free text
cc5yf_blq_uksincebrth	Father has lived in the UK since birth	0"No", 1"Yes"
cc5yf_blq_yrslivedinuk	Number of years father has lived in the UK	Discrete
cc5yf_blq_religion	Father's religion	0"None", 1"Christian", 2"Buddhist", 3"Hindu", 4"Jewish", 5"Sikh", 6"Islam", 7"Other"
cc5yf_blq_ageatconc	Father's age at conception	Continuous
cc5yf_blq_mthrconcage	Age of paternal Grandmother when Mother was conceived	Continuous
cc5yf_blq_fthrconcage	Age of paternal Grandfather when Mother was conceived	Continuous
cc5yf_blq_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5yf_blq_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
cc5yf_blq_cleftside	Side of unilateral cleft when looking at child	1"Right", 2"Left", 3"Don't know", 4"Not applicable"

## Section B - Work and Education

Data for release		
Variable Name	Variable Label	Variable Values
cc5yf_blq_higheduqual	Father's highest educational qualification	0"No qualifications", 1"One or more Olevels/CSEs/GCEs (any grades)", 2"Five or more Olevels/CSEs (grade 1)/GCSEs (grades A* - C)/School Certificate", 3"One or more A Levels/AS Levels", 4"Two or more A Levels/Four or more AS Levels/Higher School Certificate", 5"NVQ Level 1/Foundation GNVQ", 6"NVQ Level 2/Intermediate GNVQ", 7"NVQ Level 3/Advanced GNVQ", 8"NVQ Levels 4-5/HNC/HND", 9"First degree (e.g. BA/BSc)", 10"Higher degree (e.g. MA, PhD, Postgraduate PGCE)", 11"Other qualifications (e.g. City and Guilds, RSA/OCR, BTEC/Edexcel)", 12"Overseas qualifications", 13"Other", 14"Don't know"
cc5yf_blq_schlexp	Father's school experience	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5yf_blq_academperf	Father's academic performance	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5yf_blq_schlenj	Father's school enjoyment	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5yf_blq_relschlteach	Father's relationship with his teachers at school	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5yf_blq_relschlfrnd	Father's relationship with his friends at school	1"Poor", 2"Fair", 3"Good", 4"Excellent"
cc5yf_blq_expbllyng	Father experienced teasing and bullying	0"No", 1"Yes"
cc5yf_blq_blllyngextnt	Extent of bullying experienced by child's Father	1"Not very bad", 2"Moderate", 3"Very bad"

cc5yf_blk_crntemplmnt	Father's current employment status	1"Student", 2"Homemaker", 3"Intern/apprentice", 4"Military Service", 5"Unemployed/laid off", 6"Rehabilitation/disabled", 7"Employed in public sector", 8"Employed in private sector", 9"Self-employed", 10"Other"
cc5yf_blk_crntemplmnt_oth	Father's current employment status - other	Free Text
cc5yf_blk_crntoccpn	Father's current/most recent occupation	1"Professional/executive", 2"Small business proprietor sales", 3"Clerical/administrative", 4"Skilled worker", 5"Semiskilled worker", 6"Unskilled worker", 7"Student/school pupil", 8"Homemaker", 9"Volunteer worker", 10"Other"
cc5yf_blk_jbttitle	Father's current/most recent job title	Free text
cc5yf_blk_timejb	Length of time Father has worked/did work in current/most recent job	Continuous (Months)
cc5yf_blk_absncewrk	Father has been absent from work (other than paternity leave) for more than 2 weeks in the last year	0"No", 1"Yes"
cc5yf_blk_absncewrk_reas	Reason for Father's absence from work (other than paternity leave) for more than 2 weeks in the last year	1"Medical leave", 2"Leave of absence", 3"Child was ill", 4"Other"
cc5yf_blk_hrswrkwk	Hours worked by Father per week	Continuous (hours per week)
cc5yf_blk_crrntwrkhrs	Father's current working hours	1"Permanent day", 2"Permanent evening", 3"Permanent night", 4"Shift work", 5"No set times / Temporary", 6"Other"
cc5yf_blk_phshvywrk	Father does physically heavy work in his current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5yf_blk_strssflwrk	Father finds his current work situation very stressful	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5yf_blk_lrnwrk	Father learns a lot within his current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5yf_blk_mntnswrk	Father's current work is very monotonous	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5yf_blk_dmndswrk	Father's current work demands a lot of his	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5yf_blk_slfmngwrk	Father is able to decide how his work is carried out in his current work situation	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5yf_blk_gdtmsprtwrk	There is good team spirit in the Father's current place of work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5yf_blk_enjywrk	Father enjoys his current work	1"Disagree", 2"Disagree mostly", 3"Agree mostly", 4"Agree"
cc5yf_blk_annlincm	Father's annual income after tax, including tax credits, benefits and other sources	1"£1,299 or less", 2"£1,300 - £2,099", 3"£2,100 - £3,099", 4"£3,100 - £4,199", 5"£4,200 - £5,199", 6"£5,200 - £6,499", 7"£6,500 - £7,799", 8"£7,800 - £9,299", 9"£9,300 - £10,999", 10"£11,000 - £13,499", 11"£13,500 - £15,999", 12"£16,000 - £19,999", 13"£20,000 - £24,999", 14"£25,000 - £29,999", 15"£30,000 - £39,999", 16"£40,000 - £49,999", 17"£50,000 - £59,999", 18"£60,000 - £69,999", 19"£70,000 - £79,999", 20"£80,000 or more"

cc5yf_blq_crdds_bnfts	Father, as an individual, receives credits, allowances or benefits	0"No", 1"Yes", 2"Don't know"
cc5yf_blq_chldbnft	Father receives Child Benefit	0"No", 1"Yes"
cc5yf_blq_chldtxcrdt	Father receives Child Tax Credit	0"No", 1"Yes"
cc5yf_blq_wrkngtxcrdt	Father receives Working Tax Credit	0"No", 1"Yes"
cc5yf_blq_incmspprt	Father receives Income Support	0"No", 1"Yes"
cc5yf_blq_dsblyalwnce	Father receives Disability Living Allowance	0"No", 1"Yes"
cc5yf_blq_jbskrsalwnce	Father receives income tested Job Seeker's allowance	0"No", 1"Yes"
cc5yf_blq_hbrrctb	Father receives Housing Benefit/Rent Rebate/Council Tax Benefit/Council Tax Reduction	0"No", 1"Yes"
cc5yf_blq_incpctybnft	Father receives Incapacity Benefits	0"No", 1"Yes"
cc5yf_blq_pnsncrdt	Father receives Pension Credit	0"No", 1"Yes"
cc5yf_blq_careralwnce	Father receives Carer's Allowance	0"No", 1"Yes"
cc5yf_blq_indincmfrmbnft	Amount of Father's individual income that comes from benefits	0"None", 1"less than 25%", 2"Between 25% and 50%", 3"50% or more"
<b>Section C - Family Life</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
cc5yf_blq_lvdcrrntaddr	Time Father has lived at current address	Continuous (months)
cc5yf_blq_crntaddrstenure	Tenure of father's current address	1"Buying it with the help of a mortgage or loan", 2"Owns it outright", 3"Rents it", 4"Lives here rent free", 5"Shared ownership", 6"Don't know", 7"Other"
cc5yf_blq_crntaddrstenure_oth	Tenure of father's current address - other	Free text
cc5yf_blq_landlord	Landlord of property father lives in if tenure is rented/shared ownership/rent free	1"Private landlord or letting agency", 2"Housing Association, Housing Co-operative, Charitable Trust", 3"Local Authority/Council", 4"Relative or friend", 5"Employer", 6"Don't know", 7"Other", 8"Not applicable"
cc5yf_blq_landlord_oth	Landlord of property father lives in if landlord is other	Free text
cc5yf_blq_lvswithprtnr	Father lives with his spouse or domestic partner	0"No", 1"Yes"
cc5yf_blq_lvswithchldrn	Father lives with his children and/or stepchildren	0"No", 1"Yes"
cc5yf_blq_lvswithsblng	Father lives with his sibling(s)	0"No", 1"Yes"
cc5yf_blq_lvswithprnt	Father lives with his parent(s)	0"No", 1"Yes"
cc5yf_blq_lvswithothrel	Father lives with other relatives	0"No", 1"Yes"
cc5yf_blq_lvswithunrelind	Father lives with unrelated individuals	0"No", 1"Yes"
cc5yf_blq_lvswithnumchldrn	Number of children/stepchildren Father lives with	Discrete

cc5yf_blq_lvsnunbng	Number of siblings Father lives with	Discrete
cc5yf_blq_lvsnunprnt	Number of parents Father lives with	Discrete
cc5yf_blq_lvsnunothrel	Number of other relatives Father lives with	Discrete
cc5yf_blq_lvsnununrelind	Number of unrelated individuals Father lives with	Discrete
cc5yf_blq_crrntshldarrngmnt	Time Father has lived in this household arrangement	Continuous (months)
cc5yf_blq_maritalsts	Father's marital status	1"Single", 2"Domestic partner", 3"Married", 4"Separated", 5"Divorced", 6"Widowed", 7"Civil Union"
cc5yf_blq_crrntmaritalarrngmnt	Time Father has lived in this marital arrangement	Continuous (months)
cc5yf_blq_nummarriage	Number of times Father has been married or within a civil union	Discrete
cc5yf_blq_numseparated	Number of times Father has been separated	Discrete
cc5yf_blq_numdivorce	Number of times Father has been divorced	Discrete
cc5yf_blq_numwidowed	Number of times Father has been widowed	Discrete
cc5yf_blq_partnercloserel	Father and Father's partner have a close relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_partnerprobel	Father and Father's partner have problems in their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_hpyrel	Father is very happy in his relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_partnerunderstndng	Father's partner is usually understanding	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_endrel	Father often thinks about ending his relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_satrel	Father is satisfied with his relationship with partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_disagreeimpdcs	Father often disagrees with partner about important decisions	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_lckyptrnr	Father feels lucky in his choice of partner	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_agreechldnrnsd	Father and Father's partner agree how children should be raised	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_prtnrsatrel	Father thinks partner is satisfied with their relationship	1"Agree", 2"Agree somewhat", 3"Neutral", 4"Disagree somewhat", 5"Disagree"
cc5yf_blq_frstbiochld	Study child is Father's first biological child	0"No", 1"Yes"
cc5yf_blq_numbiochdrn	Number of biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5yf_blq_numfemalebiochdrn	Number of female biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5yf_blq_nummalebiochdrn	Number of male biological children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5yf_blq_biochldprvrel	At least one biological child is from a previous relationship(s)	0"No", 1"Yes"
cc5yf_blq_stepchldrn	Father has at least one step child	0"No", 1"Yes"

cc5yf_blq_numstepchdrn	Number of step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5yf_blq_numfemalestpchdrn	Number of female step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5yf_blq_nummalestpchdrn	Number of male step children	0"0", 1"1", 2"2", 3"3", 4"4 or more"
cc5yf_blq_frstlaneng	Father's first language is English	0"No", 1"Yes"
cc5yf_blq_spkenghm	Where Father's first language is not English, English is often spoken at home	0"No", 1"Yes"
<b>Section D - Health and Illness</b>		

**Data for release**

<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
cc5yf_blq_fthrbrnprem	Father born prematurely	0"No",1"Yes",2"Don't know"
cc5yf_blq_fthrbthwgt	Father's birth weight	Continuous (kg)
cc5yf_blq_fthrmult	Father is a twin or multiple	0"No",1"Yes, monozygotic twin", 2"Yes, dizygotic twin", 3"Yes, multiple", 4"Don't know"
cc5yf_blq_chldslt	Father saw a speech and language therapist as a child	0"No",1"Yes",2"Don't know"
cc5yf_blq_fthrepilepsy	Father has a medical history of epilepsy and/or seizures	0"No",1"Yes"
cc5yf_blq_biofamepilepsy	Father's biological family member has a medical history of epilepsy and/or seizures	0"No",1"Yes"
cc5yf_blq_fthrhbdpres	Father has a medical history of high blood pressure	0"No",1"Yes"
cc5yf_blq_biofamhbldpres	Father's biological family member has a medical history of high blood pressure	0"No",1"Yes"
cc5yf_blq_fthrdiabetes	Father has a medical history of diabetes	0"No",1"Yes"
cc5yf_blq_biofamdiabetes	Father's biological family member has a medical history of diabetes	0"No",1"Yes"
cc5yf_blq_fthrhrtdis	Father has a medical history of heart disease	0"No",1"Yes"
cc5yf_blq_biofamhrtdis	Father's biological family member has a medical history of heart disease	0"No",1"Yes"
cc5yf_blq_fthrarthritis	Father has a medical history of arthritis	0"No",1"Yes"
cc5yf_blq_biofamarthritis	Father's biological family member has a medical history of arthritis	0"No",1"Yes"
cc5yf_blq_fthrthyroid	Father has a medical history of a thyroid condition	0"No",1"Yes"
cc5yf_blq_biofamthyroid	Father's biological family member has a medical history of a thyroid condition	0"No",1"Yes"
cc5yf_blq_fthrhepatitis	Father has a medical history of hepatitis	0"No",1"Yes"
cc5yf_blq_biofamhepatitis	Father's biological family member has a medical history of hepatitis	0"No",1"Yes"

cc5yf_blq_fthrlupus	Father has a medical history of lupus	0"No",1"Yes"
cc5yf_blq_biofamilupus	Father's biological family member has a medical history of lupus	0"No",1"Yes"
cc5yf_blq_fthrsevadne	Father has a medical history of severe acne	0"No",1"Yes"
cc5yf_blq_biofamsevadne	Father's biological family member has a medical history of severe acne	0"No",1"Yes"
cc5yf_blq_fthrasthma	Father has a medical history of asthma	0"No",1"Yes"
cc5yf_blq_biofamasthma	Father's biological family member has a medical history of asthma	0"No",1"Yes"
cc5yf_blq_fthrallegies	Father has a medical history of allergies	0"No",1"Yes"
cc5yf_blq_biofamallegies	Father's biological family member has a medical history of allergies	0"No",1"Yes"
cc5yf_blq_fthrsevheadaches	Father has a medical history of severe headaches	0"No",1"Yes"
cc5yf_blq_biofamsevheadaches	Father's biological family member has a medical history of severe headaches	0"No",1"Yes"
cc5yf_blq_fthrchronearinfct	Father has a medical history of chronic ear infections	0"No",1"Yes"
cc5yf_blq_biofamchronearinfct	Father's biological family member has a medical history of chronic ear infections	0"No",1"Yes"
cc5yf_blq_fthrcancer	Father has previously been diagnosed with cancer	0"No",1"Yes"
cc5yf_blq_biofamcancer	Father's biological family member has previously been diagnosed with cancer	0"No",1"Yes"
cc5yf_blq_fthr_brstcancer	Father has previously been diagnosed with breast cancer	0"No",1"Yes"
cc5yf_blq_biofam_brstcancer	Father's biological family member has previously been diagnosed with breast cancer	0"No",1"Yes"
cc5yf_blq_fthr_crvclcancer	Father has previously been diagnosed with cervical cancer	0"No",1"Yes"
cc5yf_blq_biofam_crvclcancer	Father's biological family member has previously been diagnosed with cervical cancer	0"No",1"Yes"
cc5yf_blq_fthr_clnrctmcancer	Father has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"
cc5yf_blq_biofam_clnrctmcancer	Father's biological family member has previously been diagnosed with colon and/or rectum cancer	0"No",1"Yes"
cc5yf_blq_fthr_leukaemia	Father has previously been diagnosed with leukaemia	0"No",1"Yes"
cc5yf_blq_biofam_leukaemia	Father's biological family member has previously been diagnosed with leukaemia	0"No",1"Yes"
cc5yf_blq_fthr_lngcancer	Father has previously been diagnosed with lung cancer	0"No",1"Yes"
cc5yf_blq_biofam_lngcancer	Father's biological family member has previously been diagnosed with lung cancer	0"No",1"Yes"
cc5yf_blq_fthr_prstcancer	Father has previously been diagnosed with prostate cancer	0"No",1"Yes"



cc5yf_blq_biofam_prstcancer	Father's biological family member has previously been diagnosed with prostate cancer	0"No",1"Yes"
cc5yf_blq_fthr_skncancer	Father has previously been diagnosed with skin cancer	0"No",1"Yes"
cc5yf_blq_biofam_skncancer	Father's biological family member has previously been diagnosed with skin cancer	0"No",1"Yes"
cc5yf_blq_fthr_tstclrcancer	Father has previously been diagnosed with testicular cancer	0"No",1"Yes"
cc5yf_blq_biofam_tstclrcancer	Father's biological family member has previously been diagnosed with testicular cancer	0"No",1"Yes"
cc5yf_blq_fthr_thyrdcancer	Father has previously been diagnosed with thyroid cancer	0"No",1"Yes"
cc5yf_blq_biofam_thyrdcancer	Father's biological family member has previously been diagnosed with thyroid cancer	0"No",1"Yes"
cc5yf_blq_fthr_utrscancer	Father has previously been diagnosed with uterus cancer	0"No",1"Yes"
cc5yf_blq_biofam_utrscancer	Father's biological family member has previously been diagnosed with uterus cancer	0"No",1"Yes"
cc5yf_blq_fthr_othercancer	Father has previously been diagnosed with other cancer	0"No",1"Yes"
cc5yf_blq_biofam_othercancer	Father's biological family member has previously been diagnosed with other cancer	0"No",1"Yes"
cc5yf_blq_fthr_hrtdefct	Father has been diagnosed with a heart defect	0"No",1"Yes"
cc5yf_blq_biofam_hrtdefct	Father's biological family member has been diagnosed with a heart defect	0"No",1"Yes"
cc5yf_blq_fthr_shrtsight	Father has been diagnosed with short-sightedness	0"No",1"Yes"
cc5yf_blq_biofam_shrtsight	Father's biological family member has been diagnosed with short-sightedness	0"No",1"Yes"
cc5yf_blq_fthr_lrndiff	Father has been diagnosed with a learning disability	0"No",1"Yes"
cc5yf_blq_biofam_lrndiff	Father's biological family member has been diagnosed with a learning disability	0"No",1"Yes"
cc5yf_blq_fthr_othercongen	Father has been diagnosed with other congenital defect (other than cleft)	0"No",1"Yes"
cc5yf_blq_biofam_othercongen	Father's biological family member has been diagnosed with other congenital defect (other than cleft)	0"No",1"Yes"
cc5yf_blq_fthr_gendis	Father has been diagnosed with a genetic disorder	0"No",1"Yes"
cc5yf_blq_biofam_gendis	Father's biological family member has been diagnosed with a genetic disorder	0"No",1"Yes"
cc5yf_blq_fthr_hrngls	Father has been diagnosed with hearing loss or impairment	0"No",1"Yes"
cc5yf_blq_biofam_hrngls	Father's biological family member has been diagnosed with hearing loss or impairment	0"No",1"Yes"
cc5yf_blq_fthr_behavprob	Father has been diagnosed with a behavioural problem	0"No",1"Yes"
cc5yf_blq_biofam_behavprob	Father's biological family member has been diagnosed with a behavioural problem	0"No",1"Yes"

cc5yf_blq_fthr_anxiety	Father has been diagnosed with anxiety	0"No",1"Yes"
cc5yf_blq_biofam_anxiety	Father's biological family member has been diagnosed with anxiety	0"No",1"Yes"
cc5yf_blq_fthr_phobia	Father has been diagnosed with a phobia	0"No",1"Yes"
cc5yf_blq_biofam_phobia	Father's biological family member has been diagnosed with a phobia	0"No",1"Yes"
cc5yf_blq_fthr_depression	Father has been diagnosed with depression	0"No",1"Yes"
cc5yf_blq_biofam_depression	Father's biological family member has been diagnosed with depression	0"No",1"Yes"
cc5yf_blq_fthr_bipolar	Father has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
cc5yf_blq_biofam_bipolar	Father's biological family member has been diagnosed with manic depressive illness (Bipolar)	0"No",1"Yes"
cc5yf_blq_fthr_schizophrenia	Father has been diagnosed with Schizophrenia	0"No",1"Yes"
cc5yf_blq_biofam_schizophrenia	Father's biological family member has been diagnosed with Schizophrenia	0"No",1"Yes"
cc5yf_blq_fthr_othrmntlhlthcond	Father has been diagnosed with other mental health condition	0"No",1"Yes"
cc5yf_blq_biofam_othrmntlhlthcond	Father's biological family member has been diagnosed with other mental health condition	0"No",1"Yes"
cc5yf_blq_fthr_cleft	Father has been diagnosed with a cleft lip and/or palate	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5yf_blq_fthr_cleft_unibi	Where Father has a cleft, cleft is unilateral or bilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5yf_blq_fam1_cleft	Relative who has been diagnosed with cleft - number 1	Free text
cc5yf_blq_fam1_clefttyp	Cleft type of relative -number 1	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5yf_blq_fam1_cleft_unibi	Relative number 1 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5yf_blq_fam2_cleft	Relative who has been diagnosed with cleft - number 2	Free text
cc5yf_blq_fam2_clefttyp	Cleft type of relative -number 2	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5yf_blq_fam2_cleft_unibi	Relative number 2 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5yf_blq_fam3_cleft	Relative who has been diagnosed with cleft - number 3	Free text
cc5yf_blq_fam3_clefttyp	Cleft type of relative -number 3	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5yf_blq_fam3_cleft_unibi	Relative number 3 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5yf_blq_fam4_cleft	Relative who has been diagnosed with cleft - number 4	Free text
cc5yf_blq_fam4_clefttyp	Cleft type of relative -number 4	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5yf_blq_fam4_cleft_unibi	Relative number 4 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"

cc5yf_blq_fam5_cleft	Relative who has been diagnosed with cleft - number 5	Free text
cc5yf_blq_fam5_clefttyp	Cleft type of relative -number 5	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5yf_blq_fam5_cleft_unibi	Relative number 5 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5yf_blq_fam6_cleft	Relative who has been diagnosed with cleft - number 6	Free text
cc5yf_blq_fam6_clefttyp	Cleft type of relative -number 6	0"No", 1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc5yf_blq_fam6_cleft_unibi	Relative number 6 cleft is bilateral or unilateral	1"Unilateral", 2"Bilateral", 3"Don't know"
cc5yf_blq_preginfectdis	During pregnancy with study child, Father had an infectious disease	0"No", 1"Yes"
cc5yf_blq_preginfectdis_detail	During pregnancy with study child, Father had an infectious disease - detail	Free text
cc5yf_blq_fertprob	Father has been diagnosed with fertility problems	0"No", 1"Yes"
cc5yf_blq_asstdconcp	Study child was conceived using assisted methods	0"No", 1"Yes"
cc5yf_blq_asstdconcp_detail	Study child was conceived using assisted methods - detail	Free text
<b>Section E - Your Lifestyle</b>		

### Data for release

Variable Name	Variable Label	Variable Values
cc5yf_blq_height	Father's height (metres)	Continuous (metres)
cc5yf_blq_crntweight	Father's current weight (kg)	Continuous (kg)
cc5yf_blq_hvstwt16	Father's heaviest weight since he was 16 years old	Continuous (kg)
cc5yf_blq_lgtstwt16	Father's lightest weight since he was 16 years old	Continuous (kg)
cc5yf_blq_dietedlmtdfd	Father has dieted or limited food intake at some point	0"No",1"Yes"
cc5yf_blq_dietedfrstage	Father's age when he first dieted or restricted food intake	Continuous (yrs)
cc5yf_blq_diet_vmtng	Father has used vomiting as a method to control weight	0"No",1"Yes"
cc5yf_blq_diet_lxtvs	Father has used laxatives as a method to control weight	0"No",1"Yes"
cc5yf_blq_diet_fstng	Father has used fasting as a method to control weight	0"No",1"Yes"
cc5yf_blq_diet_hrdphysexcse	Father has used hard physical exercise as a method to control weight	0"No",1"Yes"
cc5yf_blq_diet_medctn	Father has used medication as a method to control weight	0"No",1"Yes"
cc5yf_blq_gendiet	Father's general diet	1"Varied diet",2"Vegetarian diet",3"Vegan diet",4"Other"
cc5yf_blq_fruitveg	Average frequency of Father eating fruit and vegetables	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"

cc5yf_blq_dairy	Average frequency of Father eating milk and dairy products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5yf_blq_protein	Average frequency of Father eating protein rich products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5yf_blq_fatandsgr	Average frequency of Father eating products containing fat and sugar	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5yf_blq_starch	Average frequency of Father eating starchy products	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5yf_blq_whlgrn	Average frequency of Father eating wholegrain food varieties	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5yf_blq_sndwchs	Average frequency of Father eating meals and sandwiches bought from canteens/petrol stations/corner shops	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5yf_blq_takeaway	Average frequency of Father eating foods or meals from takeaway outlets or fast food restaurants	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5yf_blq_rdy meals	Average frequency of Father eating 'ready meals' (such as microwavable or oven-ready meals)	0"Never or rarely",1"Twice a month",2"One to three times a week",3"Four to seven times a week",4"More than once a day"
cc5yf_blq_cafteacoffee	Average frequency of Father drinking caffeinated tea or coffee	0"Never or rarely",1"One or two cups a week",2"One or two cups a day",3"Three to five cups a day",4"More than five cups a day"
cc5yf_blq_decafteacoffee	Average frequency of Father drinking decaffeinated tea or coffee	0"Never or rarely",1"One or two cups a week",2"One or two cups a day",3"Three to five cups a day",4"More than five cups a day"
cc5yf_blq_fzydrnks	Average frequency of Father drinking fizzy drinks	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
cc5yf_blq_engydrnks	Average frequency of Father drinking energy drinks	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"
cc5yf_blq_water	Average frequency of Father drinking water	0"Never or rarely",1"One or two times a week",2"One or two times a day",3"Three to five times a day",4"More than five times a day"

cc5yf_blq_cncvdmultivits	Father took multivitamin supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregmultivits	Father took multivitamin supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdvita	Father took vitamin A supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregvita	Father took vitamin A supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdvitb	Father took vitamin B supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregvitb	Father took vitamin B supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdvitc	Father took vitamin C supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregvitc	Father took vitamin C supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdvitd	Father took vitamin D supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregvitd	Father took vitamin D supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdvite	Father took vitamin E supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregvite	Father took vitamin E supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdcalcium	Father took calcium supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregcalcium	Father took calcium supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdfolicacd	Father took folic acid supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregfolicacd	Father took folic acid supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdiron	Father took iron supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregiron	Father took iron supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdzinc	Father took zinc supplements around the time their child was conceived	0"No",1"Yes",2"Don't know"

cc5yf_blq_3mpregzinc	Father took zinc supplements in the first three months of pregnancy	0"No",1"Yes",2"Don't know"
cc5yf_blq_cncvdothnutsup	Father took another nutritional supplement around the time their child was conceived, detail in variable: cc5ym_blq_othnutsup_detail	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregothnutsup	Father took another nutritional supplement in the first three months of pregnancy, detail in variable: cc5ym_blq_othnutsup_detail	0"No",1"Yes",2"Don't know"
cc5yf_blq_othnutsup_detail	Detail of other supplement taken by Father	Free text
cc5yf_blq_cncvdherbal	Father took herbal remedies around the time their child was conceived, detail in variable: cc5ym_blq_herbal_detail	0"No",1"Yes",2"Don't know"
cc5yf_blq_3mpregherbal	Father took herbal remedies in the first three months of pregnancy, detail in variable: cc5ym_blq_herbal_detail	0"No",1"Yes",2"Don't know"
cc5yf_blq_herbal_detail	Detail of herbal remedy taken by Father	Free text
cc5yf_blq_cncvdalcohol	Father drank alcohol around the time their child was conceived	0"No",1"Yes"
cc5yf_blq_alcoholnow	Father currently drinks alcohol (post natal)	0"No",1"Yes"
cc5yf_blq_cncvdalcoholunits	Units of alcohol drank by Father per week around the time their child was conceived	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
cc5yf_blq_alcoholnowunits	Units of alcohol per week currently drank by Father	0"None",1"One to two units",2"Three to five units",3"Five to ten units",4"Ten to twenty units",5"Twenty to thirty units",6"More than thirty units"
cc5yf_blq_cncvdalcoholfreq	Average frequency of Father's alcohol consumption around the time their child was conceived	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
cc5yf_blq_alcoholnowfreq	Average frequency of Father's alcohol consumption now	0"Less than once per month",1"One to three times per month",2"One to two times per week",3"Three to four times per week",4"Everyday or most days"
cc5yf_blq_alcoholbeer	Father usually drinks beer	0"No",1"Yes"
cc5yf_blq_alcoholwine	Father usually drinks wine	0"No",1"Yes"
cc5yf_blq_alcoholspirits	Father usually drinks spirits	0"No",1"Yes"
cc5yf_blq_alcoholfrtdwine	Father usually drinks fortified wine	0"No",1"Yes"
cc5yf_blq_alcoholmixed	Father usually drinks mixed drinks	0"No",1"Yes"
cc5yf_blq_alcoholother	Father usually drinks other type of alcohol	0"No",1"Yes"
cc5yf_blq_alcoholother_detail	Detail of other type of alcohol	Free text
cc5yf_blq_smkreg	Father has smoked cigarettes regularly	0"No",1"Yes"
cc5yf_blq_smkreg_startage	Derived variable: Age Father started smoking cigarettes regularly	Continuous (Years)

cc5yf_blq_crntsmk	Father currently smokes cigarettes	0"No",1"Yes"
cc5yf_blq_crntsmk_perday	Average number of cigarettes Father currently smokes per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
cc5yf_blq_smkquitage	Derived variable: Age Father quit smoking cigarettes	Continuous (Years)
cc5yf_blq_prevsmk_perday	Average number of cigarettes Father used to smoke per day	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
cc5yf_blq_cncvdsmk	Father smoked around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_cncvdsmk_perday	Average number of cigarettes Father smoked per day around the time his child was conceived	1"Less than one per day",2"One per day",3"Two to four per day",4"Half a pack (five to fourteen per day)",5"One pack (15-24 per day)",6"One and a half packs (25-34 per day)",7"Two packs (35-44 per day)",8"More than two packs per day"
cc5yf_blq_smklocation	Location where Father currently/previously smokes	1"Only outside",2"Only inside",3"Both inside and outside"
cc5yf_blq_concvd_passsmk	Father was exposed to passive smoke around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_crnt_passsmk	Father is currently exposed to passive smoke	0"No",1"Yes"
cc5yf_blq_cncvd_passsmktm	Hours a day Father was exposed to passive smoke when his child was conceived	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
cc5yf_blq_crnt_passsmktm	Hours a day Father is exposed to passive smoke	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"More than four hours per day"
cc5yf_blq_cncvdnctngm	Father used nicotine gum around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_crntnctngm	Father currently uses nicotine gum	0"No",1"Yes"
cc5yf_blq_cncvdadhptch	Father used an adhesive patch around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_crntadhptch	Father currently uses an adhesive patch	0"No",1"Yes"
cc5yf_blq_cncvdnctnspry	Father used nicotine spray around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_crntnctnspry	Father currently uses nicotine spray	0"No",1"Yes"
cc5yf_blq_cncvdnctninh	Father used nicotine inhalers around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_crntnctninh	Father currently uses nicotine inhalers	0"No",1"Yes"
cc5yf_blq_cncvdnctntabs	Father used nicotine tablets or lozenges around the time his child was conceived	0"No",1"Yes"

cc5yf_blq_crntnctntabs	Father currently uses nicotine tablets or lozenges	0"No",1"Yes"
cc5yf_blq_cncvdsnuff	Father used 'Sinus' or nasal snuff around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_crntsnuff	Father currently uses 'Sinus' or nasal snuff	0"No",1"Yes"
cc5yf_blq_cncvdchwtob	Father chewed tobacco around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_crntchwtob	Father currently chews tobacco	0"No",1"Yes"
cc5yf_blq_cncvdnctnoth	Father used another type of nicotine around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_crntnctnoth	Father currently uses another type of nicotine	0"No",1"Yes"
cc5yf_blq_cncvdnctnoth_detail	Detail of other type of nicotine used by Father around the time his child was conceived	Free text
cc5yf_blq_crntnctnoth_detail	Detail of other type of nicotine Father currently uses	Free text
cc5yf_blq_prevdruguse	Derived variable: Father has previously used drugs	0"No",1"Yes"
cc5yf_blq_prevcannabis	Father has previously used cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_prevcocaine	Father has previously used cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_prevecstasy	Father has previously used ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_prevamphets	Father has previously used amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_prevheroin	Father has previously used hisoin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_prevotherdrug	Father has previously used anothis drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_prevotherdrug_detail	Detail of othis drug previously used by Father	Free text
cc5yf_blq_cncvddruguse	Derived variable: Father used drugs around the time his child was conceived	0"No",1"Yes"
cc5yf_blq_cncvdcannabis	Father used cannabis around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"



cc5yf_blq_cncvdcocaine	Father used cocaine around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_cncvdecstasy	Father used ecstasy around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_cncvdamphets	Father used amphetamines around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_cncvdheroin	Father used heroin around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_cncvdothdrug	Father used another drug around the time his child was conceived	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_cncvdothdrug_detail	Detail of other drug used around the time of conception by Father	Free text
cc5yf_blq_crntdruguse	Derived variable: Father currently uses drugs	0"No",1"Yes"
cc5yf_blq_crntcannabis	Father currently uses cannabis	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_crntcocaine	Father currently uses cocaine	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_crntecstasy	Father currently uses ecstasy	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_crntamphets	Father currently uses amphetamines	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_crntheroin	Father currently uses heroin	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_crntothdrug	Father currently uses another drug	0"Never",1"Once a year",2"Twice a year",3"Once every two months",4"Once a month",5"Twice a month",6"Once a week or more"
cc5yf_blq_crntothdrug_detail	Detail of other drug currently used by Father	Free text
cc5yf_blq_minsvigex	Minutes Father spends on vigorous exercise a week	Continuous (minutes)
cc5yf_blq_minsmoex	Minutes Father spends on moderate exercise a week	Continuous (minutes)

cc5yf_blq_muscstrex	Minutes Father spends on muscle strengthening activities a week	Continuous (minutes)
cc5yf_blq_cncvdotsttm	Time Father spent outside when child was conceived	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"Five or more hours per day"
cc5yf_blq_crntotsdtm	Time Father currently spends outside	1"Less than one hour per day",2"One to two hours per day",3"Three to four hours per day",4"Five or more hours per day"
<b>Section F - Your Wellbeing</b>		

**Data for release**

<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
cc5yf_blq_clsfrnds	Number of close friends that Father has (excluding partner)	0/1/2/3/4+
cc5yf_blq_rtclsfrndshp	Rate of Father's relationships with his close friends	0"Poor", 1"Fair", 2"Good", 3"Excellent"
cc5yf_blq_srrsca	Father's total score for The Social Readjustment Rating Scale (Holmes TH and Rahe RH, 1967)	Continuous (Higher score indicates a higher degree of stressful life events)
cc5yf_blq_lotr_expctbst	In uncertain times, Father usually expects the best	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5yf_blq_lotr_esyrly	Father usually finds it easy to relax	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5yf_blq_lotr_gowrng	Father usually feels that if something can go wrong for him, it will	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
cc5yf_blq_lotr_optimfut	Father is always optimistic about his future	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5yf_blq_lotr_enjyfrnds	Father enjoys his friends a lot	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5yf_blq_lotr_kpbsy	Father feels it is important that he keeps busy	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5yf_blq_lotr_expway	Father hardly ever expects things to go his way	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
cc5yf_blq_lotr_dntupset	Father does not get upset easily	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"
cc5yf_blq_lotr_cntgdthngs	Father rarely counts on good things happening to him	4"Strongly disagree",3"Disagree", 2"Neutral", 1"Agree", 0"Strongly agree"
cc5yf_blq_lotr_moregd	Overall, Father expects more good things to happen to him than bad	0"Strongly disagree",1"Disagree", 2"Neutral", 3"Agree", 4"Strongly agree"

cc5yf_blq_lotr	Father's total optimism score for the Revised Life Orientation Test (LOT-R) (Scheier MF, Carver CS and Bridges MW, 1994)	Continuous (Higher score indicates a higher degree of optimism)
cc5yf_blq_pedsqfim_pf_a	In the past month, as a result of their child's health, Father feels tired during the day	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_pf_b	In the past month, as a result of their child's health, Father feels tired when he wakes up in the morning	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_pf_c	In the past month, as a result of their child's health, Father feels too tired to do the things he would like to do	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_pf_d	In the past month, as a result of their child's health, Father gets headaches	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_pf_e	In the past month, as a result of their child's health, Father feels physically weak	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_pf_f	In the past month, as a result of their child's health, Father feels sick to his stomach	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_pf	Physical Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 a-f
cc5yf_blq_pedsqfim_ef_g	In the past month, as a result of their child's health, Father feels anxious	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_ef_h	In the past month, as a result of their child's health, Father feels sad	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_ef_i	In the past month, as a result of their child's health, Father feels angry	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_ef_j	In the past month, as a result of their child's health, Father feels frustrated	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_ef_k	In the past month, as a result of their child's health, Father feels helpless or hopeless	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_ef	Emotional Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 g-k
cc5yf_blq_pedsqfim_sf_l	In the past month, as a result of their child's health, Father feels isolated from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_sf_m	In the past month, as a result of their child's health, Father has trouble getting support from others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_sf_n	In the past month, as a result of their child's health, Father feels it is hard to find time for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_sf_o	In the past month, as a result of their child's health, Father does not have enough energy for social activities	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_sf	Social Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 l-o
cc5yf_blq_pedsqfim_cf_p	In the past month, as a result of their child's health, Father feels it is hard to keep his attention on things	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_cf_q	In the past month, as a result of their child's health, Father feels it is hard to remember what people tell him	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

cc5yf_blq_pedsqfim_cf_r	In the past month, as a result of their child's health, Father feels that it is hard for him to remember what he has just heard	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_cf_s	In the past month, as a result of their child's health, Father feels it is hard for him to think quickly	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_cf_t	In the past month, as a result of their child's health, Father has trouble remembering what he was just thinking	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_cf	Cognitive Functioning - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 p-t
cc5yf_blq_pedsqfim_com_u	In the past month, as a result of their child's health, Father feels that others do not understand his family's situation	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_com_v	In the past month, as a result of their child's health, Father finds it hard to talk about his child's health with others	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_com_w	In the past month, as a result of their child's health, Father finds it hard to tell doctors and nurses how he feels	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_com	Communication - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 u-w
cc5yf_blq_pedsqfim_wor_x	In the past month, as a result of their child's health, Father worries about whether or not his child's medical treatments are working	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_wor_y	In the past month, as a result of their child's health, Father worries about the side effects of his child's medication/medical treatments	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_wor_z	In the past month, as a result of their child's health, Father worries about how others will react to his child's condition	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_wor_aa	In the past month, as a result of their child's health, Father worries about how his child's illness is affecting other family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_wor_bb	In the past month, as a result of their child's health, Father worries about his child's future	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_wor	Worry - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F5 x-bb
cc5yf_blq_pedsqfim_da_a	In the past month, as a result of their child's health, family activities have taken more time and effort	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_da_b	In the past month, as a result of their child's health, family have had difficulty finding time to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_da_c	In the past month, as a result of their child's health, family have felt too tired to finish household tasks	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_da	Problems with daily Activities - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F6 a-c
cc5yf_blq_pedsqfim_fr_d	In the past month, as a result of their child's health, there has been a lack of communication between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"

cc5yf_blq_pedsqfim_fr_e	In the past month, as a result of their child's health, there have been conflicts between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_fr_f	In the past month, as a result of their child's health, there has been difficulty making decisions together as a family	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_fr_g	In the past month, as a result of their child's health, there has been difficulty solving family problems together	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_fr_h	In the past month, as a result of their child's health, there has been stress or tension between family members	0"Never", 1"Almost never", 2"Sometimes", 3"Often", 4"Almost always"
cc5yf_blq_pedsqfim_fr	Problems with family relationships - PedsQL Family Impact Module (v2)	Continuous score - sum of questions F6 d-h
cc5yf_blq_pedsqlhsgm_info_a	Father's happiness about how much information was provided to the family, from the hospital, about their child's diagnosis	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqlhsgm_info_b	Father's happiness about how much information was provided to the family, from the hospital, about their child's treatment and course of child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqlhsgm_info_c	Father's happiness about how much information was provided to the family, from the hospital, about the side effects of their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqlhsgm_info_d	Father's happiness about how much information was provided to the family, from the hospital, about their child's test results	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqlhsgm_info_e	Father's happiness about how often they are updated, from the hospital, about their child's health	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqlhsgm_info	Father's happiness on information - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 a-e
cc5yf_blq_pedsqlhsgm_iof_f	Father's happiness of the hospitals sensitivity shown to the family during their child's treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqlhsgm_iof_g	Father's happiness of the hospitals willingness to answer questions that the family have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqlhsgm_iof_h	Father's happiness of the hospitals effort to include the family in discussion of their child's care and other information about their child's health condition	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqlhsgm_iof_i	Father's happiness at how much time the staff gave them to ask any questions they may have had about their child's health and treatment	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

cc5yf_blq_pedsqhlhsgm_iof	Father's happiness on inclusion of family - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 f-i
cc5yf_blq_pedsqhlhsgm_com_j	Father's happiness of how well the staff explained their child's health condition and treatment to their child in a way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_com_k	Father's happiness of the time taken to explain their child's health condition and treatment to them (Father) in the way they could understand	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_com_l	Father's happiness of how well the staff listens to them and their concerns	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_com_m	Father's happiness of the preparation provided for them about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_com_n	Father's happiness of the preparation provided for their child about what to expect during tests and procedures	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_com	Father's happiness on communication - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 j-n
cc5yf_blq_pedsqhlhsgm_ts_o	Father's happiness of how well the staff responds to their child's needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_ts_p	Father's happiness of the efforts to keep their child comfortable and as pain free as possible	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_ts_q	Father's happiness of how much time the staff took to help you with your child coming back home	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_ts	Father's happiness on technical skills - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 o-q
cc5yf_blq_pedsqhlhsgm_en_r	Father's happiness of the amount of time given to their child to play, talk about their feelings, and any questions they may have	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_en_s	Father's happiness of the amount of time spent helping their child with going back to school	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_en_t	Father's happiness of the amount of time spent attending their child's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"

cc5yf_blq_pedsqhlhsgm_en_u	Father's happiness of the amount of time hospital spent attending Father's emotional needs	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_en	Father's happiness on emotional needs - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 r-u
cc5yf_blq_pedsqhlhsgm_os_v	Father's happiness of the overall care their child is receiving	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_os_w	Father's happiness of how friendly and helpful the staff are	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_os_x	Father's happiness of the way their child is treated at the hospital	0"Never happy", 1"Sometimes happy", 2"Often happy", 3"Almost always happy", 4"Always happy", -5"N/A - Missing data"
cc5yf_blq_pedsqhlhsgm_os	Father's happiness on overall satisfaction - PedsQL Healthcare Satisfaction Generic Module (v3)	Continuous score - sum of questions F7 v-x
cc5yf_blq_pss_a	In the last month, frequency Father has been upset because of something that happened unexpectedly - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss_b	In the last month, frequency Father has felt that she was unable to control the important things in her life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss_c	In the last month, frequency of how often Father has felt nervous and stressed - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss_d	In the last month, frequency of how often Father has felt confident about his ability to handle his personal problems - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss_e	In the last month, frequency of how often Father has felt things were going his way - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss_f	In the last month, frequency of how often Father has found that he could not cope with all the things he had to do - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss_g	In the last month, frequency of how often Father has felt he is able to control irritations in his life - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss_h	In the last month, frequency of how often Father has felt he was on top of things - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss_i	In the last month, frequency of how often Father has been angered because of things there were outside of his control - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"

cc5yf_blq_pss_j	In the last month, frequency of how often Father has felt difficulties were piling up so high that he could not overcome them - Perceived Stress Scale	0"Never", 1"Almost never", 2"Sometimes", 3"Fairly often", 4"Very often"
cc5yf_blq_pss	Perceived Stress Scale - Cohen et al. (1988)	Sum of F8 a-j, continuous
cc5yf_blq_hads_a	Father feels tense or 'wound up'	0"Not at all", 1"From time to time, occasionally", 2"A lot of the time", 3"Most of the time"
cc5yf_blq_hads_b	Father still enjoys the things he used to enjoy	0"Definitely as much", 1"Not quite so much", 2"Only a little", 3"Hardly at all"
cc5yf_blq_hads_c	Father gets a sort of frightened feeling as if something awful is about to happen	0"Not at all", 1"A little, but it doesn't worry me", 2"Yes, but not too badly", 3"Very definitely and quite badly"
cc5yf_blq_hads_d	Father can laugh and see the funny side of things	0"As much as she always could", 1"Not quite so much now", 2"Definitely not so much now", 3"Not at all"
cc5yf_blq_hads_e	Father has worrying thoughts that go through his mind	0"Only occasionally", 1"From time to time, but not too often", 2"A lot of the time", 3"A great deal of the time"
cc5yf_blq_hads_f	Father feels cheerful	0"Most of the time", 1"Sometimes", 2"Not often", 3"Not at all"
cc5yf_blq_hads_g	Father can sit at ease and feel relaxed	0"Definitely", 1"Usually", 2"Not often", 3"Not at all"
cc5yf_blq_hads_h	Father feels as if he is slowed down	0"Not at all", 1"Sometimes", 2"Very often", 3"Nearly all the time"
cc5yf_blq_hads_i	Father gets a sort of frightened feeling like 'butterflies' in the stomach	0"Not at all", 1"Occasionally", 2"Quite often", 3"Very often"
cc5yf_blq_hads_j	Father has lost interest in his appearance	0"I take just as much care as ever", 1"I may not take quite as much care", 2"I don't take as much care as I should", 3"Definitely"
cc5yf_blq_hads_k	Father feels restless as he has to be on the move	0"Not at all", 1"Not very much", 2"Quite a lot", 3"Very much indeed"
cc5yf_blq_hads_l	Father looks forward with enjoyment for things	0"As much as I ever did", 1"Rather less than I used to", 2"Definitely less than I used to", 3"Hardly at all"
cc5yf_blq_hads_m	Father gets sudden feelings of panic	0"Not at all", 1"Not very often", 2"Quite often", 3"Very often indeed"
cc5yf_blq_hads_n	Father can enjoy a good book or radio or TV programme	0"Often", 1"Sometimes", 2"Not often", 3"Very seldom"
cc5yf_blq_hads	Father's Hospital Anxiety and Depression Scale (HADS) score (Zigmond and Snaith (1983)) - Anxiety	Continuous (Norms available for comparison)
<b>Section Z</b>		

Data for release



Variable Name	Variable Label	Variable Values
cc5yf_blq_compby	Person who completed postnatal Father's baseline questionnaire	1"Baby's biological father", 2"Baby's step father", 3"Baby's adoptive/foster father", 4"Other"
cc5yf_blq_sameaddr	Father lives in the same house as the study child	0"No", 1"Yes"
cc5yf_blq_datecomp	Date postnatal Father's baseline questionnaire was completed	Date DD/MM/YYYY
cc5yf_blq_addcomments	Additional comments made by person completing postnatal Father's baseline questionnaire	Free text
<b>CCSL 18/24 month assessment form</b>		
Data for release		
Variable Name	Variable Label	Variable Values
<b>Section A - Assessment Information</b>		
ccslst_24m_ageassess	Age of study child at assessment (months)	Continuous
ccslst_24m_location	Location of assessment	1"Regional cleft clinic", 2"Local clinic", 3"Home", 4"Other"
ccslst_24m_conductassess	Speech and Language therapist who conducted assessment	1"Cleft centre SLT", 2"Local community SLT", 3"Local cleft specialist SLT", 4"Other"
ccslst_24m_assessused	Speech assessment used	1"GOS.SP.ASS", 2"PACS toys", 3"Informal only", 4"Other"
ccslst_24m_lanassessused	Language assessment used	1"Derbyshire Language Scheme Rapid Screening Test", 2"Receptive-Expressive Emergent Language Test (any version)", 3"Gillhams first words", 4"Informal only", 5"Language not assessed", 6"Other"
<b>Section B - Oral Structure</b>		
ccslst_24m_fistula	Fistula present	0"None", 1"Suspected", 2"Diagnosed", 3"Unable to see"
ccslst_24m_nasalregurg	Child has experienced nasal regurgitation	0"No", 1"Yes"
<b>Section C - Hearing status and history</b>		
ccslst_24m_grommets	Study child has had grommets fitted at some point	0"No", 1"Yes"
ccslst_24m_histdiaghrngloss	Study child has history of diagnosed hearing loss	0"No", 1"Yes"
ccslst_24m_prntcnrnrng	There is parental concern regarding study child's hearing	0"No", 1"Yes"
ccslst_24m_hrngaidsttd	Study child has had hearing aids fitted at some point	0"No", 1"Yes"

ccslst_24m_hrngaidswrnreg	Study child wears hearing aids regularly	0"No", 1"Yes"
ccslst_24m_numerinfect	Number of ear infections that study child has had since birth - parent reported	0"Zero", 1"1-5", 2">5"
<b>Section D - Cleft speech characteristics (CSC's)</b>		
ccslst_24m_antcsc_dent	Anterior CSCs - Dentalisation present	0"No", 1"Yes"
ccslst_24m_antcsc_lat	Anterior CSCs - Lateralisation / lateral articulation present	0"No", 1"Yes"
ccslst_24m_antcsc_pal	Anterior CSCs - Palatalisation / palatal present	0"No", 1"Yes"
ccslst_24m_antcsc_dbart	Anterior CSCs - Double articulation present	0"No", 1"Yes"
ccslst_24m_postcsc_velar	Posterior CSCs - Backing to velar present	0"No", 1"Yes"
ccslst_24m_postcsc_uvular	Posterior CSCs - Backing to uvular present	0"No", 1"Yes"
ccslst_24m_nonoralcsc_phar	Non-oral CSCs - Pharyngeal articulation present	0"No", 1"Yes"
ccslst_24m_nonoralcsc_glot	Non-oral CSCs - Glottal articulation present	0"No", 1"Yes"
ccslst_24m_nonoralcsc_anf	Non-oral CSCs - Active nasal fricatives present	0"No", 1"Yes"
ccslst_24m_passivcsc_nascon	Passive CSCs - Weak / nasalised consonants present	0"No", 1"Yes"
ccslst_24m_passivcsc_nrf	Passive CSCs - Nasal realisations of fricatives present	0"No", 1"Yes"
ccslst_24m_passivcsc_nrp	Passive CSCs - Nasal realisations of plosives present	0"No", 1"Yes"
ccslst_24m_passivcsc_apc	Passive CSCs - Absent pressure consonants present	0"No", 1"Yes"
<b>Short Surgical Form</b>		

**Data for release**

Variable Name	Variable Label	Variable Values
ccpns_ssf_frstsurgpr	First surgical intervention involving the closure of the lip/palate/alveolous	0"No", 1"Yes"
ccpns_ssf_numprevsurg	Number of previous cleft related suregeries before this operation	Discrete
ccpns_ssf_dv_seqorderclftsurg	Derived variable - Sequential order of cleft related surgery based on the data obtained from completed surgical forms	Ordinal
ccpns_ssf_pseudopsurg	Pseudonymous operating surgeon	Free text
ccpns_ssf_opsurgconstrain	Operating surgeon's position at time of surgery	1"Consultant", 2"Trainee"
ccpns_ssf_pseudosprvsngsrgn	Pseudonymous supervising surgeon	Free text
ccpns_ssf_dv_chldageatsurg	Child's age (months) at the time of surgery	Continuous (months)
ccpns_ssf_lahshal	Classification of cleft - LAHSHAL	Range of combinations
ccpns_ssf_lahsal	Classification of cleft - LAHSAL	Range of combinations

ccpns_ssf_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate", 4"Submoucouc cleft palate"
ccpns_ssf_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
ccpns_ssf_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
ccpns_ssf_phenotype_5level	Phenotype detailed at 5 separate catergories	1"Unilateral Cleft lip", 2"Bilateral cleft lip", 3"Cleft palate", 4"Unilateral cleft lip and palate," 5"Biilateral cleft lip and palate"
ccpns_ssf_phenotype_4level	Phenotype detailed at 4 separate catergories	1"Cleft lip", 2"Cleft palate", 3"Unilateral cleft lip and palate," 4"Biilateral cleft lip and palate"
ccpns_ssf_lahshal_rl	LAHSHAL - Right lip	0"Cleft not present", 1"Incomplete", 2"Complete", 9"Unknown"
ccpns_ssf_lahshal_ra	LAHSHAL - Right alveolous	0"Cleft not present", 1"Incomplete", 2"Complete", 9"Unknown"
ccpns_ssf_lahshal_rh	LAHSHAL - Right hard palate	0"Cleft not present", 1"Incomplete", 2"Complete", 9"Unknown"
ccpns_ssf_lahshal_s	LAHSHAL - Soft palate	0"Cleft not present", 1"Incomplete", 2"Complete", 9"Unknown"
ccpns_ssf_lahshal_lh	LAHSHAL - Left hard palate	0"Cleft not present", 1"Incomplete", 2"Complete", 9"Unknown"
ccpns_ssf_lahshal_la	LAHSHAL - Left alveolous	0"Cleft not present", 1"Incomplete", 2"Complete", 9"Unknown"
ccpns_ssf_lahshal_ll	LAHSHAL - Leftlip	0"Cleft not present", 1"Incomplete", 2"Complete", 9"Unknown"
ccpns_ssf_typsurg_ilm	Initial lip repair surgery performed on this occasion	0"No", 1"Yes"
ccpns_ssf_typsurg_ipr	Initial palate repair surgery performed on this occasion	0"No", 1"Yes"
ccpns_ssf_typsurg_fistr	Fistula repair surgery performed on this occasion	0"No", 1"Yes"
ccpns_ssf_typsurg_spchsurg	Speech surgery performed on this occasion	0"No", 1"Yes"
ccpns_ssf_typsurgabg	Alveolar Bone Graft performed on this occasion	0"No", 1"Yes"
ccpns_ssf_typsurg_oth	Other type of surgery performed on this occasion	0"No", 1"Yes"
ccpns_ssf_typsurg_ilm_tech	Technique used for initial lip repair surgery	Free text
ccpns_ssf_typsurg_ipr_tech	Technique used for initial palate repair surgery	Free text
ccpns_ssf_typsurg_fistr_tech	Technique used for fistula repair surgery	Free text
ccpns_ssf_typsurg_spchsurg_tech	Technique used for speech surgery	Free text
ccpns_ssf_typsurgabg_tech	Technique used for Alveolar Bone Graft	Free text
ccpns_ssf_typsurg_oth_tech	Technique used and detail of other type of cleft related surgery performed	Free text
ccpns_ssf_relins_rt	Relieving incisions were used - Right	0"No", 1"Yes", 2"NA"
ccpns_ssf_relins_lt	Relieving incisions were used - Left	0"No", 1"Yes", 2"NA"
ccpns_ssf_arms_splints	Splints used during surgery	0"No", 1"Yes"

ccpns_ssf_arms_mittens	Mittens used during surgery	0"No", 1"Yes"
ccpns_ssf_arms_other	Other arms used during surgery	0"No", 1"Yes"
ccpns_ssf_arms_other_detail	Other arms used during surgery - detail	Free text
ccpns_ssf_preoptuberositywdth	Pre op width of the palate at the tuberosity (mm)	Continuous - mm
ccpns_ssf_preopsftedgepalclftwdth	Pre op soft edge width of the palatal cleft at the hard/soft palate junction (mm)	Continuous - mm
ccpns_ssf_pstmedhist	Past medical history	0"No", 1"Yes"
ccpns_ssf_pstmedhist_cardiac	Past cardiac medical history	0"No", 1"Yes"
ccpns_ssf_pstmedhist_skeletal	Past skeletal medical history	0"No", 1"Yes"
ccpns_ssf_pstmedhist_urogenital	Past urogenital medical history	0"No", 1"Yes"
ccpns_ssf_pstmedhist_oth	Past medical history other than cardiac, skeletal or urogenital	0"No", 1"Yes"
ccpns_ssf_pstmedhist_oth_detail	Past medical history other than cardiac, skeletal or urogenital - detail	Free text
ccpns_ssf_syndrm	Child has a syndromic cleft	0"No", 1"Yes"
ccpns_ssf_syndrm_22q	Child has a syndromic cleft - 22q11 DS	0"No", 1"Yes"
ccpns_ssf_syndrm_stick	Child has a syndromic cleft - Sticklers	0"No", 1"Yes"
ccpns_ssf_syndrm_vdw	Child has a syndromic cleft - Van der Woude	0"No", 1"Yes"
ccpns_ssf_syndrm_oth	Child has a syndromic cleft - Other	0"No", 1"Yes"
ccpns_ssf_syndrm_oth_detail	Child has a syndromic cleft - Other detail	Free text
ccpns_ssf_prs	Child has PRS	0"No", 1"Yes"
ccpns_ssf_prs_npaneonate	NPA used as a neonate	0"No", 1"Yes"
ccpns_ssf_prs_npapostop	NPA used post op	0"No", 1"Yes"
ccpns_ssf_stdymdl	Study model taken at this surgery	0"No", 1"Yes"
ccpns_ssf_drwng	Drawing done at this surgery	0"No", 1"Yes"
ccpns_ssf_photo	Photo taken at this surgery	0"No", 1"Yes"
ccpns_ssf_video	Video taken at this surgery	0"No", 1"Yes"
ccpns_ssf_tranexamicacid	Tranexamic acid given at this surgery	0"No", 1"Yes"
ccpns_ssf_steroids	Steroids given at this surgery	0"No", 1"Yes"
ccpns_ssf_abregimen	Antibiotic regimen	0"Nil", 1"On induction", 2"24 hours post op", 3"5-7 days post op", 4"other"
ccpns_ssf_abregimen_oth	Antibiotic regimen - other	Free text
ccpns_ssf_abdrbg	Antibiotic drugs given	0"Nil", 1"Amoxicillin", 2"Coamoxiclav", 3"Metronidazole", 4"Other"
ccpns_ssf_abdrbg_oth	Antibiotic drugs given - detail of other	Free text
<b>Covid-19 Questionnaire</b>		

Section A - General Questions		
Data for release		
Variable Name	Variable Label	Variable Values
cc_cvd19_compby	Respondents relationship to study child	1"Child's biological mother", 2"Child's biological father", 3"Others"
cc_cvd19_compby_spcfy	The relationship with the child born with a cleft, specify	Free Text
cc_cvd19_sex	Child's sex	1"Male", 2"Female"
cc_cvd19_age	Child's age	Continuous - months
cc_cvd19_clefttyp	Type of cleft child was born with	1"Cleft lip", 2"Cleft palate", 3"Cleft lip and palate," 4"Submucous cleft palate", 5"Don't know"
cc_cvd19_uni_bi	Unilateral or bilateral cleft lip	1"Unilateral", 2"Bilateral", 3"Don't know", 4"Not applicable"
cc_cvd19_cleftside	Side of unilateral cleft lip	1"Right", 2"Left", 3"Don't know", 4"Not applicable"
cc_cvd19_syndrome	Child has been diagnosed with a syndrome or genetic condition	0"No", 1"Yes", 2"Undergoing testing"
cc_cvd19_syndrome_test	Child is currently undergoing genetic testing	0"No", 1"Yes"
cc_cvd19_syndrome_prs	Child has been diagnosed with Pierre Robin Sequence (PRS)	0"No", 1"Yes"
cc_cvd19_syndrome_vw	Child has been diagnosed with Van der Woude syndrome	0"No", 1"Yes"
cc_cvd19_syndrome_tc	Child has been diagnosed with Treacher Collins syndrome	0"No", 1"Yes"
cc_cvd19_syndrome_hm	Child has been diagnosed with Hemifacial Microsomy / Goldenhar syndrome	0"No", 1"Yes"
cc_cvd19_syndrome_ss	Child has been diagnosed with Stickler syndrome	0"No", 1"Yes"
cc_cvd19_syndrome_22q	Child has been diagnosed with 22q 11.2 deletion syndrome	0"No", 1"Yes"
cc_cvd19_syndrome_cranio	Child has been diagnosed with Craniosynostosis (including Crouzon syndrome, Apert syndrome, Pfeiffer syndrome, Saethre-Chotzen syndrome)	0"No", 1"Yes"
cc_cvd19_syndrome_cl	Child has been diagnosed with Cornelia de Lange syndrome	0"No", 1"Yes"
cc_cvd19_syndrome_other	Child has been diagnosed with another syndrome or genetic condition	0"No", 1"Yes"
cc_cvd19_syndrome_other_detail	Child has been diagnosed with another syndrome or genetic condition	Free Text

<b>Section B - Education &amp; childcare</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
cc_cvd19_schlyr	School year which child is currently enrolled in	1"Nursery/pre-school", 2"Early Years Foundation Stage", 3"Primary education", 4"Secondary education"
cc_cvd19_grndprntchldcr_freq_schldy	Frequency in which grandparent looked after child on school days before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_othrelchldcr_freq_schldy	Frequency in which other relative looked after child on school days before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_frndnbrchldcr_freq_schldy	Frequency in which friend or neighbour looked after child on school days before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_chldminderchldcr_freq_schldy	Frequency in which a paid person outside the home (eg: childminder) looked after child on school days before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_nannychldcr_freq_schldy	Frequency in which a paid person inside the home (eg: nanny) looked after child on school days before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_clubchldcr_freq_schldy	Frequency in which an after school club looked after child on school days before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_otherchldcr_schldy	Other childcare which regularly looked after child on school days before lockdown (23rd of March 2020)	Free text
cc_cvd19_otherchldcr_freq_schldy	Frequency in which a other childcare looked after child on school days before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_grndprntchldcr_freq	Frequency in which grandparent looked after child each week before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_othrelativechldcr_freq	Frequency in which other relative looked after child each week before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_frndnbrchldcr_freq	Frequency in which friend or neighbour looked after child each week before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_chldminderchldcr_freq	Frequency in which a paid person outside the home (eg: childminder) looked after child each week before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_nannychldcr_freq	Frequency in which a paid person inside the home (eg: nanny) looked after child each week before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"

cc_cvd19_clubchldcr_freq	Frequency in which an after school club looked after child each week before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_otherchldcr	Other childcare which regularly looked after child each week before lockdown (23rd of March 2020)	Free text
cc_cvd19_otherchldcr_freq	Frequency in which a other childcare looked after child each week before lockdown (23rd of March 2020)	1"Less than 1 day per week", 2"1 to 2 days per week", 3"3 to 4 days per week", 4"More than 4 days per week"
cc_cvd19_schlhome_before	How child was educated before lockdown (23rd of March 2020)	1"Was going to a school in person", 2"Was schooled at home"
cc_cvd19_schlhome_during	Method in which child was educated during lockdown	1"Still went to a school", 2"Work set by the school at home", 3"Work set by the parent", 4"guardian at home", 5"Did not do any work"
cc_cvd19_schlhome_virtual	Child carried out schoolwork via virtual classroom, set by school, at home	0"No", 1"Yes"
cc_cvd19_schlhome_online	Child carried out schoolwork via online resources, set by school, at home	0"No", 1"Yes"
cc_cvd19_schlhome_paper	Child carried out schoolwork via paper resources, set by school, at home	0"No", 1"Yes"
cc_cvd19_schlhome_othr	Child carried out schoolwork via other method, set by school, at home	0"No", 1"Yes"
cc_cvd19_schlhome_othrspecify	Child carried out schoolwork via other, set by school, at home, specify	Free text
cc_cvd19_schlhome_reopneligible	Child was eligible to attend school/early years setting since the reopening of some schools (from 1st of June 2020)	0"No", 1"Yes"
cc_cvd19_schlhome_reopnattend	Child was eligible to attend school/early years setting and returned to school since the reopening of some schools (from 1st of June 2020)	0"No", 1"Yes"
cc_cvd19_schlhome_statement	Child's enjoyment of home schooling/online teaching	1"Most days, my child enjoys home schooling/online teaching", 2"Most days, my child dislikes home schooling/online teaching"
cc_cvd19_schlhome_schlwrk	Child is managing to keep up with the schoolwork	0"No", 1"Yes", 2"Don't know"
cc_cvd19_schlhome_prblm	Child had problems accessing education since lockdown	0"No", 1"Yes"
cc_cvd19_schlhome_prblm1	Child had difficulty adapting to remote learning since lockdown	0"No", 1"Yes"
cc_cvd19_schlhome_prblm2	Child had limited quality or quantity of remote lessons since lockdown	0"No", 1"Yes"
cc_cvd19_schlhome_prblm3	Child had lack of device or internet connection for accessing remote learning since lockdown	0"No", 1"Yes"

cc_cvd19_schlhome_prblm4	Child had no suitable place in the home to learn since lockdown	0"No", 1"Yes"
cc_cvd19_schlhome_prblm5	Child had other problems accessing education since lockdown	0"No", 1"Yes"
cc_cvd19_schlhome_prblmspecify	Child had other problems accessing education since lockdown, specify	Free text
cc_cvd19_schlhome_additional	Anything else about child's schooling/home schooling since lockdown	Free text
<b>Section C - Working life</b>		

### Data for release

Variable Name	Variable Label	Variable Values
cc_cvd19_crntemplymnt	Parent/carer's current employment status	1"Employed and working the same number of hours (pre-lockdown)", 2"Employed and working reduced number of hours/", 3"Employed but on paid leave (including furlough)", 4"Employed and on unpaid leave", 5"Apprenticeship", 6"In unpaid/voluntary work", 7"Self-employed and currently working", 8"Self-employed but not currently working", 9"Unemployed", 10"Permanently sick or disabled", 11"Looking after home or family" 12"In education at school/college/university", 13"Retired"
cc_cvd19_crntemplymnt_place	Parent/carer's current working place	1"From home", 2"Usual workplace", 3"Other"
cc_cvd19_crntemplymnt_placespcfy	Parent/carer's current working place, specify	Free text
cc_cvd19_crntessntlwrkr	Parent/carer's is an essential worker	0"No", 1"Yes"
cc_cvd19_crntessntlwrkr_sctr	Sector which Parent/carer works in	1 "Health, social care or relevant related support worker (e.g. doctor, nurse, NHS volunteer)", 2"Teaching or childcare worker", 3"Key public services (justice, religious staff, journalist or mortuary)", 4"Local and national government", 5"Food and other necessary goods (production, sales, delivery)", 6"Public safety or national security worker (police, armed forces)", 7"Transport worker Utility worker (energy, sewerage, postal service)", 8"Utilities, communication and financial services"



Section D - Delayed treatment		
Data for release		
Variable Name	Variable Label	Variable Values
<b>Surgery</b>		
cc_cvd19_liprepair	Child has had their lip repaired	0"No", 1"Yes", 2"Not applicable"
cc_cvd19_liprepair_age	Age of child when their lip was repaired - months	Continuous - months
cc_cvd19_liprepair_delayed	Child's primary lip repair surgery has been delayed due to Covid-19	0"No", 1"Yes", 2"Don't know"
cc_cvd19_palrepair	Child has had their palate repaired	0"No", 1"Yes", 2"Not applicable"
cc_cvd19_palrepair_age	Age of child when their palate was repaired - months	Continuous - months
cc_cvd19_palrepair_delayed	Child's primary palate repair surgery has been delayed due to Covid-19	0"No", 1"Yes", 2"Don't know"
cc_cvd19_srgry	Child was due to have surgery relating to their cleft after the 23rd of March 2020	0"No", 1"Yes, the surgery still went ahead", 2"Yes, the surgery has been delayed", 3"Yes, but I don't know if it will still go ahead as planned", 4"Yes, surgery is planned and I have not been informed of a delay"
cc_cvd19_srgry_typ	Child was due to have surgery relating to their cleft after the 23rd of March 2020, specify type of surgery	Free text
cc_cvd19_srgry_flg	Parent/carer's feeling about child's surgery being delayed	Free text
<b>Speech and Language</b>		
cc_cvd19_speechthrp_before	Child was receiving speech and language therapy intervention before lockdown	0"No", 1"Yes"
cc_cvd19_speechthrp_during	Child was due to start speech and language therapy intervention after the 23rd of March 2020	0"No", 1"Yes"
cc_cvd19_speechthrp_crnt	Child is still having speech and language therapy intervention	0"No, treatment had finished", 1"Yes, in person", 2"Yes, via an online video conferencing software", 3"No, delayed due to Covid-19", 4"other"
cc_cvd19_speechthrp_crntspcfy	Child is still having speech and language therapy intervention, specify	Free text
cc_cvd19_speechthrp_times	Number of times that child received speech and language therapy intervention during lockdown	Continuous - number
cc_cvd19_speechthrp_effctv	Effectiveness of online speech and language therapy intervention	0"Not at all effective", 1"Somewhat effective", 2"Very effective"

cc_cvd19_speechthrpyp_effctvspcfy	Additional feedback on the effectiveness of online speech and language therapy intervention	Free text
<b>Psychology</b>		
cc_cvd19_sprpt	Parent/carer sought or received advice and/or support regarding the impact of Covid-19 on wellbeing/mental health	0"No", 1"Yes"
cc_cvd19_sprpt_thmslvs	Parent/carer found online resources themselves regarding the impact of Covid-19 on wellbeing/mental health	0"No", 1"Yes"
cc_cvd19_sprpt_rcmmnd	Parent/carer used online resources which they were recommended regarding the impact of Covid-19 on wellbeing/mental health	0"No", 1"Yes"
cc_cvd19_sprpt_schl	Parent/carer sought or received support from school staff regarding the impact of Covid-19 on wellbeing/mental health	0"No", 1"Yes"
cc_cvd19_sprpt_hlthsrvc	Parent/carer sought or received support from health service staff regarding the impact of Covid-19 on wellbeing/mental health	0"No", 1"Yes"
cc_cvd19_sprpt_mntlhlth	Parent/carer sought or received support from mental health services regarding the impact of Covid-19 on wellbeing/mental health	0"No", 1"Yes"
cc_cvd19_sprpt_clfttm	Parent/carer sought or received support from the cleft team regarding the impact of Covid-19 on wellbeing/mental health	0"No", 1"Yes"
cc_cvd19_psychlgy_before	Child received support from cleft psychology before lockdown	0"No", 1"Yes"
cc_cvd19_psychlgy_during	Child was due to start receiving support from cleft psychology after the 23rd of March 2020	0"No", 1"Yes"
cc_cvd19_psychlgy_crrnt	Child is still receiving the support from cleft psychology intervention	0"No, treatment had finished", 1"Yes, in person", 2"Yes, via an online video conferencing software", 3"No, delayed due to Covid-19", 4"other"
cc_cvd19_psychlgy_crrntspcfy	Child is still having cleft psychology intervention, specify	Free text
cc_cvd19_psychlgy_times	Number of times that child received cleft psychology intervention during lockdown	Continuous - number
cc_cvd19_psychlgy_effctv	Effectiveness of online cleft psychology intervention	0"Not at all effective", 1"Somewhat effective", 2"Very effective"
cc_cvd19_psychlgy_effctvspcfy	Additional feedback on the effectiveness of cleft psychology intervention	Free test
<b>Orthodontics</b>		

cc_cvd19_orthdnc_before	Child was undergoing orthodontic treatment before lockdown	0"No", 1"Yes"
cc_cvd19_orthdnc_during	Child has had problems with their orthodontic treatment during lockdown	0"No", 1"Yes"
cc_cvd19_orthdnc_duringtrtmnt	Treatment offered to help resolve the problems	0"None, we did not seek help", 1"Referral to hospital or urgent dental centre", 2"Telephone advice", 3"Suggestion to access online patient resources eg www.bos.org.uk Covid-19 advice", 4"Self-help"
cc_cvd19_orthdnc_duringstrt	Child was due to start orthodontic treatment after the 23rd of March 2020	0"No", 1"Yes"
cc_cvd19_orthdnc_crrnt	Child is still receiving orthodontic treatment during lockdown	0"No, treatment has finished", 1"Yes", 2"No, delayed due to Covid-19"
cc_cvd19_orthdnc_times	Number of times that child received orthodontic treatment during lockdown	Continuous - number
<b>Dentistry</b>		
cc_cvd19_dntltrtmnt_before	Child was undergoing dental treatment before lockdown	0"No", 1"Yes"
cc_cvd19_dntltrtmnt_during	Child was due to start dental treatment after the 23rd of March 2020	0"No", 1"Yes"
cc_cvd19_dntltrtmnt_crrnt	Child is still receiving dental treatment during lockdown	0"No", 1"Yes"
cc_cvd19_dntltrtmnt_times	Number of times that child received dental treatment during lockdown	Continuous - number
cc_cvd19_toothpain	Child has had tooth related pain during lockdown	0"No", 1"Yes"
cc_cvd19_toothpain_trm	Child's tooth related pain was related to trauma to the mouth from a knock	0"No", 1"Yes"
cc_cvd19_toothpain_care	Parent/carer sought help for child's tooth related pain	0"No", 1"Yes, through our local dentist", 2"Yes, through the hospital", 3"Yes, through our local cleft team"
cc_cvd19_toothpain_care1	Child received advice	0"No", 1"Yes"
cc_cvd19_toothpain_care2	Child received painkillers (analgesics)	0"No", 1"Yes"
cc_cvd19_toothpain_care3	Child received antibiotics	0"No", 1"Yes"
cc_cvd19_toothpain_care4	Child received face to face appointment at an urgent dental centre	0"No", 1"Yes"

cc_cvd19_toothpain_care5	Child received face to face appointment at a hospital	0"No", 1"Yes"
cc_cvd19_toothpain_care6	Child received care through cleft service	0"No", 1"Yes"
cc_cvd19_toothpain_careothr	Child received other service	0"No", 1"Yes"
cc_cvd19_toothpain_careothrspcfy	Child received other service, specify	Free text
cc_cvd19_toothpain_fc2fc	Child received a filling or a tooth extraction	0"No", 1"Yes"
cc_cvd19_toothpain_fllng	Child received a filling	0"No", 1"Yes"
cc_cvd19_toothpain_extrctn	Child received a tooth extraction	0"No", 1"Yes"
cc_cvd19_toothpain_trtmnt	Child would have been taken for treatment if a dental appointment was offered during lockdown	0"No", 1"Yes"
<b>Audiology</b>		
cc_cvd19_audiology_before	Child was receiving audiology/ENT treatment before lockdown	0"No", 1"Yes"
cc_cvd19_audiology_during	Child was receiving audiology/ENT treatment after the 23rd of March 2020	0"No", 1"Yes"
cc_cvd19_audiology_crrnt	Child is still receiving audiology/ENT treatment during lockdown	0"No", 1"Yes"
<b>Treatment affected by lockdown</b>		
cc_cvd19_audiology_additional	Additional comments on child's treatment affected by lockdown	Free text
<b>Section E - Covid-19 infection</b>		
<b>Data for release</b>		
<b>Variable Name</b>	<b>Variable Label</b>	<b>Variable Values</b>
cc_cvd19_support	Parent/carer sought support from the cleft team	0"No", 1"Yes"

cc_cvd19_test	Child had a Covid-19 test	0"No", 1"Yes"
cc_cvd19_covid_chld	Child tested positive for Covid-19	0"No", 1"Yes"
cc_cvd19_smptm	Child had at least one of the symptoms of Covid-19	0"No", 1"Yes"
cc_cvd19_smptm_apptt	Child had decrease in appetite	0"No", 1"Yes"
cc_cvd19_smptm_nausea	Child had nausea and/or vomiting diarrhoea	0"No", 1"Yes"
cc_cvd19_smptm_pain	Child had abdominal pain	0"No", 1"Yes"
cc_cvd19_smptm_ache	Child had tummy ache	0"No", 1"Yes"
cc_cvd19_smptm_rnynose	Child had runny nose	0"No", 1"Yes"
cc_cvd19_smptm_nzng	Child had sneezing	0"No", 1"Yes"
cc_cvd19_smptm_blkdnose	Child had blocked nose	0"No", 1"Yes"
cc_cvd19_smptm_eye	Child had sore eyes	0"No", 1"Yes"
cc_cvd19_smptm_smll	Child had loss of sense of smell	0"No", 1"Yes"
cc_cvd19_smptm_taste	Child had loss of sense of taste	0"No", 1"Yes"
cc_cvd19_smptm_thrt	Child had a sore throat	0"No", 1"Yes"
cc_cvd19_smptm_voice	Child had a hoarse voice	0"No", 1"Yes"
cc_cvd19_smptm_headache	Child had a headache	0"No", 1"Yes"
cc_cvd19_smptm_dzz	Child had dizziness	0"No", 1"Yes"
cc_cvd19_smptm_brth	Child had shortness of breath affecting normal activities	0"No", 1"Yes"
cc_cvd19_smptm_cough	Child had new persistent cough	0"No", 1"Yes"

cc_cvd19_smptm_chst	Child had tightness in the chest	0"No", 1"Yes"
cc_cvd19_smptm_chstpain	Child had chest pain	0"No", 1"Yes"
cc_cvd19_smptm_fever	Child had fever	0"No", 1"Yes"
cc_cvd19_smptm_chills	Child had chills	0"No", 1"Yes"
cc_cvd19_smptm_sleep	Child had difficulty sleeping	0"No", 1"Yes"
cc_cvd19_smptm_tired	Child had felt more tired than normal	0"No", 1"Yes"
cc_cvd19_smptm_ftg	Child had sever fatigue	0"No", 1"Yes"
cc_cvd19_smptm_nmbnss	Child had numbness or tingling somewhere in the body	0"No", 1"Yes"
cc_cvd19_smptm_hvnss	Child had feeling of heaviness in arms or legs	0"No", 1"Yes"
cc_cvd19_smptm_mscls	Child had achy muscles	0"No", 1"Yes"
cc_cvd19_smptm_hsptl	Child had to go to hospital because of symptoms relating to Covid-19	0"No", 1"Yes"
cc_cvd19_crrntdisease_orgntrnsplnt	Child is an organ transplant recipient	0"No", 1"Yes"
cc_cvd19_crrntdisease_T1DT2D	Child currently has diabetes (Type I or II)	0"No", 1"Yes"
cc_cvd19_crrntdisease_CVD	Child currently has heart disease or heart problems, or has had a stroke	0"No", 1"Yes"
cc_cvd19_crrntdisease_HP	Child currently has hypertension (high blood pressure)	0"No", 1"Yes"
cc_cvd19_crrntdisease_BMI	Child currently is overweight	0"No", 1"Yes"
cc_cvd19_crrntdisease_CKD	Child currently has kidney disease	0"No", 1"Yes"
cc_cvd19_crrntdisease_liver	Child currently has liver disease	0"No", 1"Yes"
cc_cvd19_crrntdisease_anaemia	Child currently has anaemia	0"No", 1"Yes"

cc_cvd19_crrntdisease_asthma	Child currently has asthma	0"No", 1"Yes"
cc_cvd19_crrntdisease_lung	Child currently has other lung condition such as COPD, bronchitis or emphysema	0"No", 1"Yes"
cc_cvd19_crrntdisease_cancer	Child currently has cancer	0"No", 1"Yes"
cc_cvd19_crrntdisease_brain	Child currently has a condition affecting their brain and nerves	0"No", 1"Yes"
cc_cvd19_crrntdisease_wkndimmn	Child currently has a weakened immune system/reduced ability to deal with infections	0"No", 1"Yes"
cc_cvd19_crrntdisease_dprssn	Child currently has depression	0"No", 1"Yes"
cc_cvd19_crrntdisease_anxty	Child currently has anxiety	0"No", 1"Yes"
cc_cvd19_crrntdisease_ADHD	Child currently has ADHD	0"No", 1"Yes"
cc_cvd19_crrntdisease_ASs	Child currently has autism spectrum disorder	0"No", 1"Yes"
cc_cvd19_crrntdisease_neuro	Child currently has other neurodevelopmental disorders	0"No", 1"Yes"
cc_cvd19_crrntdisease_psychtrc	Child currently has other psychiatric disorder	0"No", 1"Yes"
cc_cvd19_crrntdisease_lung_spcfy	Child currently has other lung condition such as COPD, bronchitis or emphysema, specify	Free text
cc_cvd19_crrntdisease_neuro_spcfy	Child currently has other neurodevelopmental disorders, specify	Free text
cc_cvd19_crrntdisease_psychtrc_spcfy	Child currently has other psychiatric disorder, specify	Free text
cc_cvd19_covid_hshldmbr	A household member in child's family has been diagnosed with Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_covid_nonhshldmbr	A non-household member in child's family has been diagnosed with Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_covid_fmlymbr	Anyone in child's family has been diagnosed with Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_event	Child's family members within household have events because of Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_event_ill	Child's family members within household have fallen ill physically because of Coronavirus/Covid-19	0"No", 1"Yes"

cc_cvd19_event_hsptl	Child's family members within household have hospitalised because of Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_event_slfislt_nosmptm	Child's family members within household have put into self-isolation with symptoms because of Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_event_slfislt_nosmptm	Child's family members within household have put into self-isolation without symptoms because of Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_event_nojob	Child's family members within household have lost job or been laid off from job because of Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_event_money	Child's family members within household have reduced ability to earn money because of Coronavirus/Covid-19	0"No", 1"Yes"
cc_cvd19_event_pssaway	Child's family members within household have passed away because of Coronavirus/Covid-19	0"No", 1"Yes"

## Section F - Emotions / worries

Data for release		
Variable Name	Variable Label	Variable Values
cc_cvd19_worry1	Child was worried during the first few weeks of lockdown (23rd March - 30th April 2020)	0"Not worried at all", 1"Slightly worried", 2"Moderately worried", 3"Very worried", 4"Extremely worried"
cc_cvd19_hppysad1	Child was happy or sad during the first few weeks of lockdown (23rd March - 30th April 2020)	4"Very sad/depressed/unhappy", 3"Moderately sad/depressed/unhappy", 2"Neutral", 1"Moderately happy/cheerful", 0"Very happy/cheerful"
cc_cvd19_rlxdnrv1	Child was relaxed versus anxious during the first few weeks of lockdown (23rd March - 30th April 2020)	0"Very relaxed/calm", 1"Moderately relaxed/calm", 2"Neutral", 3"Moderately nervous/anxious", 4"Very nervous/anxious"
cc_cvd19_fidg/rstls1	Child was fidgety/restless during the first few weeks of lockdown (23rd March - 30th April 2020)	0"Not fidgety/restless at all", 1"Slightly fidgety/restless", 2"Moderately fidgety/restless", 3"Very fidgety/restless", 4"Extremely fidgety/restless"
cc_cvd19_fatigued1	Child was fatigued or tired during the first few weeks of lockdown (23rd March - 30th April 2020)	0"Not fatigued or tired at all", 1"Slightly fatigued or tired", 2"Moderately fatigued or tired", 3"Very fatigued or tired", 4"Extremely fatigued or tired"
cc_cvd19_cncntrt1	Child was able to concentrate or focus during the first few weeks of lockdown (23rd March - 30th April 2020)	0"Very focused/attentive", 1"Moderately focused/attentive", 2"Neutral", 3"Moderately unfocused/distracted", 4"Very unfocused/distracted"



cc_cvd19_irratble1	Child was irritable or easily angered during the first few weeks of lockdown (23rd March - 30th April 2020)	0"Not irritable or easily angered at all", 1"Slightly irritable or easily angered", 2"Moderately irritable or easily angered", 3"Very irritable or easily angered", 4"Extremely irritable or easily angered"
cc_cvd19_lonely1	Child was lonely during the first few weeks of lockdown (23rd March - 30th April 2020)	0"Not lonely at all", 1"Slightly worried", 2"Moderately worried", 3"Very worried", 4"Extremely worried"
cc_cvd19_worry2	Child was worried during the weeks leading up to the reopening of some schools (1st May - 31st May 2020)	0"Not worried at all", 1"Slightly worried", 2"Moderately worried", 3"Very worried", 4"Extremely worried"
cc_cvd19_hppysad2	Child was happy or sad during the weeks leading up to the reopening of some schools (1st May - 31st May 2020)	4"Very sad/depressed/unhappy", 3"Moderately sad/depressed/unhappy", 2"Neutral", 1"Moderately happy/cheerful", 0"Very happy/cheerful"
cc_cvd19_rlxdnrv2	Child was relaxed versus anxious during the weeks leading up to the reopening of some schools (1st May - 31st May 2020)	0"Very relaxed/calm", 1"Moderatly relaxed/calm", 2"Neutral", 3"Moderatly nervous/anxious", 4"Very nervous/anxious"
cc_cvd19_fidg/rstls2	Child was fidgety/restless during the weeks leading up to the reopening of some schools (1st May - 31st May 2020)	0"Not fidgety/restless at all", 1"Slightly fidgety/restless", 2"Moderately fidgety/restless", 3"Very fidgety/restless", 4"Extremely fidgety/restless"
cc_cvd19_fatigued2	Child was fatigued or tired during the weeks leading up to the reopening of some schools (1st May - 31st May 2020)	0"Not fatigued or tired at all", 1"Slightly fatigued or tired", 2"Moderately fatigued or tired", 3"Very fatigued or tired", 4"Extremely fatigued or tired"
cc_cvd19_cncntrt2	Child was able to concentrate or focus during the weeks leading up to the reopening of some schools (1st May - 31st May 2020)	0"Very focused/attentive", 1"Moderately focused/attentive", 2"Neutral", 3"Moderately unfocused/distracted", 4"Very unfocused/distracted"
cc_cvd19_irratble2	Child was irritable or easily angered during the weeks leading up to the reopening of some schools (1st May - 31st May 2020)	0"Not irritable or easily angered at all", 1"Slightly irritable or easily angered", 2"Moderately irritable or easily angered", 3"Very irritable or easily angered", 4"Extremely irritable or easily angered"
cc_cvd19_lonely2	Child was lonely during the weeks leading up to the reopening of some schools (1st May - 31st May 2020)	0"Not lonely at all", 1"Slightly worried", 2"Moderately worried", 3"Very worried", 4"Extremely worried"
cc_cvd19_othrcmnts	Other comments, either positive or negative, made about child in relation to Covid-19 or lockdown?	Free text